

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031523\
 Data File : BF132799.D
 Acq On : 15 Mar 2023 12:57
 Operator : CG\JU
 Sample : PB151405BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB151405BS

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 03/16/2023
 Supervised By : Jagrut Upadhyay 03/16/2023

Quant Time: Mar 15 13:26:05 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF022223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 14 15:35:42 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.969	152	215957	20.000	ng	0.00
21) Naphthalene-d8	8.251	136	861657	20.000	ng	0.00
39) Acenaphthene-d10	10.010	164	469173	20.000	ng	0.00
64) Phenanthrene-d10	11.504	188	877341	20.000	ng	0.00
76) Chrysene-d12	14.163	240	499380	20.000	ng	0.00
86) Perylene-d12	15.692	264	449232	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.610	112	1239779	93.172	ng	0.02
7) Phenol-d6	6.604	99	1647621	94.877	ng	0.00
23) Nitrobenzene-d5	7.534	82	1072910	59.076	ng	0.00
42) 2,4,6-Tribromophenol	10.810	330	470590	92.876	ng	0.00
45) 2-Fluorobiphenyl	9.328	172	1844107	59.849	ng	0.00
79) Terphenyl-d14	13.092	244	2093327	70.874	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.916	88	298408	40.542	ng	94
3) Pyridine	3.669	79	696861	35.668	ng	93
4) n-Nitrosodimethylamine	3.640	42	291763	39.535	ng	84
6) Aniline	6.634	93	820863	35.124	ng	97
8) 2-Chlorophenol	6.757	128	609727	44.150	ng	98
9) Benzaldehyde	6.522	77	355115	37.897	ng	95
10) Phenol	6.622	94	810194	40.694	ng	96
11) bis(2-Chloroethyl)ether	6.704	93	641817	41.758	ng	95
12) 1,3-Dichlorobenzene	6.910	146	658703	44.446	ng	97
13) 1,4-Dichlorobenzene	6.987	146	649632	43.899	ng	99
14) 1,2-Dichlorobenzene	7.140	146	603614	42.502	ng	99
15) Benzyl Alcohol	7.110	79	569846	42.608	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.240	45	770696	39.322	ng	96
17) 2-Methylphenol	7.222	107	514541	39.922	ng	99
18) Hexachloroethane	7.475	117	252362	43.651	ng	99
19) n-Nitroso-di-n-propyla...	7.381	70	414335	38.768	ng	95
20) 3+4-Methylphenols	7.375	107	592296	35.570	ng	93
22) Acetophenone	7.381	105	823025	37.880	ng	# 89
24) Nitrobenzene	7.557	77	715695	36.847	ng	99
25) Isophorone	7.793	82	1449559	41.631	ng	99
26) 2-Nitrophenol	7.869	139	381379	44.502	ng	95
27) 2,4-Dimethylphenol	7.904	122	579203	42.822	ng	98
28) bis(2-Chloroethoxy)met...	7.993	93	854923	41.972	ng	99
29) 2,4-Dichlorophenol	8.110	162	579660	43.082	ng	98
30) 1,2,4-Trichlorobenzene	8.193	180	627156	42.926	ng	99
31) Naphthalene	8.275	128	1774289	40.223	ng	99
32) Benzoic acid	8.045	122	407270m	38.993	ng	
33) 4-Chloroaniline	8.322	127	447693	23.684	ng	94
34) Hexachlorobutadiene	8.381	225	389846	41.991	ng	99
35) Caprolactam	8.710	113	206259m	46.500	ng	
36) 4-Chloro-3-methylphenol	8.810	107	626360	42.390	ng	94
37) 2-Methylnaphthalene	8.963	142	1180597	39.273	ng	100
38) 1-Methylnaphthalene	9.063	142	1086741	38.683	ng	99
40) 1,2,4,5-Tetrachloroben...	9.134	216	634824	41.356	ng	99
41) Hexachlorocyclopentadiene	9.116	237	660054	79.278	ng	99
43) 2,4,6-Trichlorophenol	9.245	196	424699	40.826	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031523\
 Data File : BF132799.D
 Acq On : 15 Mar 2023 12:57
 Operator : CG\JU
 Sample : PB151405BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB151405BS

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 03/16/2023
 Supervised By : Jagrut Upadhyay 03/16/2023

Quant Time: Mar 15 13:26:05 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF022223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 14 15:35:42 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.292	196	461535	38.013	ng	98
46) 1,1'-Biphenyl	9.428	154	1424202	40.106	ng	99
47) 2-Chloronaphthalene	9.457	162	1154183	40.994	ng	99
48) 2-Nitroaniline	9.557	65	385740	37.200	ng	90
49) Acenaphthylene	9.875	152	1747635	39.002	ng	100
50) Dimethylphthalate	9.734	163	1410558	41.291	ng	100
51) 2,6-Dinitrotoluene	9.798	165	318931	40.994	ng	96
52) Acenaphthene	10.051	154	1211220m	42.569	ng	
53) 3-Nitroaniline	9.969	138	251443	28.892	ng	99
54) 2,4-Dinitrophenol	10.086	184	340270	69.650	ng	# 86
55) Dibenzofuran	10.222	168	1571529	37.886	ng	98
56) 4-Nitrophenol	10.139	139	449564	69.267	ng	96
57) 2,4-Dinitrotoluene	10.210	165	419431	40.524	ng	93
58) Fluorene	10.563	166	1186101	37.383	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.339	232	376262	41.718	ng	97
60) Diethylphthalate	10.428	149	1305888	39.141	ng	99
61) 4-Chlorophenyl-phenyle...	10.551	204	626901	38.087	ng	96
62) 4-Nitroaniline	10.592	138	340852	39.899	ng	95
63) Azobenzene	10.710	77	1300935	36.818	ng	97
65) 4,6-Dinitro-2-methylph...	10.622	198	240046	40.417	ng	90
66) n-Nitrosodiphenylamine	10.675	169	1088102	39.782	ng	99
67) 4-Bromophenyl-phenylether	11.045	248	414870	41.804	ng	95
68) Hexachlorobenzene	11.116	284	461992	44.242	ng	97
69) Atrazine	11.198	200	380239	44.530	ng	98
70) Pentachlorophenol	11.316	266	406967	65.504	ng	97
71) Phenanthrene	11.533	178	1814364	39.920	ng	99
72) Anthracene	11.586	178	1802184	38.505	ng	99
73) Carbazole	11.739	167	1679555	39.801	ng	100
74) Di-n-butylphthalate	12.057	149	2036001	41.132	ng	99
75) Fluoranthene	12.727	202	1933986	38.924	ng	98
77) Benzidine	12.845	184	736259	60.566	ng	99
78) Pyrene	12.957	202	1942079	42.775	ng	100
80) Butylbenzylphthalate	13.563	149	818506	45.684	ng	99
81) Benzo(a)anthracene	14.151	228	1556290	41.651	ng	98
82) 3,3'-Dichlorobenzidine	14.110	252	334659	30.380	ng	# 98
83) Chrysene	14.192	228	1440930	41.239	ng	99
84) Bis(2-ethylhexyl)phtha...	14.116	149	984333	44.723	ng	99
85) Di-n-octyl phthalate	14.733	149	1418009	44.088	ng	97
87) Indeno(1,2,3-cd)pyrene	17.280	276	1438973	48.885	ng	100
88) Benzo(b)fluoranthene	15.239	252	1314545	43.665	ng	99
89) Benzo(k)fluoranthene	15.269	252	1223979	41.542	ng	99
90) Benzo(a)pyrene	15.627	252	1100878	39.071	ng	99
91) Dibenzo(a,h)anthracene	17.292	278	1174996	48.992	ng	98
92) Benzo(g,h,i)perylene	17.762	276	1224166	45.261	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031523\
Data File : BF132799.D
Acq On : 15 Mar 2023 12:57
Operator : CG\JU
Sample : PB151405BS
Misc :
ALS Vial : 4 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
PB151405BS

Quant Time: Mar 15 13:26:05 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF022223.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 14 15:35:42 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By : Christian Giraldo 03/16/2023
Supervised By : Jagrut Upadhyay 03/16/2023





#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.969 min Scan# 74
 Delta R.T. 0.000 min
 Lab File: BF132799.D
 Acq: 15 Mar 2023 12:57




Instrument :
 BNA_F
 ClientSampleId :
 PB151405BS



Tgt Ion:152 Resp: 215952
 Ion Ratio Lower Upper
 152 100
 150 154.3 125.4 188.2
 115 55.5 47.8 71.6




Manual Integrations
 APPROVED


Reviewed By :Christian Giraldo 03/16/2023
 Supervised By :Jagrut Upadhyay 03/16/2023



#2
 1,4-Dioxane
 Concen: 40.542 ng
 RT: 2.916 min Scan# 56
 Delta R.T. 0.106 min
 Lab File: BF132799.D
 Acq: 15 Mar 2023 12:57


Tgt Ion: 88 Resp: 298408
 Ion Ratio Lower Upper
 88 100
 58 67.9 58.3 87.5
 43 23.0 20.7 31.1





#3
Pyridine
Concen: 35.668 ng
RT: 3.669 min Scan# 184
Delta R.T. 0.077 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion: 79 Resp: 696861
Ion Ratio Lower Upper
79 100
52 61.6 53.7 80.5
51 29.3 26.6 40.0

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#4
n-Nitrosodimethylamine
Concen: 39.535 ng
RT: 3.640 min Scan# 179
Delta R.T. 0.082 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion: 42 Resp: 291763
Ion Ratio Lower Upper
42 100
74 168.5 118.2 177.2
44 6.6 5.3 7.9





#5
2-Fluorophenol
Concen: 93.172 ng
RT: 5.610 min Scan# 514
Delta R.T. 0.018 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS



Tgt Ion: 112 Resp: 1239779
Ion Ratio Lower Upper
112 100
64 58.3 51.6 77.4
63 30.6 27.4 41.2




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#6
Aniline
Concen: 35.124 ng
RT: 6.634 min Scan# 688
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57


Tgt Ion: 93 Resp: 820863
Ion Ratio Lower Upper
93 100
66 38.4 32.5 48.7
65 19.2 16.6 24.8





#7
Phenol-d6
Concen: 94.877 ng
RT: 6.604 min Scan# 683
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion: 99 Resp: 1647621
Ion Ratio Lower Upper
99 100
42 15.5 13.9 20.9
71 34.8 28.5 42.7

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#8
2-Chlorophenol
Concen: 44.150 ng
RT: 6.757 min Scan# 709
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion:128 Resp: 609727
Ion Ratio Lower Upper
128 100
130 33.6 12.1 52.1
64 50.7 32.0 72.0





#9
Benzaldehyde
Concen: 37.897 ng
RT: 6.522 min Scan# 60
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS



Tgt Ion: 77 Resp: 355115
Ion Ratio Lower Upper
77 100
105 101.4 77.9 117.9
106 99.6 73.4 113.4




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#10
Phenol
Concen: 40.694 ng
RT: 6.622 min Scan# 686
Delta R.T. 0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Tgt Ion: 94 Resp: 810194
Ion Ratio Lower Upper
94 100
65 30.7 9.4 49.4
66 43.2 19.8 59.8









#11
bis(2-Chloroethyl)ether
Concen: 41.758 ng
RT: 6.704 min Scan# 700
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Instrument :
BNA_F
ClientSampleId :
PB151405BS

Tgt Ion: 93 Resp: 641817
Ion Ratio Lower Upper
93 100
63 72.8 59.6 99.6
95 32.8 12.8 52.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#12
1,3-Dichlorobenzene
Concen: 44.446 ng
RT: 6.910 min Scan# 735
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Tgt Ion:146 Resp: 658703
Ion Ratio Lower Upper
146 100
148 63.8 51.9 77.9
75 32.3 28.9 43.3





#13

1,4-Dichlorobenzene

Concen: 43.899 ng

RT: 6.987 min Scan# 74

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :

PB151405BS

Tgt Ion:146 Resp: 649632

Ion Ratio Lower Upper

146 100

148 64.3 51.1 76.7





111 41.8 34.8 52.2

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023

Supervised By :Jagrut Upadhyay 03/16/2023



#14

1,2-Dichlorobenzene

Concen: 42.502 ng

RT: 7.140 min Scan# 774

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57




Tgt Ion:146 Resp: 603614


Ion Ratio Lower Upper

146 100

148 63.8 50.6 75.8


111 45.0 37.2 55.8





#15
Benzyl Alcohol
Concen: 42.608 ng
RT: 7.110 min Scan# 709
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion: 79 Resp: 569846
Ion Ratio Lower Upper
79 100
108 77.5 60.2 90.4
77 63.8 49.9 74.9

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.322 ng
RT: 7.240 min Scan# 791
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion: 45 Resp: 770696
Ion Ratio Lower Upper
45 100
77 18.4 0.0 36.4
79 15.1 0.0 33.4





#17
2-Methylphenol
Concen: 39.922 ng
RT: 7.222 min Scan# 788
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS



Tgt Ion:107 Resp: 51454
Ion Ratio Lower Upper
107 100
108 115.8 93.0 139.4
77 51.6 42.1 63.1
79 49.6 39.6 59.4




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#18
Hexachloroethane
Concen: 43.651 ng
RT: 7.475 min Scan# 831
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57


Tgt Ion:117 Resp: 252362
Ion Ratio Lower Upper
117 100
119 96.2 78.0 117.0
201 97.5 79.0 118.4





#19
n-Nitroso-di-n-propylamine
Concen: 38.768 ng
RT: 7.381 min Scan# 815
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion: 70 Resp: 414335
Ion Ratio Lower Upper
70 100
42 50.3 44.1 66.1
101 9.7 7.4 11.2
130 19.6 14.2 21.4

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#20
3+4-Methylphenols
Concen: 35.570 ng
RT: 7.375 min Scan# 814
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion: 107 Resp: 592296
Ion Ratio Lower Upper
107 100
108 90.1 72.6 112.6
77 112.1 104.0 144.0
79 31.2 14.1 54.1





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.251 min Scan# 90
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:136 Resp: 861652
Ion Ratio Lower Upper
136 100
137 11.1 8.9 13.3
54 7.7 6.2 9.4
68 7.1 5.2 7.8

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#22
Acetophenone
Concen: 37.880 ng
RT: 7.381 min Scan# 815
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57



Tgt Ion:105 Resp: 823025
Ion Ratio Lower Upper
105 100
71 10.9 5.0 7.4#
51 29.4 31.5 47.3#
120 21.3 17.0 25.4





#23
Nitrobenzene-d5
Concen: 59.076 ng
RT: 7.534 min Scan# 841
Delta R.T. -0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :





PB151405BS

Tgt Ion: 82 Resp: 1072910
Ion Ratio Lower Upper
82 100
128 41.7 32.2 48.2
54 44.6 38.4 57.6

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#24
Nitrobenzene
Concen: 36.847 ng
RT: 7.557 min Scan# 845
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Tgt Ion: 77 Resp: 715695
Ion Ratio Lower Upper
77 100
123 45.1 35.8 53.6
65 12.7 10.9 16.3









#25
Isophorone
Concen: 41.631 ng
RT: 7.793 min Scan# 885
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Instrument :
BNA_F
ClientSampleId :
PB151405BS

Tgt Ion: 82 Resp: 1449559
Ion Ratio Lower Upper
82 100
95 6.9 5.7 8.5
138 17.4 13.3 19.9




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#26
2-Nitrophenol
Concen: 44.502 ng
RT: 7.869 min Scan# 898
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Tgt Ion:139 Resp: 381379
Ion Ratio Lower Upper
139 100
109 30.7 26.2 39.2
65 51.0 43.8 65.8





#27
2,4-Dimethylphenol
Concen: 42.822 ng
RT: 7.904 min Scan# 904
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Instrument :

BNA_F





ClientSampleId :

PB151405BS

Tgt Ion:122 Resp: 579203
Ion Ratio Lower Upper
122 100
107 120.6 98.7 148.1
121 57.8 45.8 68.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#28
bis(2-Chloroethoxy)methane
Concen: 41.972 ng
RT: 7.993 min Scan# 919
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Tgt Ion: 93 Resp: 854923
Ion Ratio Lower Upper
93 100
95 33.3 26.3 39.5
123 10.8 8.3 12.5





#29

2,4-Dichlorophenol

Concen: 43.082 ng

RT: 8.110 min Scan# 91

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :

PB151405BS

Tgt Ion:162 Resp: 579660

Ion Ratio Lower Upper

162 100

164 63.6 45.3 85.3





98 38.7 17.9 57.9

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023

Supervised By :Jagrut Upadhyay 03/16/2023



#30

1,2,4-Trichlorobenzene

Concen: 42.926 ng

RT: 8.193 min Scan# 953

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57




Tgt Ion:180 Resp: 627156


Ion Ratio Lower Upper

180 100

182 94.3 75.1 112.7


145 28.2 23.8 35.6





#31
Naphthalene
Concen: 40.223 ng
RT: 8.275 min Scan# 90
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS



Tgt Ion:128 Resp: 1774289
Ion Ratio Lower Upper
128 100
129 11.8 9.1 13.7
127 13.9 11.0 16.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#32
Benzoic acid
Concen: 38.993 ng m
RT: 8.045 min Scan# 928
Delta R.T. 0.012 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57


Tgt Ion:122 Resp: 407270
Ion Ratio Lower Upper
122 100
105 126.0 102.6 142.6
77 93.6 70.2 110.2





#33
4-Chloroaniline
Concen: 23.684 ng
RT: 8.322 min Scan# 91
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:127 Resp: 447693
Ion Ratio Lower Upper
127 100
129 32.2 26.4 39.6
65 29.7 28.8 43.2
92 18.8 17.1 25.7

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#34
Hexachlorobutadiene
Concen: 41.991 ng
RT: 8.381 min Scan# 985
Delta R.T. -0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion:225 Resp: 389846
Ion Ratio Lower Upper
225 100
223 64.7 51.0 76.4
227 64.3 51.7 77.5





#35
Caprolactam
Concen: 46.500 ng m
RT: 8.710 min Scan# 10
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS



Tgt Ion:113 Resp: 206259
Ion Ratio Lower Upper
113 100
55 163.1 149.4 189.4
56 121.6 105.0 145.0




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#36
4-Chloro-3-methylphenol
Concen: 42.390 ng
RT: 8.810 min Scan# 1058
Delta R.T. 0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Tgt Ion:107 Resp: 626360
Ion Ratio Lower Upper
107 100
144 25.8 18.9 28.3
142 77.7 57.9 86.9





#37

2-Methylnaphthalene

Concen: 39.273 ng

RT: 8.963 min Scan# 1100

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :

PB151405BS

Tgt Ion:142 Resp: 118059

Ion Ratio Lower Upper

142 100





141 87.5 70.2 105.2

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023

Supervised By :Jagrut Upadhyay 03/16/2023



#38

1-Methylnaphthalene

Concen: 38.683 ng

RT: 9.063 min Scan# 1101

Delta R.T. 0.000 min

Lab File: BF132799.D




Acq: 15 Mar 2023 12:57


Tgt Ion:142 Resp: 1086741

Ion Ratio Lower Upper

142 100

141 90.6 73.0 109.6





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.010 min Scan# 1113

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :





PB151405BS

Tgt Ion:164	Resp: 469173
Ion Ratio	Lower Upper
164	100
162	99.5 79.8 119.8
160	45.6 35.8 53.6

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#40

1,2,4,5-Tetrachlorobenzene

Concen: 41.356 ng




RT: 9.134 min Scan# 1113


Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57


Tgt Ion:216	Resp: 634824
Ion Ratio	Lower Upper
216	100
214	79.5 63.0 94.6
179	20.2 16.6 24.8
108	19.4 15.4 23.0





#41
Hexachlorocyclopentadiene
Concen: 79.278 ng
RT: 9.116 min Scan# 1110
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:237 Resp: 660054
Ion Ratio Lower Upper
237 100
235 63.5 42.4 82.4
272 12.6 0.0 32.7

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#42
2,4,6-Tribromophenol
Concen: 92.876 ng
RT: 10.810 min Scan# 1398
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57



Tgt Ion:330 Resp: 470590
Ion Ratio Lower Upper
330 100
332 95.6 76.2 114.4
141 32.1 28.4 42.6





#43

2,4,6-Trichlorophenol

Concen: 40.826 ng

RT: 9.245 min Scan# 1100

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :

PB151405BS

Tgt Ion:196 Resp: 424699

Ion Ratio Lower Upper

196 100

198 95.2 77.1 115.7





200 30.5 25.0 37.4

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023

Supervised By :Jagrut Upadhyay 03/16/2023



#44

2,4,5-Trichlorophenol

Concen: 38.013 ng

RT: 9.292 min Scan# 1140

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Tgt Ion:196 Resp: 461535




Ion Ratio Lower Upper


196 100

198 94.9 78.3 117.5

97 48.0 38.1 57.1


132 25.9 20.2 30.4





#45
2-Fluorobiphenyl
Concen: 59.849 ng
RT: 9.328 min Scan# 1112
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:172 Resp: 1844107
Ion Ratio Lower Upper
172 100
171 35.4 28.8 43.2
170 24.6 19.7 29.5

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#46
1,1'-Biphenyl
Concen: 40.106 ng
RT: 9.428 min Scan# 1163
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion:154 Resp: 1424202
Ion Ratio Lower Upper
154 100
153 40.3 20.9 60.9
76 13.7 0.0 34.7





#47
2-Chloronaphthalene
Concen: 40.994 ng
RT: 9.457 min Scan# 1134
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS



Tgt Ion:162 Resp: 1154183
Ion Ratio Lower Upper
162 100
127 40.2 32.3 48.5
164 32.9 26.9 40.3




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#48
2-Nitroaniline
Concen: 37.200 ng
RT: 9.557 min Scan# 1185
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57


Tgt Ion: 65 Resp: 385740
Ion Ratio Lower Upper
65 100
92 74.3 54.5 81.7
138 108.5 77.2 115.8





#49
Acenaphthylene
Concen: 39.002 ng
RT: 9.875 min Scan# 1215
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:152 Resp: 1747635
Ion Ratio Lower Upper
152 100
151 20.8 16.4 24.6
153 13.8 11.0 16.6

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#50
Dimethylphthalate
Concen: 41.291 ng
RT: 9.734 min Scan# 1215
Delta R.T. 0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion:163 Resp: 1410558
Ion Ratio Lower Upper
163 100
194 4.2 3.3 4.9
164 10.2 8.3 12.5





#51
2,6-Dinitrotoluene
Concen: 40.994 ng
RT: 9.798 min Scan# 1191
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:165 Resp: 318931
Ion Ratio Lower Upper
165 100
63 55.1 47.3 70.9
89 59.5 48.9 73.3

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#52
Acenaphthene
Concen: 42.569 ng m
RT: 10.051 min Scan# 1269
Delta R.T. 0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57



Tgt Ion:154 Resp: 1211220
Ion Ratio Lower Upper
154 100
153 113.0 89.8 134.8
152 54.3 43.3 64.9





#53
3-Nitroaniline
Concen: 28.892 ng
RT: 9.969 min Scan# 1255
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :





PB151405BS

Tgt Ion:138 Resp: 251443
Ion Ratio Lower Upper
138 100
108 10.5 8.1 12.1
92 120.6 97.2 145.8

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#54
2,4-Dinitrophenol
Concen: 69.650 ng
RT: 10.086 min Scan# 1275
Delta R.T. 0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Tgt Ion:184 Resp: 340270
Ion Ratio Lower Upper
184 100
63 47.6 51.4 77.2#
154 56.3 48.3 72.5









#55
Dibenzenofuran
Concen: 37.886 ng
RT: 10.222 min Scan# 1298
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Instrument :
BNA_F
ClientSampleId :
PB151405BS

Tgt Ion:168 Resp: 1571529
Ion Ratio Lower Upper
168 100
139 38.4 29.8 44.6
169 14.3 10.9 16.3




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#56
4-Nitrophenol
Concen: 69.267 ng
RT: 10.139 min Scan# 1284
Delta R.T. 0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57


Tgt Ion:139 Resp: 449564
Ion Ratio Lower Upper
139 100
109 78.3 56.7 96.7
65 98.6 83.5 123.5





#57
2,4-Dinitrotoluene
Concen: 40.524 ng
RT: 10.210 min Scan# 1356
Delta R.T. 0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS



Tgt Ion:165 Resp: 419431
Ion Ratio Lower Upper
165 100
63 41.1 36.5 54.7
89 71.2 62.4 93.6
182 2.6 2.1 3.1




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#58
Fluorene
Concen: 37.383 ng
RT: 10.563 min Scan# 1356
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57


Tgt Ion:166 Resp: 1186101
Ion Ratio Lower Upper
166 100
165 92.7 74.2 111.4
167 14.1 11.1 16.7





#59
2,3,4,6-Tetrachlorophenol
Concen: 41.718 ng
RT: 10.339 min Scan# 1318
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:232 Resp: 376262
Ion Ratio Lower Upper
232 100
131 40.2 33.8 50.8
130 2.2 1.7 2.5
166 27.5 23.4 35.0

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#60
Diethylphthalate
Concen: 39.141 ng
RT: 10.428 min Scan# 1333
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion:149 Resp: 1305888
Ion Ratio Lower Upper
149 100
177 22.4 18.1 27.1
150 13.0 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 38.087 ng
RT: 10.551 min Scan# 1314
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:204 Resp: 62690
Ion Ratio Lower Upper
204 100
206 32.8 26.3 39.5
141 55.1 47.8 71.8

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#62
4-Nitroaniline
Concen: 39.899 ng
RT: 10.592 min Scan# 1361
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion:138 Resp: 340852
Ion Ratio Lower Upper
138 100
92 52.5 33.8 73.8
108 76.7 63.7 103.7





#63
Azobenzene
Concen: 36.818 ng
RT: 10.710 min Scan# 1348
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion: 77 Resp: 1300935
Ion Ratio Lower Upper
77 100
182 22.9 5.5 45.5
105 21.6 1.8 41.8
51 25.2 6.4 46.4

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.504 min Scan# 1516
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57



Tgt Ion:188 Resp: 877341
Ion Ratio Lower Upper
188 100
94 10.1 8.3 12.5
80 10.4 8.7 13.1









#65
4,6-Dinitro-2-methylphenol
Concen: 40.417 ng
RT: 10.622 min Scan# 1366
Delta R.T. 0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Instrument :
BNA_F
ClientSampleId :
PB151405BS

Tgt Ion:198 Resp: 240046
Ion Ratio Lower Upper
198 100
51 33.1 20.6 60.6
105 39.6 24.3 64.3




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#66
n-Nitrosodiphenylamine
Concen: 39.782 ng
RT: 10.675 min Scan# 1375
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57


Tgt Ion:169 Resp: 1088102
Ion Ratio Lower Upper
169 100
168 67.2 54.2 81.4
167 37.4 29.6 44.4





#67
4-Bromophenyl-phenylether
Concen: 41.804 ng
RT: 11.045 min Scan# 1404
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:248 Resp: 414876
Ion Ratio Lower Upper
248 100
250 98.4 77.0 115.4
141 61.1 54.2 81.2

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#68
Hexachlorobenzene
Concen: 44.242 ng
RT: 11.116 min Scan# 1450
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57



Tgt Ion:284 Resp: 461992
Ion Ratio Lower Upper
284 100
142 29.7 22.2 33.4
249 32.1 24.9 37.3









#69
Atrazine
Concen: 44.530 ng
RT: 11.198 min Scan# 1430
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Instrument :
BNA_F
ClientSampleId :
PB151405BS

Tgt Ion:200 Resp: 380239
Ion Ratio Lower Upper
200 100
173 25.8 6.4 46.4
215 49.7 31.0 71.0




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#70
Pentachlorophenol
Concen: 65.504 ng
RT: 11.316 min Scan# 1484
Delta R.T. 0.006 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Tgt Ion:266 Resp: 406967
Ion Ratio Lower Upper
266 100
268 65.0 49.8 74.6
264 62.4 50.9 76.3





#71

Phenanthrene

Concen: 39.920 ng

RT: 11.533 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :

PB151405BS

Tgt Ion:178 Resp: 1814364

Ion Ratio Lower Upper

178 100

176 20.1 16.5 24.7





179 16.1 13.0 19.6

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023

Supervised By :Jagrut Upadhyay 03/16/2023



#72

Anthracene

Concen: 38.505 ng

RT: 11.586 min Scan# 1530

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57




Tgt Ion:178 Resp: 1802184


Ion Ratio Lower Upper

178 100

176 20.0 15.6 23.4

179 16.1 12.5 18.7





#73

Carbazole

Concen: 39.801 ng

RT: 11.739 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :

PB151405BS

Tgt Ion:167 Resp: 167955

Ion Ratio Lower Upper

167 100

166 22.1 17.7 26.5





139 12.9 10.5 15.7

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023

Supervised By :Jagrut Upadhyay 03/16/2023



#74

Di-n-butylphthalate

Concen: 41.132 ng

RT: 12.057 min Scan# 1610

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57




Tgt Ion:149 Resp: 2036001


Ion Ratio Lower Upper

149 100

150 9.4 7.8 11.8


104 4.9 4.3 6.5





#75
Fluoranthene
Concen: 38.924 ng
RT: 12.727 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:202 Resp: 1933986
Ion Ratio Lower Upper
202 100
101 10.1 0.0 31.4
203 18.5 0.0 38.0

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.163 min Scan# 1968
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion:240 Resp: 499380
Ion Ratio Lower Upper
240 100
120 9.9 7.2 10.8
236 26.3 21.8 32.6





#77
Benzidine
Concen: 60.566 ng
RT: 12.845 min Scan# 1710
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:184 Resp: 736259
Ion Ratio Lower Upper
184 100
185 14.3 11.7 17.5
183 11.0 8.7 13.1

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#78
Pyrene
Concen: 42.775 ng
RT: 12.957 min Scan# 1763
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion:202 Resp: 1942079
Ion Ratio Lower Upper
202 100
200 21.4 17.1 25.7
203 18.3 14.6 21.8





#79
 Terphenyl-d14
 Concen: 70.874 ng
 RT: 13.092 min Scan# 1753
 Delta R.T. 0.000 min
 Lab File: BF132799.D
 Acq: 15 Mar 2023 12:57




Instrument :
 BNA_F
 ClientSampleId :
 PB151405BS




Tgt Ion:244 Resp: 209332
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.5 9.7
 122 8.7 7.5 11.3

Manual Integrations
 APPROVED



Reviewed By :Christian Giraldo 03/16/2023
 Supervised By :Jagrut Upadhyay 03/16/2023




#80
 Butylbenzylphthalate
 Concen: 45.684 ng
 RT: 13.563 min Scan# 1866
 Delta R.T. 0.000 min
 Lab File: BF132799.D
 Acq: 15 Mar 2023 12:57




Tgt Ion:149 Resp: 818506
 Ion Ratio Lower Upper
 149 100
 91 71.9 58.4 87.6
 206 21.4 16.8 25.2





#81
Benzo(a)anthracene
Concen: 41.651 ng
RT: 14.151 min Scan# 1933
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS




Tgt Ion:228 Resp: 1556290
Ion Ratio Lower Upper
228 100
226 27.8 21.7 32.5
229 20.4 15.4 23.2

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023




#82
3,3'-Dichlorobenzidine
Concen: 30.380 ng
RT: 14.110 min Scan# 1959
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Tgt Ion:252 Resp: 334659
Ion Ratio Lower Upper
252 100
254 65.0 51.4 77.2
126 7.6 8.9 13.3#





#83
Chrysene
Concen: 41.239 ng
RT: 14.192 min Scan# 1939
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57




Instrument :
BNA_F
ClientSampleId :
PB151405BS



Tgt Ion:228 Resp: 1440936
Ion Ratio Lower Upper
228 100
226 30.7 25.0 37.6
229 19.8 16.4 24.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/16/2023
Supervised By :Jagrut Upadhyay 03/16/2023



#84
Bis(2-ethylhexyl)phthalate
Concen: 44.723 ng
RT: 14.116 min Scan# 1960
Delta R.T. 0.000 min
Lab File: BF132799.D
Acq: 15 Mar 2023 12:57

Tgt Ion:149 Resp: 984333
Ion Ratio Lower Upper
149 100
167 27.7 21.8 32.6
279 4.1 3.0 4.6





#85

Di-n-octyl phthalate

Concen: 44.088 ng

RT: 14.733 min Scan# 2034

Delta R.T. -0.006 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :

PB151405BS

Tgt Ion:149 Resp: 1418009

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9





43 7.8 7.2 10.8

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023

Supervised By :Jagrut Upadhyay 03/16/2023



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.692 min Scan# 2228

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57




Tgt Ion:264 Resp: 449232


Ion Ratio Lower Upper

264 100

260 25.0 18.8 28.2

265 21.8 17.1 25.7





#87

Indeno(1,2,3-cd)pyrene

Concen: 48.885 ng

RT: 17.280 min Scan# 2472

Delta R.T. 0.006 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :

PB151405BS

Tgt Ion:276 Resp: 1438973

Ion Ratio Lower Upper

276 100

138 23.9 19.0 28.4





277 25.1 20.0 30.0

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023

Supervised By :Jagrut Upadhyay 03/16/2023



#88

Benzo(b)fluoranthene

Concen: 43.665 ng

RT: 15.239 min Scan# 2151

Delta R.T. 0.006 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57




Tgt Ion:252 Resp: 1314545


Ion Ratio Lower Upper

252 100

253 22.5 17.4 26.0

125 8.8 7.0 10.6





#89

Benzo(k)fluoranthene

Concen: 41.542 ng

RT: 15.269 min Scan# 2125

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :

PB151405BS

Tgt Ion:252 Resp: 1223979

Ion Ratio Lower Upper

252 100

253 22.7 17.5 26.3





125 9.2 7.2 10.8

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023

Supervised By :Jagrut Upadhyay 03/16/2023



#90

Benzo(a)pyrene

Concen: 39.071 ng

RT: 15.627 min Scan# 2217

Delta R.T. 0.000 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57




Tgt Ion:252 Resp: 1100878


Ion Ratio Lower Upper

252 100

253 21.9 17.2 25.8

125 10.2 8.0 12.0





#91

Dibenzo(a,h)anthracene

Concen: 48.992 ng

RT: 17.292 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Instrument :

BNA_F

ClientSampleId :

PB151405BS

Tgt Ion:278 Resp: 1174996

Ion Ratio Lower Upper

278 100

139 14.4 13.0 19.4





279 24.2 19.0 28.4

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/16/2023

Supervised By :Jagrut Upadhyay 03/16/2023



#92

Benzo(g,h,i)perylene

Concen: 45.261 ng

RT: 17.762 min Scan# 2580

Delta R.T. 0.006 min

Lab File: BF132799.D

Acq: 15 Mar 2023 12:57

Tgt Ion:276 Resp: 1224166

Ion Ratio Lower Upper

276 100

277 23.7 18.9 28.3

138 21.2 16.2 24.4

