

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031723\
 Data File : BF132842.D
 Acq On : 18 Mar 2023 01:47
 Operator : CG\JU
 Sample : 01965-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COMP-2

Quant Time: Mar 18 03:10:17 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031623.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 17 03:35:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.957	152	195937	20.000	ng	0.00
21) Naphthalene-d8	8.239	136	735631	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	403609	20.000	ng	0.00
64) Phenanthrene-d10	11.492	188	798599	20.000	ng	0.00
76) Chrysene-d12	14.145	240	573545	20.000	ng	0.00
86) Perylene-d12	15.668	264	487207	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.593	112	1006212	86.654	ng	0.00
7) Phenol-d6	6.592	99	1275272	84.613	ng	0.00
23) Nitrobenzene-d5	7.522	82	787305	54.770	ng	-0.01
42) 2,4,6-Tribromophenol	10.792	330	352223	82.094	ng	0.00
45) 2-Fluorobiphenyl	9.316	172	1390453	56.591	ng	0.00
79) Terphenyl-d14	13.080	244	1709230	53.812	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031723\
Data File : BF132842.D
Acq On : 18 Mar 2023 01:47
Operator : CG\JU
Sample : 01965-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COMP-2

Quant Time: Mar 18 03:10:17 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031623.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 17 03:35:59 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.957 min Scan# 744
Delta R.T. -0.006 min
Lab File: BF132842.D
Acq: 18 Mar 2023 01:47




Instrument :
BNA_F
ClientSampleId :
COMP-2


Tgt Ion:152 Resp: 195937
Ion Ratio Lower Upper
152 100
150 154.9 122.7 184.1
115 61.6 46.2 69.4



#5
2-Fluorophenol
Concen: 86.654 ng
RT: 5.593 min Scan# 511
Delta R.T. 0.006 min
Lab File: BF132842.D
Acq: 18 Mar 2023 01:47

Tgt Ion:112 Resp: 1006212
Ion Ratio Lower Upper
112 100
64 57.6 47.1 70.7
63 30.5 24.4 36.6









#7
Phenol-d6
Concen: 84.613 ng
RT: 6.592 min Scan# 61
Delta R.T. -0.006 min
Lab File: BF132842.D
Acq: 18 Mar 2023 01:47




Instrument :
BNA_F
ClientSampleId :
COMP-2


Tgt Ion: 99 Resp: 1275272
Ion Ratio Lower Upper
99 100
42 15.3 11.9 17.9
71 34.1 26.3 39.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.239 min Scan# 961
Delta R.T. -0.006 min
Lab File: BF132842.D
Acq: 18 Mar 2023 01:47

Tgt Ion:136 Resp: 735631
Ion Ratio Lower Upper
136 100
137 11.4 9.0 13.6
54 7.9 6.1 9.1
68 6.6 5.2 7.8









#23
Nitrobenzene-d5
Concen: 54.770 ng
RT: 7.522 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF132842.D
Acq: 18 Mar 2023 01:47




Instrument :
BNA_F
ClientSampleId :
COMP-2


Tgt Ion: 82 Resp: 787305
Ion Ratio Lower Upper
82 100
128 41.9 34.4 51.6
54 44.7 35.2 52.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.998 min Scan# 1260
Delta R.T. -0.006 min
Lab File: BF132842.D
Acq: 18 Mar 2023 01:47

Tgt Ion:164 Resp: 403609
Ion Ratio Lower Upper
164 100
162 101.0 80.6 121.0
160 46.3 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 82.094 ng

RT: 10.792 min Scan# 11395

Delta R.T. -0.006 min

Lab File: BF132842.D

Acq: 18 Mar 2023 01:47

Instrument :

BNA_F

ClientSampleId :

COMP-2





Tgt Ion:330 Resp: 352223

Ion Ratio Lower Upper

330 100

332 95.3 77.0 115.6

141 32.4 26.7 40.1



#45

2-Fluorobiphenyl

Concen: 56.591 ng

RT: 9.316 min Scan# 1144

Delta R.T. -0.006 min

Lab File: BF132842.D

Acq: 18 Mar 2023 01:47




Tgt Ion:172 Resp: 1390453


Ion Ratio Lower Upper

172 100

171 35.3 28.7 43.1

170 24.5 19.8 29.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.492 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF132842.D

Acq: 18 Mar 2023 01:47

Instrument :

BNA_F

ClientSampleId :

COMP-2





Tgt Ion:188 Resp: 798599

Ion Ratio Lower Upper

188 100

94 9.4 7.5 11.3

80 10.0 7.5 11.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.145 min Scan# 1965

Delta R.T. -0.006 min

Lab File: BF132842.D

Acq: 18 Mar 2023 01:47




Tgt Ion:240 Resp: 573545


Ion Ratio Lower Upper

240 100

120 10.5 9.1 13.7

236 25.8 21.2 31.8





#79

Terphenyl-d14

Concen: 53.812 ng

RT: 13.080 min Scan# 1784

Delta R.T. -0.006 min

Lab File: BF132842.D

Acq: 18 Mar 2023 01:47

Instrument :

BNA_F

ClientSampleId :

COMP-2





Tgt Ion:244 Resp: 1709230

Ion Ratio Lower Upper

244 100

212 7.8 6.3 9.5

122 8.9 6.6 9.8



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.668 min Scan# 2224

Delta R.T. -0.012 min

Lab File: BF132842.D

Acq: 18 Mar 2023 01:47

Tgt Ion:264 Resp: 487207

Ion Ratio Lower Upper

264 100

260 24.5 18.9 28.3

265 22.3 17.4 26.0

