

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031819\
 Data File : BF113101.D
 Acq On : 18 Mar 2019 20:11
 Operator : JU/SJ
 Sample : K1691-09 5X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CL-01-031519-A

Quant Time: Mar 19 05:48:50 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 13 03:42:55 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	147097	20.00	ng	0.00
21) Naphthalene-d8	8.01	136	609787	20.00	ng	0.00
39) Acenaphthene-d10	9.76	164	295552	20.00	ng	-0.01
64) Phenanthrene-d10	11.24	188	541814	20.00	ng	0.00
76) Chrysene-d12	13.87	240	495718	20.00	ng	0.00
87) Perylene-d12	15.28	264	377915	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	171730	18.16	ng	0.00
7) Phenol-d6	6.37	99	252315	21.24	ng	0.00
23) Nitrobenzene-d5	7.29	82	142021	13.94	ng	-0.01
42) 2,4,6-Tribromophenol	10.55	330	72516	23.11	ng	0.00
45) 2-Fluorobiphenyl	9.09	172	338783	14.51	ng	0.00
79) Terphenyl-d14	12.82	244	333810	13.05	ng	0.00
Target Compounds						
75) Fluoranthene	12.45	202	60972	2.111	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031819\
Data File : BF113101.D
Acq On : 18 Mar 2019 20:11
Operator : JU/SJ
Sample : K1691-09 5X
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CL-01-031519-A

Quant Time: Mar 19 05:48:50 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 13 03:42:55 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 789
Delta R.T. -0.01 min
Lab File: BF113101.D
Acq: 18 Mar 2019 20:11

Instrument :
BNA_F
ClientSampleId :
CL-01-031519-A

Tot Ion:152 Resp: 147097
Ion Ratio Lower Upper
152 100
150 158.6 124.2 186.2
115 58.1 48.2 72.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 18.160 ng
RT: 5.34 min Scan# 553
Delta R.T. -0.01 min
Lab File: BF113101.D
Acq: 18 Mar 2019 20:11

Tgt Ion:112 Resp: 171730
Ion Ratio Lower Upper
112 100
64 58.7 47.6 71.4
63 28.7 24.4 36.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 21.241 ng

RT: 6.37 min Scan# 728

Delta R.T. -0.01 min

Lab File: BF113101.D

Acq: 18 Mar 2019 20:11

Instrument :

BNA_F

ClientSampleId :

CL-01-031519-A


Tot Ion: 99 Resp: 252315

Ion Ratio Lower Upper

99 100

42 18.5 16.3 24.5




71 31.7 26.2 39.4



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.01 min Scan# 1007

Delta R.T. -0.01 min

Lab File: BF113101.D

Acq: 18 Mar 2019 20:11

Tgt Ion: 136 Resp: 609787


Ion Ratio Lower Upper

136 100

137 11.4 8.9 13.3

54 8.4 7.3 10.9

68 6.1 5.4 8.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 13.936 ng
 RT: 7.29 min Scan# 884
 Delta R.T. -0.01 min
 Lab File: BF113101.D
 Acq: 18 Mar 2019 20:11




Instrument :
 BNA_F
 ClientSampleId :
 CL-01-031519-A


Tot Ion	Ratio	Lower	Upper
82	100		
128	46.8	36.3	54.5
54	50.0	43.7	65.5



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.76 min Scan# 1304
 Delta R.T. -0.01 min
 Lab File: BF113101.D
 Acq: 18 Mar 2019 20:11

Tgt Ion	Ratio	Lower	Upper
164	100		
162	99.0	80.6	120.8
160	44.4	36.0	54.0





#42

2,4,6-Tribromophenol

Concen: 23.112 ng

RT: 10.55 min Scan# 1438

Delta R.T. -0.01 min

Lab File: BF113101.D

Acq: 18 Mar 2019 20:11

Instrument :

BNA_F

ClientSampleId :

CL-01-031519-A


Tot Ion:330 Resp: 72516

Ion Ratio Lower Upper




330 100

332 97.2 76.2 114.4

141 29.2 27.0 40.6



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 14.513 ng

RT: 9.09 min Scan# 1190

Delta R.T. -0.01 min

Lab File: BF113101.D

Acq: 18 Mar 2019 20:11


Tgt Ion:172 Resp: 338783

Ion Ratio Lower Upper



172 100


171 35.1 29.0 43.4

170 23.6 20.0 30.0



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.24 min Scan# 1556
Delta R.T. -0.01 min
Lab File: BF113101.D
Acq: 18 Mar 2019 20:11




Instrument :
BNA_F
ClientSampleId :
CL-01-031519-A


Tot Ion:188 Resp: 541814
Ion Ratio Lower Upper
188 100
94 9.4 9.0 13.4
80 9.7 9.2 13.8



#75
Fluoranthene
Concen: 2.111 ng
RT: 12.45 min Scan# 1761
Delta R.T. -0.01 min
Lab File: BF113101.D
Acq: 18 Mar 2019 20:11

Tgt Ion:202 Resp: 60972
Ion Ratio Lower Upper
202 100
101 12.2 0.0 33.8
203 17.9 0.0 38.4





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.87 min Scan# 2003

Delta R.T. -0.00 min

Lab File: BF113101.D

Acq: 18 Mar 2019 20:11

Instrument :

BNA_F

ClientSampleId :

CL-01-031519-A


Tot Ion:240 Resp: 495718

Ion Ratio Lower Upper

240 100

120 10.5 8.9 13.3




236 26.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 13.054 ng

RT: 12.82 min Scan# 1824

Delta R.T. -0.01 min

Lab File: BF113101.D

Acq: 18 Mar 2019 20:11


Tgt Ion:244 Resp: 333810

Ion Ratio Lower Upper

244 100

212 6.5 5.6 8.4



122 11.0 10.5 15.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.28 min Scan# 2243
Delta R.T. 0.01 min
Lab File: BF113101.D
Acq: 18 Mar 2019 20:11

Instrument :
BNA_F
ClientSampleId :
CL-01-031519-A

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.7	28.1
265	21.6	17.2	25.8

