

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031819\
 Data File : BF113118.D
 Acq On : 19 Mar 2019 4:35
 Operator : JU/SJ
 Sample : K1947-07
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PST-025-B129-031319

Quant Time: Mar 19 07:16:40 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 13 03:42:55 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	113270	20.00	ng	0.00
21) Naphthalene-d8	8.01	136	398676	20.00	ng	0.00
39) Acenaphthene-d10	9.76	164	218335	20.00	ng	-0.01
64) Phenanthrene-d10	11.24	188	326370	20.00	ng	0.00
76) Chrysene-d12	13.87	240	328587	20.00	ng	0.00
87) Perylene-d12	15.28	264	209795	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	790134	108.51	ng	0.00
7) Phenol-d6	6.37	99	1052011	115.01	ng	0.00
23) Nitrobenzene-d5	7.29	82	618543	92.84	ng	-0.01
42) 2,4,6-Tribromophenol	10.55	330	268298	115.75	ng	0.00
45) 2-Fluorobiphenyl	9.09	172	1135036	86.55	ng	0.00
79) Terphenyl-d14	12.82	244	1428202	84.26	ng	0.00
Target Compounds						
10) Phenol	6.39	94	24319	2.278	ng	96
50) Dimethylphthalate	9.48	163	172774	10.732	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031819\
Data File : BF113118.D
Acq On : 19 Mar 2019 4:35
Operator : JU/SJ
Sample : K1947-07
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PST-025-B129-031319

Quant Time: Mar 19 07:16:40 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 13 03:42:55 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 789
Delta R.T. -0.01 min
Lab File: BF113118.D
Acq: 19 Mar 2019 4:35

Instrument :
BNA_F
ClientSampleId :
PST-025-B129-031319

Tot Ion:152 Resp: 113270
Ion Ratio Lower Upper
152 100
150 157.7 124.2 186.2
115 60.0 48.2 72.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 108.510 ng
RT: 5.35 min Scan# 555
Delta R.T. 0.01 min
Lab File: BF113118.D
Acq: 19 Mar 2019 4:35

Tgt Ion:112 Resp: 790134
Ion Ratio Lower Upper
112 100
64 58.7 47.6 71.4
63 30.6 24.4 36.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 115.011 ng

RT: 6.37 min Scan# 729

Delta R.T. -0.00 min

Lab File: BF113118.D

Acq: 19 Mar 2019 4:35

Instrument :

BNA_F

ClientSampleId :

PST-025-B129-031319


Tot Ion: 99 Resp: 1052011

Ion Ratio Lower Upper

99 100

42 19.8 16.3 24.5




71 33.9 26.2 39.4



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 2.278 ng

RT: 6.39 min Scan# 731

Delta R.T. -0.01 min

Lab File: BF113118.D

Acq: 19 Mar 2019 4:35


Tgt Ion: 94 Resp: 24319

Ion Ratio Lower Upper

94 100

65 28.6 10.5 50.5



66 45.3 22.6 62.6




Abundance Ion 94.00 (93.70 to 94.70): BF1

Ion 65.00 (64.70 to 65.70): BF1

Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.01 min Scan# 1007
Delta R.T. -0.01 min
Lab File: BF113118.D
Acq: 19 Mar 2019 4:35




Instrument :
BNA_F
ClientSampleId :
PST-025-B129-031319


Tot Ion:	136	Resp:	398676
Ion Ratio	Lower	Upper	
136	100		
137	10.6	8.9	13.3
54	7.9	7.3	10.9
68	5.5	5.4	8.2



#23
Nitrobenzene-d5
Concen: 92.838 ng
RT: 7.29 min Scan# 884
Delta R.T. -0.01 min
Lab File: BF113118.D
Acq: 19 Mar 2019 4:35

Tgt Ion:	82	Resp:	618543
Ion Ratio	Lower	Upper	
82	100		
128	44.6	36.3	54.5
54	53.4	43.7	65.5









#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.76 min Scan# 1304
 Delta R.T. -0.01 min
 Lab File: BF113118.D
 Acq: 19 Mar 2019 4:35




Instrument :
 BNA_F
 ClientSampleId :
 PST-025-B129-031319


Tot Ion	Ratio	Lower	Upper
164	100		
162	99.3	80.6	120.8
160	45.1	36.0	54.0



#42
 2,4,6-Tribromophenol
 Concen: 115.750 ng
 RT: 10.55 min Scan# 1438
 Delta R.T. -0.01 min
 Lab File: BF113118.D
 Acq: 19 Mar 2019 4:35

Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.5	76.2	114.4
141	28.3	27.0	40.6









#45
2-Fluorobiphenyl
Concen: 86.551 ng
RT: 9.09 min Scan# 1190
Delta R.T. -0.01 min
Lab File: BF113118.D
Acq: 19 Mar 2019 4:35

Instrument :
BNA_F
ClientSampleId :
PST-025-B129-031319

Tot Ion:172 Resp: 1135036
Ion Ratio Lower Upper
172 100
171 35.6 29.0 43.4
170 23.9 20.0 30.0




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 10.732 ng
RT: 9.48 min Scan# 1257
Delta R.T. -0.02 min
Lab File: BF113118.D
Acq: 19 Mar 2019 4:35

Tgt Ion:163 Resp: 172774
Ion Ratio Lower Upper
163 100
194 4.3 3.0 4.4
164 10.2 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.24 min Scan# 1556
Delta R.T. -0.01 min
Lab File: BF113118.D
Acq: 19 Mar 2019 4:35




Instrument :
BNA_F
ClientSampleId :
PST-025-B129-031319


Tot Ion:188 Resp: 326370
Ion Ratio Lower Upper
188 100
94 9.1 9.0 13.4
80 9.2 9.2 13.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.87 min Scan# 2003
Delta R.T. -0.00 min
Lab File: BF113118.D
Acq: 19 Mar 2019 4:35

Tgt Ion:240 Resp: 328587
Ion Ratio Lower Upper
240 100
120 10.4 8.9 13.3
236 26.0 20.7 31.1





#79

Terphenyl-d14

Concen: 84.257 ng

RT: 12.82 min Scan# 1825

Delta R.T. -0.00 min

Lab File: BF113118.D

Acq: 19 Mar 2019 4:35

Instrument :

BNA_F

ClientSampleId :

PST-025-B129-031319


Tot Ion:244 Resp: 1428202

Ion Ratio Lower Upper

244 100

212 6.6 5.6 8.4




122 11.1 10.5 15.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.28 min Scan# 2243

Delta R.T. 0.01 min

Lab File: BF113118.D

Acq: 19 Mar 2019 4:35


Tgt Ion:264 Resp: 209795

Ion Ratio Lower Upper

264 100

260 23.6 18.7 28.1

265 20.3 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

