

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032122\
 Data File : BF127432.D
 Acq On : 22 Mar 2022 03:45
 Operator : CG\JU
 Sample : N1958-20
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 C-5-4-5

Quant Time: Mar 22 05:07:33 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 22 02:16:33 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	97615	20.000	ng	0.00
21) Naphthalene-d8	8.128	136	360576	20.000	ng	0.00
39) Acenaphthene-d10	9.886	164	206865	20.000	ng	0.00
64) Phenanthrene-d10	11.374	188	375403	20.000	ng	0.00
76) Chrysene-d12	14.021	240	267223	20.000	ng	# 0.00
86) Perylene-d12	15.504	264	183845	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.492	112	760996	124.440	ng	0.02
7) Phenol-d6	6.487	99	970268	116.071	ng	0.00
23) Nitrobenzene-d5	7.416	82	773082	91.648	ng	0.00
42) 2,4,6-Tribromophenol	10.680	330	304698	138.270	ng	0.00
45) 2-Fluorobiphenyl	9.204	172	1278769	90.267	ng	0.00
79) Terphenyl-d14	12.968	244	1497139	91.715	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032122\
Data File : BF127432.D
Acq On : 22 Mar 2022 03:45
Operator : CG\JU
Sample : N1958-20
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
C-5-4-5

Quant Time: Mar 22 05:07:33 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 22 02:16:33 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.845 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF127432.D
Acq: 22 Mar 2022 03:45




Instrument :
BNA_F
ClientSampleId :
C-5-4-5


Tgt Ion:152 Resp: 97615
Ion Ratio Lower Upper
152 100
150 148.6 117.2 175.8
115 63.4 49.8 74.6



#5
2-Fluorophenol
Concen: 124.440 ng
RT: 5.492 min Scan# 545
Delta R.T. 0.024 min
Lab File: BF127432.D
Acq: 22 Mar 2022 03:45


Tgt Ion:112 Resp: 760996
Ion Ratio Lower Upper
112 100
64 72.3 58.4 87.6
63 37.9 30.1 45.1








#7
Phenol-d6
Concen: 116.071 ng
RT: 6.487 min Scan# 714
Delta R.T. 0.000 min
Lab File: BF127432.D
Acq: 22 Mar 2022 03:45

Instrument :
BNA_F
ClientSampleId :
C-5-4-5



Tgt Ion: 99 Resp: 970268




Ion	Ratio	Lower	Upper
99	100		
42	22.7	17.8	26.6
71	38.5	29.6	44.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.128 min Scan# 993
Delta R.T. -0.006 min
Lab File: BF127432.D
Acq: 22 Mar 2022 03:45

Tgt Ion: 136 Resp: 360576

Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.6	13.0
54	11.7	9.2	13.8
68	7.2	5.4	8.0









#23
Nitrobenzene-d5
Concen: 91.648 ng
RT: 7.416 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF127432.D
Acq: 22 Mar 2022 03:45




Instrument :
BNA_F
ClientSampleId :
C-5-4-5

Tgt Ion: 82 Resp: 773082
Ion Ratio Lower Upper
82 100
128 36.3 30.6 45.8
54 59.7 48.2 72.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.886 min Scan# 1292
Delta R.T. -0.006 min
Lab File: BF127432.D
Acq: 22 Mar 2022 03:45

Tgt Ion:164 Resp: 206865
Ion Ratio Lower Upper
164 100
162 102.4 81.2 121.8
160 44.4 34.6 52.0





#42

2,4,6-Tribromophenol

Concen: 138.270 ng

RT: 10.680 min Scan# 1428

Delta R.T. -0.006 min

Lab File: BF127432.D

Acq: 22 Mar 2022 03:45

Instrument :

BNA_F

ClientSampleId :

C-5-4-5




Tgt Ion:330 Resp: 304698

Ion Ratio Lower Upper

330 100

332 96.0 79.1 118.7

141 31.5 26.2 39.4



#45

2-Fluorobiphenyl

Concen: 90.267 ng

RT: 9.204 min Scan# 1176

Delta R.T. -0.006 min

Lab File: BF127432.D

Acq: 22 Mar 2022 03:45




Tgt Ion:172 Resp: 1278769

Ion Ratio Lower Upper

172 100

171 35.5 28.4 42.6

170 23.3 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.374 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF127432.D
Acq: 22 Mar 2022 03:45




Instrument :
BNA_F
ClientSampleId :
C-5-4-5


Tgt Ion:188 Resp: 375403
Ion Ratio Lower Upper
188 100
94 10.1 7.4 11.0
80 11.1 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.021 min Scan# 1995
Delta R.T. -0.006 min
Lab File: BF127432.D
Acq: 22 Mar 2022 03:45


Tgt Ion:240 Resp: 267223
Ion Ratio Lower Upper
240 100
120 10.9 7.1 10.7#
236 26.2 20.7 31.1







#79
 Terphenyl-d14
 Concen: 91.715 ng
 RT: 12.968 min Scan# 1816
 Delta R.T. 0.000 min
 Lab File: BF127432.D
 Acq: 22 Mar 2022 03:45

Instrument :
 BNA_F
 ClientSampleId :
 C-5-4-5



Tgt Ion:244 Resp: 1497139
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.7 8.5
 122 8.3 6.2 9.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.504 min Scan# 2247
 Delta R.T. 0.000 min
 Lab File: BF127432.D
 Acq: 22 Mar 2022 03:45

Tgt Ion:264 Resp: 183845
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.1 28.7
 265 21.3 17.4 26.2

