

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032322\
 Data File : BF127483.D
 Acq On : 23 Mar 2022 16:28
 Operator : CG\JU
 Sample : N2058-02
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MHA

Quant Time: Mar 24 02:12:27 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 22 02:16:33 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	94944	20.000	ng	0.00
21) Naphthalene-d8	8.128	136	352871	20.000	ng	0.00
39) Acenaphthene-d10	9.886	164	207126	20.000	ng	0.00
64) Phenanthrene-d10	11.374	188	370637	20.000	ng	0.00
76) Chrysene-d12	14.021	240	209841	20.000	ng	0.00
86) Perylene-d12	15.504	264	199494	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	776760	130.591	ng	0.02
7) Phenol-d6	6.487	99	992725	122.099	ng	0.00
23) Nitrobenzene-d5	7.416	82	782149	94.747	ng	0.00
42) 2,4,6-Tribromophenol	10.680	330	304207	137.874	ng	0.00
45) 2-Fluorobiphenyl	9.204	172	1304204	91.946	ng	0.00
79) Terphenyl-d14	12.963	244	1385024	108.049	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032322\
Data File : BF127483.D
Acq On : 23 Mar 2022 16:28
Operator : CG\JU
Sample : N2058-02
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MHA

Quant Time: Mar 24 02:12:27 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 22 02:16:33 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.845 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF127483.D
Acq: 23 Mar 2022 16:28




Instrument :
BNA_F
ClientSampleId :
MHA


Tgt Ion:152 Resp: 94944
Ion Ratio Lower Upper
152 100
150 148.6 117.2 175.8
115 64.0 49.8 74.6



#5
2-Fluorophenol
Concen: 130.591 ng
RT: 5.493 min Scan# 545
Delta R.T. 0.024 min
Lab File: BF127483.D
Acq: 23 Mar 2022 16:28

Tgt Ion:112 Resp: 776760
Ion Ratio Lower Upper
112 100
64 72.1 58.4 87.6
63 37.2 30.1 45.1









#7
Phenol-d6
Concen: 122.099 ng
RT: 6.487 min Scan# 714
Delta R.T. 0.000 min
Lab File: BF127483.D
Acq: 23 Mar 2022 16:28




Instrument :
BNA_F
ClientSampleId :
MHA


Tgt Ion: 99 Resp: 992725
Ion Ratio Lower Upper
99 100
42 22.4 17.8 26.6
71 37.4 29.6 44.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.128 min Scan# 993
Delta R.T. -0.006 min
Lab File: BF127483.D
Acq: 23 Mar 2022 16:28

Tgt Ion:136 Resp: 352871
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 11.8 9.2 13.8
68 6.9 5.4 8.0









#23
Nitrobenzene-d5
Concen: 94.747 ng
RT: 7.416 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF127483.D
Acq: 23 Mar 2022 16:28




Instrument :
BNA_F
ClientSampleId :
MHA


Tgt Ion: 82 Resp: 782149
Ion Ratio Lower Upper
82 100
128 37.5 30.6 45.8
54 61.0 48.2 72.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.886 min Scan# 1292
Delta R.T. -0.006 min
Lab File: BF127483.D
Acq: 23 Mar 2022 16:28

Tgt Ion:164 Resp: 207126
Ion Ratio Lower Upper
164 100
162 99.5 81.2 121.8
160 42.4 34.6 52.0





#42

2,4,6-Tribromophenol

Concen: 137.874 ng

RT: 10.680 min Scan# 1428

Delta R.T. -0.006 min

Lab File: BF127483.D

Acq: 23 Mar 2022 16:28

Instrument :

BNA_F

ClientSampleId :

MHA





Tgt Ion:330 Resp: 304207

Ion Ratio Lower Upper

330 100

332 97.8 79.1 118.7

141 32.5 26.2 39.4



#45

2-Fluorobiphenyl

Concen: 91.946 ng

RT: 9.204 min Scan# 1176

Delta R.T. -0.006 min

Lab File: BF127483.D

Acq: 23 Mar 2022 16:28




Tgt Ion:172 Resp: 1304204


Ion Ratio Lower Upper

172 100

171 35.6 28.4 42.6

170 23.4 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.374 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF127483.D
Acq: 23 Mar 2022 16:28




Instrument :
BNA_F
ClientSampleId :
MHA


Tgt Ion:188 Resp: 370637
Ion Ratio Lower Upper
188 100
94 10.7 7.4 11.0
80 11.5 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.021 min Scan# 1995
Delta R.T. -0.006 min
Lab File: BF127483.D
Acq: 23 Mar 2022 16:28

Tgt Ion:240 Resp: 209841
Ion Ratio Lower Upper
240 100
120 10.5 7.1 10.7
236 25.6 20.7 31.1









#79
 Terphenyl-d14
 Concen: 108.049 ng
 RT: 12.963 min Scan# 1816
 Delta R.T. -0.006 min
 Lab File: BF127483.D
 Acq: 23 Mar 2022 16:28

Instrument :
 BNA_F
 ClientSampleId :
 MHA

Tgt Ion:244 Resp: 1385024
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.7 8.5
 122 9.8 6.2 9.2#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.504 min Scan# 2247
 Delta R.T. 0.000 min
 Lab File: BF127483.D
 Acq: 23 Mar 2022 16:28

Tgt Ion:264 Resp: 199494
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.1 28.7
 265 21.1 17.4 26.2

