

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF032420\
 Data File : BF119485.D
 Acq On : 24 Mar 2020 11:37
 Operator : CG/JU
 Sample : PB127731BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB127731BL

Quant Time: Mar 24 12:18:24 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF031820.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 18 15:11:18 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	300248	20.00	ng	-0.01
21) Naphthalene-d8	8.13	136	1141512	20.00	ng	-0.02
39) Acenaphthene-d10	9.89	164	604784	20.00	ng	-0.02
64) Phenanthrene-d10	11.37	188	1228841	20.00	ng	-0.02
76) Chrysene-d12	14.02	240	1091985	20.00	ng	-0.02
87) Perylene-d12	15.49	264	1129477	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	2462259	130.55	ng	0.00
7) Phenol-d6	6.47	99	3051800	126.66	ng	0.00
23) Nitrobenzene-d5	7.40	82	1957271	93.19	ng	-0.02
42) 2,4,6-Tribromophenol	10.68	330	935975	150.01	ng	-0.01
45) 2-Fluorobiphenyl	9.21	172	3653636	89.50	ng	-0.01
79) Terphenyl-d14	12.97	244	4471211	80.22	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF032420\
Data File : BF119485.D
Acq On : 24 Mar 2020 11:37
Operator : CG/JU
Sample : PB127731BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB127731BL

Quant Time: Mar 24 12:18:24 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF031820.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 18 15:11:18 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 809
Delta R.T. -0.01 min
Lab File: BF119485.D
Acq: 24 Mar 2020 11:37

Instrument :
BNA_F
ClientSampleId :
PB127731BL

Tot Ion:152 Resp: 300248
Ion Ratio Lower Upper
152 100
150 153.6 123.9 185.9
115 56.3 47.8 71.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 130.548 ng
RT: 5.46 min Scan# 574
Delta R.T. 0.01 min
Lab File: BF119485.D
Acq: 24 Mar 2020 11:37

Tgt Ion:112 Resp: 2462259
Ion Ratio Lower Upper
112 100
64 73.2 58.1 87.1
63 38.7 29.7 44.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 126.665 ng

RT: 6.47 min Scan# 745

Delta R.T. -0.01 min

Lab File: BF119485.D

Acq: 24 Mar 2020 11:37

Instrument :

BNA_F

ClientSampleId :

PB127731BL





Tot Ion: 99 Resp: 3051800

Ion Ratio Lower Upper

99 100

42 21.4 17.8 26.6

71 34.7 26.0 39.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1027

Delta R.T. -0.02 min

Lab File: BF119485.D

Acq: 24 Mar 2020 11:37

Tgt Ion: 136 Resp: 1141512




Ion Ratio Lower Upper


136 100

137 11.0 8.4 12.6

54 11.2 8.3 12.5

68 5.9 4.9 7.3









#23
 Nitrobenzene-d5
 Concen: 93.187 ng
 RT: 7.40 min Scan# 904
 Delta R.T. -0.02 min
 Lab File: BF119485.D
 Acq: 24 Mar 2020 11:37




Instrument :
 BNA_F
 ClientSampled :
 PB127731BL


Tot Ion: 82 Resp: 1957271
 Ion Ratio Lower Upper
 82 100
 128 45.2 35.8 53.8
 54 64.7 53.4 80.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.89 min Scan# 1326
 Delta R.T. -0.02 min
 Lab File: BF119485.D
 Acq: 24 Mar 2020 11:37

Tgt Ion: 164 Resp: 604784
 Ion Ratio Lower Upper
 164 100
 162 100.3 80.7 121.1
 160 45.8 35.5 53.3









#42
 2,4,6-Tribromophenol
 Concen: 150.012 ng
 RT: 10.68 min Scan# 1461
 Delta R.T. -0.01 min
 Lab File: BF119485.D
 Acq: 24 Mar 2020 11:37

Instrument :
 BNA_F
 ClientSampleId :
 PB127731BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	77.6	116.4
141	32.3	26.6	40.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 89.499 ng
 RT: 9.21 min Scan# 1211
 Delta R.T. -0.01 min
 Lab File: BF119485.D
 Acq: 24 Mar 2020 11:37

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.1	29.9	44.9
170	25.7	20.1	30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.37 min Scan# 1579
Delta R.T. -0.02 min
Lab File: BF119485.D
Acq: 24 Mar 2020 11:37




Instrument :
BNA_F
ClientSampleId :
PB127731BL


Tot Ion:188 Resp: 1228841
Ion Ratio Lower Upper
188 100
94 9.1 7.1 10.7
80 9.6 7.5 11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2028
Delta R.T. -0.02 min
Lab File: BF119485.D
Acq: 24 Mar 2020 11:37

Tgt Ion:240 Resp: 1091985
Ion Ratio Lower Upper
240 100
120 12.2 10.2 15.4
236 26.2 20.4 30.6





#79

Terphenyl-d14

Concen: 80.221 ng

RT: 12.97 min Scan# 1851

Delta R.T. -0.01 min

Lab File: BF119485.D

Acq: 24 Mar 2020 11:37

Instrument :

BNA_F

ClientSampleId :

PB127731BL


Tot Ion:244 Resp: 4471211

Ion Ratio Lower Upper

244 100

212 7.3 5.7 8.5




122 12.4 9.8 14.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.49 min Scan# 2278

Delta R.T. -0.01 min

Lab File: BF119485.D

Acq: 24 Mar 2020 11:37


Tgt Ion:264 Resp: 1129477

Ion Ratio Lower Upper

264 100

260 24.4 19.2 28.8

265 21.8 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

