

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF032619\
 Data File : BF113313.D
 Acq On : 27 Mar 2019 1:47
 Operator : JU/SJ
 Sample : K1693-14
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OR-01-032519-A

Quant Time: Mar 27 08:25:59 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 26 03:32:08 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	161021	20.00	ng	0.00
21) Naphthalene-d8	7.98	136	590760	20.00	ng	0.00
39) Acenaphthene-d10	9.73	164	301581	20.00	ng	0.00
64) Phenanthrene-d10	11.21	188	573031	20.00	ng	0.00
76) Chrysene-d12	13.83	240	404770	20.00	ng	-0.01
87) Perylene-d12	15.23	264	454558	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	1097307	111.43	ng	0.02
7) Phenol-d6	6.35	99	1214134	97.46	ng	0.00
23) Nitrobenzene-d5	7.27	82	967062	97.16	ng	0.00
42) 2,4,6-Tribromophenol	10.52	330	462580	124.18	ng	0.00
45) 2-Fluorobiphenyl	9.06	172	1785270	94.82	ng	0.00
79) Terphenyl-d14	12.79	244	1660483	90.42	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF032619\
Data File : BF113313.D
Acq On : 27 Mar 2019 1:47
Operator : JU/SJ
Sample : K1693-14
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OR-01-032519-A

Quant Time: Mar 27 08:25:59 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 26 03:32:08 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 785
Delta R.T. -0.00 min
Lab File: BF113313.D
Acq: 27 Mar 2019 1:47

Instrument :
BNA_F
ClientSampleId :
OR-01-032519-A

Tgt Ion:152 Resp: 161021
Ion Ratio Lower Upper
152 100
150 152.8 124.7 187.1
115 54.9 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 111.428 ng
RT: 5.33 min Scan# 552
Delta R.T. 0.02 min
Lab File: BF113313.D
Acq: 27 Mar 2019 1:47

Tgt Ion:112 Resp: 1097307
Ion Ratio Lower Upper
112 100
64 56.3 49.2 73.8
63 28.5 24.9 37.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 97.460 ng

RT: 6.35 min Scan# 725

Delta R.T. -0.01 min

Lab File: BF113313.D

Acq: 27 Mar 2019 1:47

Instrument :

BNA_F

ClientSampleId :

OR-01-032519-A


Tgt Ion: 99 Resp: 1214134

Ion Ratio Lower Upper




99 100

42 18.9 14.8 22.2

71 32.2 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.98 min Scan# 1002

Delta R.T. -0.01 min

Lab File: BF113313.D

Acq: 27 Mar 2019 1:47

Tgt Ion: 136 Resp: 590760


Ion Ratio Lower Upper

136 100



137 10.8 8.9 13.3

54 8.6 7.0 10.6

68 6.3 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 97.161 ng
 RT: 7.27 min Scan# 881
 Delta R.T. 0.00 min
 Lab File: BF113313.D
 Acq: 27 Mar 2019 1:47

Instrument :
 BNA_F
 ClientSampleId :
 OR-01-032519-A

Tgt Ion: 82 Resp: 967062
 Ion Ratio Lower Upper
 82 100
 128 49.5 36.5 54.7
 54 51.2 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.73 min Scan# 1300
 Delta R.T. -0.01 min
 Lab File: BF113313.D
 Acq: 27 Mar 2019 1:47

Tgt Ion: 164 Resp: 301581
 Ion Ratio Lower Upper
 164 100
 162 101.7 81.8 122.6
 160 46.3 36.4 54.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 124.175 ng
 RT: 10.52 min Scan# 1434
 Delta R.T. -0.01 min
 Lab File: BF113313.D
 Acq: 27 Mar 2019 1:47

Instrument :
 BNA_F
 ClientSampleId :
 OR-01-032519-A

Tgt Ion:330 Resp: 462580
 Ion Ratio Lower Upper
 330 100
 332 95.6 77.8 116.6
 141 27.8 22.7 34.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 94.821 ng
 RT: 9.06 min Scan# 1186
 Delta R.T. 0.00 min
 Lab File: BF113313.D
 Acq: 27 Mar 2019 1:47

Tgt Ion:172 Resp: 1785270
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.0 43.6
 170 24.8 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.21 min Scan# 1551
Delta R.T. -0.01 min
Lab File: BF113313.D
Acq: 27 Mar 2019 1:47




Instrument :
BNA_F
ClientSampleId :
OR-01-032519-A


Tgt Ion:188 Resp: 573031
Ion Ratio Lower Upper
188 100
94 9.2 7.0 10.6
80 8.9 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.83 min Scan# 1997
Delta R.T. -0.01 min
Lab File: BF113313.D
Acq: 27 Mar 2019 1:47

Tgt Ion:240 Resp: 404770
Ion Ratio Lower Upper
240 100
120 11.3 8.8 13.2
236 25.0 20.9 31.3









#79
 Terphenyl-d14
 Concen: 90.421 ng
 RT: 12.79 min Scan# 1820
 Delta R.T. -0.01 min
 Lab File: BF113313.D
 Acq: 27 Mar 2019 1:47

Instrument :
 BNA_F
 ClientSampleId :
 OR-01-032519-A

Tgt Ion:244 Resp: 1660483
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.5 8.3
 122 10.5 8.6 13.0



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.23 min Scan# 2235
 Delta R.T. -0.01 min
 Lab File: BF113313.D
 Acq: 27 Mar 2019 1:47

Tgt Ion:264 Resp: 454558
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.1 28.7
 265 22.0 17.1 25.7

