

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF032719\
 Data File : BF113327.D
 Acq On : 27 Mar 2019 13:28
 Operator : JU/SJ
 Sample : K2105-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 NJ-WATER

Quant Time: Mar 28 03:42:58 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF032519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 26 03:32:08 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	177576	20.00	ng	0.00
21) Naphthalene-d8	7.98	136	662116	20.00	ng	0.00
39) Acenaphthene-d10	9.73	164	322213	20.00	ng	0.00
64) Phenanthrene-d10	11.21	188	655226	20.00	ng	0.00
76) Chrysene-d12	13.83	240	449324	20.00	ng	-0.01
87) Perylene-d12	15.24	264	413179	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	1325037	122.01	ng	0.00
7) Phenol-d6	6.36	99	1749129	127.31	ng	0.00
23) Nitrobenzene-d5	7.27	82	1080915	96.90	ng	0.00
42) 2,4,6-Tribromophenol	10.52	330	416923	104.75	ng	0.00
45) 2-Fluorobiphenyl	9.06	172	1752061	85.29	ng	0.00
79) Terphenyl-d14	12.79	244	1793232	87.97	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.45	163	182615	7.648	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF032719\
Data File : BF113327.D
Acq On : 27 Mar 2019 13:28
Operator : JU/SJ
Sample : K2105-01
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
NJ-WATER

Quant Time: Mar 28 03:42:58 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF032519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 26 03:32:08 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 785
Delta R.T. 0.00 min
Lab File: BF113327.D
Acq: 27 Mar 2019 13:28

Instrument :
BNA_F
ClientSampleId :
NJ-WATER

Tot Ion:152 Resp: 177576
Ion Ratio Lower Upper
152 100
150 153.0 124.7 187.1
115 54.7 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 122.009 ng
RT: 5.32 min Scan# 550
Delta R.T. 0.01 min
Lab File: BF113327.D
Acq: 27 Mar 2019 13:28

Tgt Ion:112 Resp: 1325037
Ion Ratio Lower Upper
112 100
64 60.9 49.2 73.8
63 31.3 24.9 37.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 127.315 ng

RT: 6.36 min Scan# 726

Delta R.T. 0.00 min

Lab File: BF113327.D

Acq: 27 Mar 2019 13:28

Instrument :


BNA_F

ClientSampleId :

NJ-WATER

Tot Ion: 99 Resp: 1749129

Ion	Ratio	Lower	Upper
99	100		
42	17.3	14.8	22.2
71	31.3	24.9	37.3






Abundance

Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.98 min Scan# 1002


Delta R.T. -0.01 min

Lab File: BF113327.D

Acq: 27 Mar 2019 13:28

Tgt Ion: 136 Resp: 662116

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.9	13.3
54	8.3	7.0	10.6
68	6.4	4.8	7.2





Abundance

Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 96.896 ng
RT: 7.27 min Scan# 881
Delta R.T. 0.00 min
Lab File: BF113327.D
Acq: 27 Mar 2019 13:28




Instrument :
BNA_F
ClientSampleId :
NJ-WATER


Tot Ion: 82 Resp: 1080915
Ion Ratio Lower Upper
82 100
128 49.3 36.5 54.7
54 50.0 42.2 63.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.73 min Scan# 1300
Delta R.T. -0.01 min
Lab File: BF113327.D
Acq: 27 Mar 2019 13:28

Tgt Ion:164 Resp: 322213
Ion Ratio Lower Upper
164 100
162 100.5 81.8 122.6
160 45.7 36.4 54.6









#42
 2,4,6-Tribromophenol
 Concen: 104.753 ng
 RT: 10.52 min Scan# 1434
 Delta R.T. -0.01 min
 Lab File: BF113327.D
 Acq: 27 Mar 2019 13:28

Instrument :
 BNA_F
 ClientSampled :
 NJ-WATER

Tot Ion:330 Resp: 416923
 Ion Ratio Lower Upper
 330 100
 332 95.0 77.8 116.6
 141 27.5 22.7 34.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 85.286 ng
 RT: 9.06 min Scan# 1186
 Delta R.T. 0.00 min
 Lab File: BF113327.D
 Acq: 27 Mar 2019 13:28

Tgt Ion:172 Resp: 1752061
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.0 43.6
 170 24.4 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 7.648 ng
RT: 9.45 min Scan# 1252
Delta R.T. -0.02 min
Lab File: BF113327.D
Acq: 27 Mar 2019 13:28

Instrument :
BNA_F
ClientSampleId :
NJ-WATER

Tot Ion:163 Resp: 182615
Ion Ratio Lower Upper
163 100
194 3.6 3.0 4.6
164 10.3 8.1 12.1




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.21 min Scan# 1551
Delta R.T. -0.01 min
Lab File: BF113327.D
Acq: 27 Mar 2019 13:28

Tgt Ion:188 Resp: 655226
Ion Ratio Lower Upper
188 100
94 9.8 7.0 10.6
80 10.1 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.83 min Scan# 1997
Delta R.T. -0.01 min
Lab File: BF113327.D
Acq: 27 Mar 2019 13:28




Instrument :
BNA_F
ClientSampleId :
NJ-WATER


Tot Ion:240 Resp: 449324
Ion Ratio Lower Upper
240 100
120 12.5 8.8 13.2
236 25.3 20.9 31.3



#79
Terphenyl-d14
Concen: 87.967 ng
RT: 12.79 min Scan# 1820
Delta R.T. -0.00 min
Lab File: BF113327.D
Acq: 27 Mar 2019 13:28

Tgt Ion:244 Resp: 1793232
Ion Ratio Lower Upper
244 100
212 6.6 5.5 8.3
122 11.2 8.6 13.0





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.24 min Scan# 2236
Delta R.T. -0.01 min
Lab File: BF113327.D
Acq: 27 Mar 2019 13:28

Instrument :
BNA_F
ClientSampleId :
NJ-WATER

Tot Ion: 264 Resp: 413179

Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.1	28.7
265	21.5	17.1	25.7

