

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF032919\
 Data File : BF113443.D
 Acq On : 30 Mar 2019 6:24
 Operator : JU/SJ
 Sample : K2138-08
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 S6B(2-10)COMP

Quant Time: Apr 01 04:11:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 26 03:32:08 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	157663	20.00	ng	0.00
21) Naphthalene-d8	7.99	136	595171	20.00	ng	0.00
39) Acenaphthene-d10	9.73	164	279428	20.00	ng	0.00
64) Phenanthrene-d10	11.22	188	530225	20.00	ng	0.00
76) Chrysene-d12	13.84	240	531685	20.00	ng	0.00
87) Perylene-d12	15.24	264	439542	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	995250	103.22	ng	0.02
7) Phenol-d6	6.36	99	1150380	94.31	ng	0.00
23) Nitrobenzene-d5	7.27	82	854466	85.21	ng	0.00
42) 2,4,6-Tribromophenol	10.52	330	426909	123.69	ng	0.00
45) 2-Fluorobiphenyl	9.06	172	1578151	89.44	ng	0.00
79) Terphenyl-d14	12.80	244	1728257	71.65	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.27	70	111980	14.615	ng	# 77
25) Isophorone	7.27	82	849190	43.699	ng	# 64
51) 2,6-Dinitrotoluene	9.73	165	35563	7.613	ng	# 26
57) 2,4-Dinitrotoluene	9.73	165	35563	5.986	ng	# 23
67) 4-Bromophenyl-phenylether	10.52	248	23804	4.119	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF032919\
Data File : BF113443.D
Acq On : 30 Mar 2019 6:24
Operator : JU/SJ
Sample : K2138-08
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
S6B(2-10)COMP

Quant Time: Apr 01 04:11:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 26 03:32:08 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 785
Delta R.T. 0.00 min
Lab File: BF113443.D
Acq: 30 Mar 2019 6:24

Instrument :
BNA_F
ClientSampleId :
S6B(2-10)COMP

Tgt Ion:152 Resp: 157663
Ion Ratio Lower Upper
152 100
150 158.3 124.7 187.1
115 58.5 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 103.217 ng
RT: 5.33 min Scan# 552
Delta R.T. 0.02 min
Lab File: BF113443.D
Acq: 30 Mar 2019 6:24

Tgt Ion:112 Resp: 995250
Ion Ratio Lower Upper
112 100
64 56.2 49.2 73.8
63 28.0 24.9 37.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 94.309 ng

RT: 6.36 min Scan# 726

Delta R.T. 0.00 min

Lab File: BF113443.D

Acq: 30 Mar 2019 6:24

Instrument :

BNA_F

ClientSampleId :

S6B(2-10)COMP


Tgt Ion: 99 Resp: 1150380

Ion Ratio Lower Upper




99 100

42 17.6 14.8 22.2

71 31.0 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 14.615 ng

RT: 7.27 min Scan# 881

Delta R.T. 0.14 min

Lab File: BF113443.D

Acq: 30 Mar 2019 6:24

Tgt Ion: 70 Resp: 111980


Ion Ratio Lower Upper

70 100



42 48.4 48.4 72.6#

101 0.0 7.8 11.8#

130 2.5 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.99 min Scan# 1003
Delta R.T. 0.00 min
Lab File: BF113443.D
Acq: 30 Mar 2019 6:24

Instrument :
BNA_F
ClientSampleId :
S6B(2-10)COMP

Tgt Ion:	136	Resp:	595171
Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.9	13.3
54	7.9	7.0	10.6
68	5.7	4.8	7.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 85.213 ng
RT: 7.27 min Scan# 881
Delta R.T. 0.00 min
Lab File: BF113443.D
Acq: 30 Mar 2019 6:24

Tgt Ion:	82	Resp:	854466
Ion	Ratio	Lower	Upper
82	100		
128	46.8	36.5	54.7
54	51.8	42.2	63.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 43.699 ng

RT: 7.27 min Scan# 881

Delta R.T. -0.26 min

Lab File: BF113443.D

Acq: 30 Mar 2019 6:24

Instrument :

BNA_F

ClientSampleId :

S6B(2-10)COMP


Tgt Ion: 82 Resp: 849190

Ion Ratio Lower Upper

82 100

95 0.0 5.5 8.3#




138 0.0 15.2 22.8#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.73 min Scan# 1300

Delta R.T. -0.01 min

Lab File: BF113443.D

Acq: 30 Mar 2019 6:24


Tgt Ion: 164 Resp: 279428

Ion Ratio Lower Upper

164 100

162 101.6 81.8 122.6



160 45.2 36.4 54.6




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E








#42
 2,4,6-Tribromophenol
 Concen: 123.685 ng
 RT: 10.52 min Scan# 1434
 Delta R.T. -0.01 min
 Lab File: BF113443.D
 Acq: 30 Mar 2019 6:24

Instrument :
 BNA_F
 ClientSampleId :
 S6B(2-10)COMP

Tgt Ion:330 Resp: 426909
 Ion Ratio Lower Upper
 330 100
 332 95.3 77.8 116.6
 141 27.5 22.7 34.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 89.443 ng
 RT: 9.06 min Scan# 1186
 Delta R.T. 0.00 min
 Lab File: BF113443.D
 Acq: 30 Mar 2019 6:24

Tgt Ion:172 Resp: 1578151
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.0 43.6
 170 24.4 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#51
 2,6-Dinitrotoluene
 Concen: 7.613 ng
 RT: 9.73 min Scan# 1300
 Delta R.T. 0.21 min
 Lab File: BF113443.D
 Acq: 30 Mar 2019 6:24

Instrument :
 BNA_F
 ClientSampleId :
 S6B(2-10)COMP

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.1	43.4	65.0#
89	1.0	43.1	64.7#






Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1




#57
 2,4-Dinitrotoluene
 Concen: 5.986 ng
 RT: 9.73 min Scan# 1300
 Delta R.T. -0.20 min
 Lab File: BF113443.D
 Acq: 30 Mar 2019 6:24

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.1	37.5	56.3#
89	1.0	57.4	86.2#
182	0.0	2.0	3.0#

Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1
 Ion 182.00 (181.70 to 182.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.22 min Scan# 1552
Delta R.T. 0.00 min
Lab File: BF113443.D
Acq: 30 Mar 2019 6:24

Instrument :
BNA_F
ClientSampleId :
S6B(2-10)COMP

Tgt Ion:188 Resp: 530225
Ion Ratio Lower Upper
188 100
94 8.4 7.0 10.6
80 9.0 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#67
4-Bromophenyl-phenylether
Concen: 4.119 ng
RT: 10.52 min Scan# 1434
Delta R.T. -0.24 min
Lab File: BF113443.D
Acq: 30 Mar 2019 6:24

Tgt Ion:248 Resp: 23804
Ion Ratio Lower Upper
248 100
250 185.2 78.3 117.5#
141 486.5 56.2 84.4#



Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.84 min Scan# 1998
Delta R.T. -0.01 min
Lab File: BF113443.D
Acq: 30 Mar 2019 6:24




Instrument :
BNA_F
ClientSampleId :
S6B(2-10)COMP


Tgt Ion:240 Resp: 531685
Ion Ratio Lower Upper
240 100
120 11.3 8.8 13.2
236 25.8 20.9 31.3



#79
Terphenyl-d14
Concen: 71.647 ng
RT: 12.80 min Scan# 1821
Delta R.T. 0.00 min
Lab File: BF113443.D
Acq: 30 Mar 2019 6:24

Tgt Ion:244 Resp: 1728257
Ion Ratio Lower Upper
244 100
212 6.7 5.5 8.3
122 10.6 8.6 13.0






#87
Perylene-d12
Concen: 20.000 ng
RT: 15.24 min Scan# 2237
Delta R.T. 0.00 min
Lab File: BF113443.D
Acq: 30 Mar 2019 6:24

Instrument :
BNA_F
ClientSampleId :
S6B(2-10)COMP

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.1	28.7
265	21.9	17.1	25.7



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

