

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF033021\
 Data File : BF123529.D
 Acq On : 30 Mar 2021 19:19
 Operator : JU/CG
 Sample : M1832-01
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IG001

Quant Time: Mar 31 04:09:43 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 30 11:51:25 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	138817	20.00	ng	0.00
21) Naphthalene-d8	8.169	136	524499	20.00	ng	# 0.00
39) Acenaphthene-d10	9.927	164	338973	20.00	ng	0.00
64) Phenanthrene-d10	11.421	188	627425	20.00	ng	# 0.00
76) Chrysene-d12	14.068	240	356297	20.00	ng	# 0.00
86) Perylene-d12	15.562	264	268576	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	1083531	127.69	ng	0.01
7) Phenol-d6	6.516	99	1400089	123.95	ng	0.00
23) Nitrobenzene-d5	7.451	82	1011894	104.12	ng	0.00
42) 2,4,6-Tribromophenol	10.727	330	628298	165.79	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	1875625	79.05	ng	0.00
79) Terphenyl-d14	13.015	244	1988717	94.60	ng	0.00
Target Compounds						
10) Phenol	6.522	94	32392	2.79	ng	# 33
50) Dimethylphthalate	9.639	163	57424	2.39	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF033021\
Data File : BF123529.D
Acq On : 30 Mar 2021 19:19
Operator : JU/CG
Sample : M1832-01
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
IG001

Quant Time: Mar 31 04:09:43 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 30 11:51:25 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.881 min Scan# 815
Delta R.T. -0.006 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19




Instrument :
BNA_F
ClientSampleId :
IG001


Tgt Ion:152 Resp: 138817
Ion Ratio Lower Upper
152 100
150 147.5 125.8 188.6
115 64.8 49.3 73.9



#5
2-Fluorophenol
Concen: 127.69 ng
RT: 5.516 min Scan# 583
Delta R.T. 0.012 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19

Tgt Ion:112 Resp: 1083531
Ion Ratio Lower Upper
112 100
64 71.3 46.9 70.3#
63 40.0 24.5 36.7#









#7
Phenol-d6
Concen: 123.95 ng
RT: 6.516 min Scan# 753
Delta R.T. -0.000 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19




Instrument :
BNA_F
ClientSampleId :
IG001


Tgt Ion: 99 Resp: 1400089
Ion Ratio Lower Upper
99 100
42 27.8 13.8 20.6#
71 42.1 26.9 40.3#



#10
Phenol
Concen: 2.79 ng
RT: 6.522 min Scan# 754
Delta R.T. -0.012 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19

Tgt Ion: 94 Resp: 32392
Ion Ratio Lower Upper
94 100
65 56.7 11.2 51.2#
66 99.0 25.8 65.8#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19

Instrument :
BNA_F
ClientSampleId :
IG001

Tgt Ion:136 Resp: 524499




Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.8	13.2
54	11.8	5.5	8.3#
68	4.7	4.6	6.8




#23
Nitrobenzene-d5
Concen: 104.12 ng
RT: 7.451 min Scan# 912
Delta R.T. -0.006 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19

Tgt Ion: 82 Resp: 1011894

Ion	Ratio	Lower	Upper
82	100		
128	42.6	37.0	55.4
54	68.1	38.4	57.6#









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.927 min Scan# 1333
Delta R.T. -0.006 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19




Instrument :
BNA_F
ClientSampleId :
IG001


Tgt Ion:164 Resp: 338973
Ion Ratio Lower Upper
164 100
162 101.6 80.8 121.2
160 46.1 35.4 53.0



#42
2,4,6-Tribromophenol
Concen: 165.79 ng
RT: 10.727 min Scan# 1469
Delta R.T. -0.000 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19

Tgt Ion:330 Resp: 628298
Ion Ratio Lower Upper
330 100
332 96.4 77.5 116.3
141 30.0 23.8 35.8









#45
2-Fluorobiphenyl
Concen: 79.05 ng
RT: 9.251 min Scan# 1218
Delta R.T. -0.006 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19

Instrument :
BNA_F
ClientSampleId :
IG001

Tgt Ion:172 Resp: 1875625




Ion	Ratio	Lower	Upper
172	100		
171	36.1	29.6	44.4
170	24.2	19.5	29.3




#50
Dimethylphthalate
Concen: 2.39 ng
RT: 9.639 min Scan# 1284
Delta R.T. -0.018 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19

Tgt Ion:163 Resp: 57424

Ion	Ratio	Lower	Upper
163	100		
194	4.4	3.4	5.0
164	9.9	8.1	12.1









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.421 min Scan# 1587
Delta R.T. -0.000 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19




Instrument :
BNA_F
ClientSampleId :
IG001


Tgt Ion:188 Resp: 627425
Ion Ratio Lower Upper
188 100
94 6.4 7.4 11.2#
80 7.2 8.2 12.4#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.068 min Scan# 2037
Delta R.T. -0.006 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19

Tgt Ion:240 Resp: 356297
Ion Ratio Lower Upper
240 100
120 6.4 8.6 12.8#
236 25.9 20.3 30.5









#79
Terphenyl-d14
Concen: 94.60 ng
RT: 13.015 min Scan# 1858
Delta R.T. -0.000 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19

Instrument :
BNA_F
ClientSampleId :
IG001

Tgt Ion:244 Resp: 1988717
Ion Ratio Lower Upper
244 100
212 7.2 5.7 8.5
122 9.8 8.3 12.5



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.562 min Scan# 2291
Delta R.T. -0.006 min
Lab File: BF123529.D
Acq: 30 Mar 2021 19:19

Tgt Ion:264 Resp: 268576
Ion Ratio Lower Upper
264 100
260 23.1 18.6 28.0
265 21.8 17.0 25.6

