

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF033021\
 Data File : BF123531.D
 Acq On : 30 Mar 2021 20:24
 Operator : JU/CG
 Sample : M1832-03
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IG003

Manual Integrations
 APPROVED

mohammad
 3/31/2021 1:36:19 PM

Quant Time: Mar 31 04:10:05 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 30 11:51:25 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	148284	20.00	ng	0.00
21) Naphthalene-d8	8.169	136	662517	20.00	ng	# 0.00
39) Acenaphthene-d10	9.928	164	514775	20.00	ng	0.00
64) Phenanthrene-d10	11.422	188	982701	20.00	ng	0.00
76) Chrysene-d12	14.068	240	378256	20.00	ng	# 0.00
86) Perylene-d12	15.562	264	275368	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	866988	95.65	ng	0.00
7) Phenol-d6	6.510	99	1097431	90.95	ng	0.00
23) Nitrobenzene-d5	7.445	82	777209	63.31	ng	-0.01
42) 2,4,6-Tribromophenol	10.722	330	639281	111.08	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	1567138	43.49	ng	0.00
79) Terphenyl-d14	13.016	244	2164407	96.98	ng	0.00
Target Compounds						Qvalue
71) Phenanthrene	11.439	178	146278	2.69	ng	97
75) Fluoranthene	12.633	202	200183	3.40	ng	97
78) Pyrene	12.863	202	170530	5.23	ng	98
88) Benzo(b)fluoranthene	15.115	252	50621m	2.66	ng	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF033021\
Data File : BF123531.D
Acq On : 30 Mar 2021 20:24
Operator : JU/CG
Sample : M1832-03
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
IG003

Manual Integrations
APPROVED

mohammad
3/31/2021 1:36:19 PM

Quant Time: Mar 31 04:10:05 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 30 11:51:25 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.881 min Scan# 815
Delta R.T. -0.006 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24

Instrument :
BNA_F
ClientSampled :
IG003

Tgt Ion:152 Resp: 148284
Ion Ratio Lower Upper
152 100
150 147.2 125.8 188.6
115 67.1 49.3 73.9




Manual Integrations
APPROVED


mohammad
3/31/2021 1:36:19 PM



#5
2-Fluorophenol
Concen: 95.65 ng
RT: 5.510 min Scan# 582
Delta R.T. 0.006 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24

Tgt Ion:112 Resp: 866988
Ion Ratio Lower Upper
112 100
64 72.7 46.9 70.3#
63 40.8 24.5 36.7#









#7
Phenol-d6
Concen: 90.95 ng
RT: 6.510 min Scan# 752
Delta R.T. -0.006 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24

Tgt Ion: 99 Resp: 1097431
Ion Ratio Lower Upper
99 100
42 28.1 13.8 20.6#
71 42.1 26.9 40.3#

Instrument :
BNA_F
ClientSampleId :
IG003




Manual Integrations
APPROVED


mohammad
3/31/2021 1:36:19 PM




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24

Tgt Ion: 136 Resp: 662517
Ion Ratio Lower Upper
136 100
137 10.8 8.8 13.2
54 11.2 5.5 8.3#
68 4.9 4.6 6.8









#23
Nitrobenzene-d5
Concen: 63.31 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.012 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24





Tgt Ion: 82 Resp: 777209
Ion Ratio Lower Upper
82 100
128 40.1 37.0 55.4
54 68.5 38.4 57.6#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.928 min Scan# 1333
Delta R.T. -0.006 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24




Tgt Ion: 164 Resp: 514775
Ion Ratio Lower Upper
164 100
162 101.6 80.8 121.2
160 45.5 35.4 53.0




Instrument :
BNA_F
ClientSampleId :
IG003

Manual Integrations
APPROVED




mohammad
3/31/2021 1:36:19 PM




#42
2,4,6-Tribromophenol
Concen: 111.08 ng
RT: 10.722 min Scan# 1468
Delta R.T. -0.006 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24





Tgt Ion: 330 Resp: 639281
Ion Ratio Lower Upper
330 100
332 95.0 77.5 116.3
141 30.7 23.8 35.8



#45
2-Fluorobiphenyl
Concen: 43.49 ng
RT: 9.251 min Scan# 1218
Delta R.T. -0.006 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24




Tgt Ion: 172 Resp: 1567138
Ion Ratio Lower Upper
172 100
171 36.1 29.6 44.4
170 23.8 19.5 29.3



Instrument :
BNA_F
ClientSampleId :
IG003


Manual Integrations
APPROVED

mohammad
3/31/2021 1:36:19 PM



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.422 min Scan# 1587
Delta R.T. -0.000 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24




Instrument :
BNA_F
ClientSampleId :
IG003




Tgt Ion:188 Resp: 982701
Ion Ratio Lower Upper
188 100
94 8.1 7.4 11.2
80 8.5 8.2 12.4

Manual Integrations
APPROVED



mohammad
3/31/2021 1:36:19 PM




#71
Phenanthrene
Concen: 2.69 ng
RT: 11.439 min Scan# 1590
Delta R.T. -0.012 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24




Tgt Ion:178 Resp: 146278
Ion Ratio Lower Upper
178 100
176 18.8 16.2 24.2
179 14.6 12.7 19.1









#75
Fluoranthene
Concen: 3.40 ng
RT: 12.633 min Scan# 1793
Delta R.T. -0.006 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24





Tgt Ion: 202 Resp: 200183
Ion Ratio Lower Upper
202 100
101 10.6 0.0 32.2
203 17.3 0.0 38.1



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.068 min Scan# 2037
Delta R.T. -0.006 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24




Tgt Ion: 240 Resp: 378256
Ion Ratio Lower Upper
240 100
120 6.1 8.6 12.8#
236 24.8 20.3 30.5



Instrument :
BNA_F
ClientSampleId :
IG003


Manual Integrations
APPROVED

mohammad
3/31/2021 1:36:19 PM



#78
Pyrene
Concen: 5.23 ng
RT: 12.863 min Scan# 1832
Delta R.T. -0.012 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24




Instrument :
BNA_F
ClientSampleId :
IG003



Tgt Ion:202 Resp: 170530
Ion Ratio Lower Upper
202 100
200 20.9 17.6 26.4
203 17.4 14.6 21.8




Manual Integrations
APPROVED


mohammad
3/31/2021 1:36:19 PM




#79
Terphenyl-d14
Concen: 96.98 ng
RT: 13.016 min Scan# 1858
Delta R.T. -0.000 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24

Tgt Ion:244 Resp: 2164407
Ion Ratio Lower Upper
244 100
212 7.3 5.7 8.5
122 9.2 8.3 12.5







#86
Perylene-d12
Concen: 20.00 ng
RT: 15.562 min Scan# 2291
Delta R.T. -0.006 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24




Tgt Ion:264 Resp: 275368
Ion Ratio Lower Upper
264 100
260 23.4 18.6 28.0
265 21.5 17.0 25.6




Instrument :
BNA_F
ClientSampleId :
IG003

Manual Integrations
APPROVED

mohammad
3/31/2021 1:36:19 PM



#88
Benzo(b)fluoranthene
Concen: 2.66 ng m
RT: 15.115 min Scan# 2215
Delta R.T. -0.012 min
Lab File: BF123531.D
Acq: 30 Mar 2021 20:24



Tgt Ion:252 Resp: 50621
Ion Ratio Lower Upper
252 100
253 19.4 18.3 27.5
125 8.7 8.1 12.1

