

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF040419\
 Data File : BF113604.D
 Acq On : 5 Apr 2019 1:23
 Operator : JU/SJ
 Sample : K2193-05 5X
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 HR-06-040319-C

Quant Time: Apr 05 06:47:25 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF040319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 04 04:05:31 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.69	152	121890	20.00	ng	0.00
21) Naphthalene-d8	7.97	136	345092	20.00	ng	0.00
39) Acenaphthene-d10	9.72	164	183141	20.00	ng	0.00
64) Phenanthrene-d10	11.19	188	355812	20.00	ng	-0.01
76) Chrysene-d12	13.83	240	249442	20.00	ng	-0.02
87) Perylene-d12	15.23	264	194543	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	121858	17.05	ng	0.00
7) Phenol-d6	6.33	99	168250	19.10	ng	0.00
23) Nitrobenzene-d5	7.25	82	83694	14.21	ng	-0.01
42) 2,4,6-Tribromophenol	10.50	330	35723	16.24	ng	-0.01
45) 2-Fluorobiphenyl	9.04	172	175603	15.44	ng	-0.01
79) Terphenyl-d14	12.77	244	173509	14.16	ng	-0.02
Target Compounds						
37) 2-Methylnaphthalene	8.68	142	49689	4.518	ng	Qvalue 97
38) 1-Methylnaphthalene	8.78	142	45786	4.318	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF040419\
Data File : BF113604.D
Acq On : 5 Apr 2019 1:23
Operator : JU/SJ
Sample : K2193-05 5X
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
HR-06-040319-C

Quant Time: Apr 05 06:47:25 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF040319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 04 04:05:31 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.69 min Scan# 782
Delta R.T. 0.00 min
Lab File: BF113604.D
Acq: 5 Apr 2019 1:23

Instrument :
BNA_F
ClientSampleId :
HR-06-040319-C

Tgt Ion:152 Resp: 121890
Ion Ratio Lower Upper
152 100
150 156.2 124.7 187.1
115 53.8 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 17.048 ng
RT: 5.30 min Scan# 546
Delta R.T. 0.00 min
Lab File: BF113604.D
Acq: 5 Apr 2019 1:23

Tgt Ion:112 Resp: 121858
Ion Ratio Lower Upper
112 100
64 56.8 49.2 73.8
63 28.3 24.9 37.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 19.098 ng

RT: 6.33 min Scan# 722

Delta R.T. -0.01 min

Lab File: BF113604.D

Acq: 5 Apr 2019 1:23

Instrument :

BNA_F

ClientSampleId :

HR-06-040319-C


Tgt Ion: 99 Resp: 168250

Ion Ratio Lower Upper

99 100

42 18.9 14.8 22.2




71 31.9 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.97 min Scan# 1000

Delta R.T. 0.00 min

Lab File: BF113604.D

Acq: 5 Apr 2019 1:23

Tgt Ion: 136 Resp: 345092


Ion Ratio Lower Upper

136 100

137 11.4 8.9 13.3

54 12.1 7.0 10.6#

68 8.6 4.8 7.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 14.206 ng
 RT: 7.25 min Scan# 877
 Delta R.T. -0.01 min
 Lab File: BF113604.D
 Acq: 5 Apr 2019 1:23




Instrument :
 BNA_F
 ClientSampleId :
 HR-06-040319-C


Tgt Ion: 82 Resp: 83694
 Ion Ratio Lower Upper
 82 100
 128 38.1 36.5 54.7
 54 48.2 42.2 63.2



#37
 2-Methylnaphthalene
 Concen: 4.518 ng
 RT: 8.68 min Scan# 1121
 Delta R.T. 0.00 min
 Lab File: BF113604.D
 Acq: 5 Apr 2019 1:23

Tgt Ion: 142 Resp: 49689
 Ion Ratio Lower Upper
 142 100
 141 88.3 71.0 106.6
 115 38.3 26.6 39.8





#38

1-Methylnaphthalene

Concen: 4.318 ng

RT: 8.78 min Scan# 1138

Delta R.T. 0.00 min

Lab File: BF113604.D

Acq: 5 Apr 2019 1:23

Instrument :

BNA_F

ClientSampleId :

HR-06-040319-C


Tgt Ion:142 Resp: 45786

Ion Ratio Lower Upper

142 100

141 95.6 73.2 109.8




116 7.1 3.0 4.4#



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 116.00 (115.70 to 116.70): E



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.72 min Scan# 1297

Delta R.T. -0.01 min

Lab File: BF113604.D

Acq: 5 Apr 2019 1:23


Tgt Ion:164 Resp: 183141

Ion Ratio Lower Upper

164 100

162 100.7 81.8 122.6



160 43.8 36.4 54.6




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 16.238 ng
 RT: 10.50 min Scan# 1431
 Delta R.T. -0.01 min
 Lab File: BF113604.D
 Acq: 5 Apr 2019 1:23

Instrument :
 BNA_F
 ClientSampleId :
 HR-06-040319-C

Tgt Ion:330 Resp: 35723
 Ion Ratio Lower Upper
 330 100
 332 95.6 77.8 116.6
 141 27.8 22.7 34.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 15.436 ng
 RT: 9.04 min Scan# 1182
 Delta R.T. -0.01 min
 Lab File: BF113604.D
 Acq: 5 Apr 2019 1:23

Tgt Ion:172 Resp: 175603
 Ion Ratio Lower Upper
 172 100
 171 34.2 29.0 43.6
 170 23.0 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.19 min Scan# 1548

Delta R.T. -0.01 min

Lab File: BF113604.D

Acq: 5 Apr 2019 1:23

Instrument :

BNA_F

ClientSampleId :

HR-06-040319-C


Tgt Ion:188 Resp: 355812

Ion Ratio Lower Upper

188 100

94 9.8 7.0 10.6

80 10.7 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E


Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1

Time-->



Time-->



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.83 min Scan# 1996

Delta R.T. -0.02 min

Lab File: BF113604.D

Acq: 5 Apr 2019 1:23


Tgt Ion:240 Resp: 249442

Ion Ratio Lower Upper

240 100

120 10.0 8.8 13.2

236 25.9 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E


Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

Time-->



Time-->



#79

Terphenyl-d14

Concen: 14.162 ng

RT: 12.77 min Scan# 1816

Delta R.T. -0.02 min

Lab File: BF113604.D

Acq: 5 Apr 2019 1:23

Instrument :

BNA_F

ClientSampleId :

HR-06-040319-C


Tgt Ion:244 Resp: 173509

Ion Ratio Lower Upper

244 100

212 6.2 5.5 8.3




122 11.2 8.6 13.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.23 min Scan# 2235

Delta R.T. -0.02 min

Lab File: BF113604.D

Acq: 5 Apr 2019 1:23


Tgt Ion:264 Resp: 194543

Ion Ratio Lower Upper

264 100

260 24.5 19.1 28.7

265 21.6 17.1 25.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

