

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041119\
 Data File : BF113724.D
 Acq On : 11 Apr 2019 17:04
 Operator : JU/SJ
 Sample : K2203-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SU-04-040919-A

Quant Time: Apr 12 01:56:31 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 04 04:05:31 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.67	152	122006	20.00	ng	-0.01
21) Naphthalene-d8	7.96	136	458735	20.00	ng	-0.01
39) Acenaphthene-d10	9.70	164	220797	20.00	ng	-0.02
64) Phenanthrene-d10	11.19	188	437618	20.00	ng	-0.02
76) Chrysene-d12	13.82	240	307715	20.00	ng	-0.02
87) Perylene-d12	15.23	264	304648	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	758647	106.03	ng	0.00
7) Phenol-d6	6.33	99	870985	98.77	ng	-0.01
23) Nitrobenzene-d5	7.24	82	677168	86.47	ng	-0.02
42) 2,4,6-Tribromophenol	10.50	330	348132	131.26	ng	-0.02
45) 2-Fluorobiphenyl	9.03	172	1297048	94.57	ng	-0.02
79) Terphenyl-d14	12.77	244	1340358	88.69	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041119\
Data File : BF113724.D
Acq On : 11 Apr 2019 17:04
Operator : JU/SJ
Sample : K2203-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SU-04-040919-A

Quant Time: Apr 12 01:56:31 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 04 04:05:31 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.67 min Scan# 780
Delta R.T. -0.01 min
Lab File: BF113724.D
Acq: 11 Apr 2019 17:04

Instrument :
BNA_F
ClientSampleId :
SU-04-040919-A

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.2	124.7	187.1
115	56.5	46.0	69.0






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 106.033 ng
RT: 5.30 min Scan# 546
Delta R.T. 0.00 min
Lab File: BF113724.D
Acq: 11 Apr 2019 17:04

Tgt Ion	Ratio	Lower	Upper
112	100		
64	57.6	49.2	73.8
63	29.5	24.9	37.3






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 98.770 ng

RT: 6.33 min Scan# 721

Delta R.T. -0.01 min

Lab File: BF113724.D

Acq: 11 Apr 2019 17:04

Instrument :

BNA_F

ClientSampleId :

SU-04-040919-A


Tot Ion: 99 Resp: 870985

Ion Ratio Lower Upper




99 100

42 17.5 14.8 22.2

71 30.6 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.96 min Scan# 998

Delta R.T. -0.01 min

Lab File: BF113724.D

Acq: 11 Apr 2019 17:04

Tgt Ion: 136 Resp: 458735


Ion Ratio Lower Upper

136 100



137 10.9 8.9 13.3


54 7.5 7.0 10.6

68 5.7 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 86.467 ng
 RT: 7.24 min Scan# 876
 Delta R.T. -0.02 min
 Lab File: BF113724.D
 Acq: 11 Apr 2019 17:04




Instrument :
 BNA_F
 ClientSampleId :
 SU-04-040919-A


Tot Ion: 82 Resp: 677168
 Ion Ratio Lower Upper
 82 100
 128 46.5 36.5 54.7
 54 52.1 42.2 63.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.70 min Scan# 1295
 Delta R.T. -0.02 min
 Lab File: BF113724.D
 Acq: 11 Apr 2019 17:04

Tgt Ion: 164 Resp: 220797
 Ion Ratio Lower Upper
 164 100
 162 100.8 81.8 122.6
 160 46.3 36.4 54.6






#42
 2,4,6-Tribromophenol
 Concen: 131.256 ng
 RT: 10.50 min Scan# 1430
 Delta R.T. -0.02 min
 Lab File: BF113724.D
 Acq: 11 Apr 2019 17:04

Instrument :
 BNA_F
 ClientSampleId :
 SU-04-040919-A

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.6	77.8	116.6
141	27.4	22.7	34.1






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 94.571 ng
 RT: 9.03 min Scan# 1180
 Delta R.T. -0.02 min
 Lab File: BF113724.D
 Acq: 11 Apr 2019 17:04

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	29.0	43.6
170	24.6	19.5	29.3






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.19 min Scan# 1547
Delta R.T. -0.02 min
Lab File: BF113724.D
Acq: 11 Apr 2019 17:04




Instrument :
BNA_F
ClientSampleId :
SU-04-040919-A


Tot Ion:188 Resp: 437618
Ion Ratio Lower Upper
188 100
94 8.5 7.0 10.6
80 9.2 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.82 min Scan# 1995
Delta R.T. -0.02 min
Lab File: BF113724.D
Acq: 11 Apr 2019 17:04

Tgt Ion:240 Resp: 307715
Ion Ratio Lower Upper
240 100
120 10.9 8.8 13.2
236 25.5 20.9 31.3





#79

Terphenyl-d14

Concen: 88.686 ng

RT: 12.77 min Scan# 1816

Delta R.T. -0.02 min

Lab File: BF113724.D

Acq: 11 Apr 2019 17:04

Instrument :

BNA_F

ClientSampleId :

SU-04-040919-A


Tot Ion:244 Resp: 1340358

Ion Ratio Lower Upper

244 100

212 6.7 5.5 8.3




122 10.5 8.6 13.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.23 min Scan# 2234

Delta R.T. -0.02 min

Lab File: BF113724.D

Acq: 11 Apr 2019 17:04


Tgt Ion:264 Resp: 304648

Ion Ratio Lower Upper

264 100

260 23.6 19.1 28.7

265 22.3 17.1 25.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

