

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041320\
 Data File : BF119932.D
 Acq On : 14 Apr 2020 3:56
 Operator : MA/SJ
 Sample : L2205-23
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Apr 14 05:04:48 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040820.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 13 13:37:50 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	247668	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	967673	20.00	ng	-0.01
39) Acenaphthene-d10	9.77	164	524305	20.00	ng	0.00
64) Phenanthrene-d10	11.26	188	1058199	20.00	ng	0.00
76) Chrysene-d12	13.90	240	829633	20.00	ng	0.00
87) Perylene-d12	15.33	264	705919	20.00	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
5) 2-Fluorophenol	5.37	112	1709140	119.26	ng	0.03
7) Phenol-d6	6.37	99	1946976	105.43	ng	0.00
23) Nitrobenzene-d5	7.30	82	1515765	81.04	ng	-0.01
42) 2,4,6-Tribromophenol	10.57	330	804124	125.27	ng	0.00
45) 2-Fluorobiphenyl	9.10	172	2896362	78.43	ng	-0.01
79) Terphenyl-d14	12.86	244	3536443	71.73	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
9) Benzaldehyde	6.29	77	282	Below Cal		# 41
19) n-Nitroso-di-n-propylamine	7.30	70	202943	17.090	ng	# 74
25) Isophorone	7.30	82	1512860	41.957	ng	# 65
27) 2,4-Dimethylphenol	7.74	122	41425	2.922	ng	# 3
32) Benzoic acid	7.74	122	41425	3.327	ng	94
50) Dimethylphthalate	9.49	163	412503	10.172	ng	99
57) 2,4-Dinitrotoluene	9.77	165	67322	5.754	ng	# 22
67) 4-Bromophenyl-phenylether	10.57	248	46761	3.553	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041320\
Data File : BF119932.D
Acq On : 14 Apr 2020 3:56
Operator : MA/SJ
Sample : L2205-23
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Apr 14 05:04:48 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040820.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 13 13:37:50 2020
Response via : Initial Calibration








#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 790
Delta R.T. -0.01 min
Lab File: BF119932.D
Acq: 14 Apr 2020 3:56

Instrument :
BNA_F
ClientSampleId :




Tot Ion:152 Resp: 247668
Ion Ratio Lower Upper
152 100
150 157.9 124.8 187.2
115 58.9 46.5 69.7





#5

2-Fluorophenol
Concen: 119.261 ng
RT: 5.37 min Scan# 558
Delta R.T. 0.03 min
Lab File: BF119932.D
Acq: 14 Apr 2020 3:56

Tgt Ion:112 Resp: 1709140
Ion Ratio Lower Upper
112 100
64 66.9 55.5 83.3
63 33.8 29.1 43.7





#7

Phenol-d6

Concen: 105.434 ng

RT: 6.37 min Scan# 729

Delta R.T. -0.01 min

Lab File: BF119932.D

Acq: 14 Apr 2020 3:56

Instrument :

BNA_F

ClientSampled :





Tot Ion: 99 Resp: 1946976

Ion Ratio Lower Upper

99 100

42 19.3 16.9 25.3

71 33.6 26.3 39.5



#19

n-Nitroso-di-n-propylamine

Concen: 17.090 ng

RT: 7.30 min Scan# 886

Delta R.T. 0.14 min

Lab File: BF119932.D

Acq: 14 Apr 2020 3:56

Tgt Ion: 70 Resp: 202943


Ion Ratio Lower Upper


70 100

42 51.3 54.2 81.4#

101 0.0 7.4 11.2#

130 2.0 17.8 26.6#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.02 min Scan# 1008
Delta R.T. -0.01 min
Lab File: BF119932.D
Acq: 14 Apr 2020 3:56




Instrument :
BNA_F
ClientSampled :

Tot Ion:136	Resp:	967673
Ion Ratio	Lower	Upper
136	100	
137	11.3	8.7 13.1
54	10.4	8.5 12.7
68	6.0	3.9 5.9#



#23
Nitrobenzene-d5
Concen: 81.036 ng
RT: 7.30 min Scan# 886
Delta R.T. -0.01 min
Lab File: BF119932.D
Acq: 14 Apr 2020 3:56

Tgt Ion: 82	Resp:	1515765
Ion Ratio	Lower	Upper
82	100	
128	46.3	36.2 54.4
54	60.6	50.4 75.6





#25

Isophorone

Concen: 41.957 ng

RT: 7.30 min Scan# 886

Delta R.T. -0.27 min

Lab File: BF119932.D

Acq: 14 Apr 2020 3:56

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 1512860

Ion Ratio Lower Upper




82 100

95 0.0 5.8 8.6#

138 0.0 14.5 21.7#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1



#27

2,4-Dimethylphenol

Concen: 2.922 ng

RT: 7.74 min Scan# 961

Delta R.T. 0.05 min

Lab File: BF119932.D

Acq: 14 Apr 2020 3:56


Tgt Ion:122 Resp: 41425

Ion Ratio Lower Upper



122 100


107 0.0 92.3 138.5#

121 0.0 46.6 70.0#



Abundance Ion 122.00 (121.70 to 122.70): E
Ion 107.00 (106.70 to 107.70): E
Ion 121.00 (120.70 to 121.70): E





#32

Benzoic acid

Concen: 3.327 ng

RT: 7.74 min Scan# 961

Delta R.T. -0.08 min

Lab File: BF119932.D

Acq: 14 Apr 2020 3:56

Instrument :

BNA_F

ClientSampleId :





Tot Ion:122 Resp: 41425

Ion Ratio Lower Upper

122 100

105 118.5 106.7 146.7

77 96.0 72.1 112.1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.77 min Scan# 1307

Delta R.T. -0.01 min

Lab File: BF119932.D

Acq: 14 Apr 2020 3:56




Tgt Ion:164 Resp: 524305


Ion Ratio Lower Upper

164 100

162 102.9 81.9 122.9

160 45.2 36.6 54.8









#42
 2,4,6-Tribromophenol
 Concen: 125.267 ng
 RT: 10.57 min Scan# 1442
 Delta R.T. -0.01 min
 Lab File: BF119932.D
 Acq: 14 Apr 2020 3:56

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	76.8	115.2
141	30.1	25.1	37.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 78.432 ng
 RT: 9.10 min Scan# 1192
 Delta R.T. -0.01 min
 Lab File: BF119932.D
 Acq: 14 Apr 2020 3:56

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.9	43.3
170	24.1	19.4	29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
 Dimethylphthalate
 Concen: 10.172 ng
 RT: 9.49 min Scan# 1259
 Delta R.T. -0.02 min
 Lab File: BF119932.D
 Acq: 14 Apr 2020 3:56




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:163	Resp:	412503
Ion Ratio	Lower	Upper
163	100	
194	3.6	3.0 4.4
164	10.0	8.4 12.6



#57
 2,4-Dinitrotoluene
 Concen: 5.754 ng
 RT: 9.77 min Scan# 1307
 Delta R.T. -0.20 min
 Lab File: BF119932.D
 Acq: 14 Apr 2020 3:56

Tgt Ion:165	Resp:	67322
Ion Ratio	Lower	Upper
165	100	
63	0.9	40.8 61.2#
89	1.0	56.9 85.3#
182	0.0	2.0 3.0#









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.26 min Scan# 1560
Delta R.T. -0.01 min
Lab File: BF119932.D
Acq: 14 Apr 2020 3:56

Instrument :
BNA_F
ClientSampleId :

Tot Ion:188 Resp: 1058199
Ion Ratio Lower Upper
188 100
94 9.0 6.7 10.1
80 9.6 7.4 11.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#67
4-Bromophenyl-phenylether
Concen: 3.553 ng
RT: 10.57 min Scan# 1442
Delta R.T. -0.25 min
Lab File: BF119932.D
Acq: 14 Apr 2020 3:56

Tgt Ion:248 Resp: 46761
Ion Ratio Lower Upper
248 100
250 203.7 76.6 114.8#
141 525.9 55.9 83.9#



Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.90 min Scan# 2009
 Delta R.T. -0.01 min
 Lab File: BF119932.D
 Acq: 14 Apr 2020 3:56




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:240 Resp: 829633
 Ion Ratio Lower Upper
 240 100
 120 9.7 9.0 13.6
 236 26.4 20.7 31.1



#79
 Terphenyl-d14
 Concen: 71.726 ng
 RT: 12.86 min Scan# 1832
 Delta R.T. -0.00 min
 Lab File: BF119932.D
 Acq: 14 Apr 2020 3:56

Tgt Ion:244 Resp: 3536443
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.4 8.0
 122 12.5 10.3 15.5






#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.33 min Scan# 2251
 Delta R.T. -0.01 min
 Lab File: BF119932.D
 Acq: 14 Apr 2020 3:56

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.3	28.9
265	21.8	17.6	26.4



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

