

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041320\
 Data File : BF119936.D
 Acq On : 14 Apr 2020 5:44
 Operator : MA/SJ
 Sample : PB128182BS
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Apr 14 06:52:04 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040820.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 13 13:37:50 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	231688	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	912335	20.00	ng	-0.01
39) Acenaphthene-d10	9.77	164	498802	20.00	ng	0.00
64) Phenanthrene-d10	11.26	188	1024591	20.00	ng	0.00
76) Chrysene-d12	13.90	240	819288	20.00	ng	-0.01
87) Perylene-d12	15.33	264	727353	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.36	112	1761309	131.38	ng	0.02
7) Phenol-d6	6.37	99	2224026	128.74	ng	0.00
23) Nitrobenzene-d5	7.30	82	1408363	79.86	ng	-0.01
42) 2,4,6-Tribromophenol	10.57	330	663942	108.72	ng	0.00
45) 2-Fluorobiphenyl	9.10	172	2688659	76.53	ng	-0.01
79) Terphenyl-d14	12.86	244	3495594	71.79	ng	0.00
Target Compounds						
9) Benzaldehyde	6.37	77	3033	Below Cal		Qvalue
19) n-Nitroso-di-n-propylamine	7.30	70	184015	16.565 ng	#	1
25) Isophorone	7.30	82	1405597	41.346 ng	#	76
50) Dimethylphthalate	9.77	163	114030	2.956 ng	#	65
51) 2,6-Dinitrotoluene	9.77	165	62865	7.441 ng	#	1
57) 2,4-Dinitrotoluene	9.77	165	62865	5.648 ng	#	19
67) 4-Bromophenyl-phenylether	10.57	248	40520	3.180 ng	#	23
					#	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041320\
Data File : BF119936.D
Acq On : 14 Apr 2020 5:44
Operator : MA/SJ
Sample : PB128182BS
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Apr 14 06:52:04 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040820.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 13 13:37:50 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 790
Delta R.T. -0.01 min
Lab File: BF119936.D
Acq: 14 Apr 2020 5:44

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 231688
Ion Ratio Lower Upper
152 100
150 158.5 124.8 187.2
115 61.3 46.5 69.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5




2-Fluorophenol
Concen: 131.378 ng
RT: 5.36 min Scan# 556
Delta R.T. 0.02 min
Lab File: BF119936.D
Acq: 14 Apr 2020 5:44

Tgt Ion:112 Resp: 1761309
Ion Ratio Lower Upper
112 100
64 67.3 55.5 83.3
63 34.8 29.1 43.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 128.744 ng

RT: 6.37 min Scan# 729

Delta R.T. -0.01 min

Lab File: BF119936.D

Acq: 14 Apr 2020 5:44

Instrument :

BNA_F

ClientSampled :





Tot Ion: 99 Resp: 2224026

Ion Ratio Lower Upper

99 100

42 19.4 16.9 25.3

71 33.4 26.3 39.5



#19

n-Nitroso-di-n-propylamine

Concen: 16.565 ng

RT: 7.30 min Scan# 886

Delta R.T. 0.14 min

Lab File: BF119936.D

Acq: 14 Apr 2020 5:44

Tgt Ion: 70 Resp: 184015


Ion Ratio Lower Upper


70 100

42 52.7 54.2 81.4#

101 0.0 7.4 11.2#

130 2.4 17.8 26.6#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.02 min Scan# 1008
Delta R.T. -0.01 min
Lab File: BF119936.D
Acq: 14 Apr 2020 5:44

Instrument :
BNA_F
ClientSampleId :

Tot Ion:136	Resp:	912335
Ion Ratio	Lower	Upper
136	100	
137	11.1	8.7 13.1
54	10.4	8.5 12.7
68	5.7	3.9 5.9




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 79.861 ng
RT: 7.30 min Scan# 886
Delta R.T. -0.01 min
Lab File: BF119936.D
Acq: 14 Apr 2020 5:44

Tgt Ion: 82	Resp:	1408363
Ion Ratio	Lower	Upper
82	100	
128	45.1	36.2 54.4
54	61.5	50.4 75.6



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 41.346 ng

RT: 7.30 min Scan# 886

Delta R.T. -0.27 min

Lab File: BF119936.D

Acq: 14 Apr 2020 5:44

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 1405597

Ion Ratio Lower Upper




82 100

95 0.0 5.8 8.6#

138 0.0 14.5 21.7#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.77 min Scan# 1307

Delta R.T. -0.01 min

Lab File: BF119936.D

Acq: 14 Apr 2020 5:44


Tgt Ion:164 Resp: 498802

Ion Ratio Lower Upper



164 100


162 99.8 81.9 122.9

160 44.7 36.6 54.8



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 108.718 ng
 RT: 10.57 min Scan# 1442
 Delta R.T. -0.01 min
 Lab File: BF119936.D
 Acq: 14 Apr 2020 5:44




Instrument :
 BNA_F
 ClientSampled :


Tot Ion:330 Resp: 663942
 Ion Ratio Lower Upper
 330 100
 332 98.2 76.8 115.2
 141 30.5 25.1 37.7



#45
 2-Fluorobiphenyl
 Concen: 76.530 ng
 RT: 9.10 min Scan# 1192
 Delta R.T. -0.01 min
 Lab File: BF119936.D
 Acq: 14 Apr 2020 5:44

Tgt Ion:172 Resp: 2688659
 Ion Ratio Lower Upper
 172 100
 171 36.3 28.9 43.3
 170 24.8 19.4 29.2









#50
Dimethylphthalate
Concen: 2.956 ng
RT: 9.77 min Scan# 1307
Delta R.T. 0.26 min
Lab File: BF119936.D
Acq: 14 Apr 2020 5:44

Instrument :
BNA_F
ClientSampleId :

Tot Ion:163 Resp: 114030
Ion Ratio Lower Upper
163 100
194 0.0 3.0 4.4#
164 452.4 8.4 12.6#




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#51
2,6-Dinitrotoluene
Concen: 7.441 ng
RT: 9.77 min Scan# 1307
Delta R.T. 0.20 min
Lab File: BF119936.D
Acq: 14 Apr 2020 5:44

Tgt Ion:165 Resp: 62865
Ion Ratio Lower Upper
165 100
63 1.4 55.6 83.4#
89 1.3 47.9 71.9#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF1
Ion 89.00 (88.70 to 89.70): BF1






#57
 2,4-Dinitrotoluene
 Concen: 5.648 ng
 RT: 9.77 min Scan# 1307
 Delta R.T. -0.20 min
 Lab File: BF119936.D
 Acq: 14 Apr 2020 5:44

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.4	40.8	61.2#
89	1.3	56.9	85.3#
182	0.0	2.0	3.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E






#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.26 min Scan# 1560
 Delta R.T. -0.01 min
 Lab File: BF119936.D
 Acq: 14 Apr 2020 5:44


Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.5	6.7	10.1
80	8.5	7.4	11.2

Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#67
4-Bromophenyl-phenylether
Concen: 3.180 ng
RT: 10.57 min Scan# 1442
Delta R.T. -0.25 min
Lab File: BF119936.D
Acq: 14 Apr 2020 5:44

Instrument :
BNA_F
ClientSampleId :

Tot Ion:248 Resp: 40520
Ion Ratio Lower Upper
248 100
250 190.0 76.6 114.8#
141 447.0 55.9 83.9#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.90 min Scan# 2008
Delta R.T. -0.01 min
Lab File: BF119936.D
Acq: 14 Apr 2020 5:44

Tgt Ion:240 Resp: 819288
Ion Ratio Lower Upper
240 100
120 11.8 9.0 13.6
236 26.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 71.793 ng

RT: 12.86 min Scan# 1831

Delta R.T. -0.01 min

Lab File: BF119936.D

Acq: 14 Apr 2020 5:44

Instrument :

BNA_F

ClientSampleId :


Tot Ion:244 Resp: 3495594

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0




122 13.5 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.33 min Scan# 2251

Delta R.T. -0.01 min

Lab File: BF119936.D

Acq: 14 Apr 2020 5:44


Tgt Ion:264 Resp: 727353

Ion Ratio Lower Upper

264 100

260 23.8 19.3 28.9

265 21.3 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

