

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041320\
 Data File : BF119966.D
 Acq On : 14 Apr 2020 21:40
 Operator : MA/SJ
 Sample : L2229-16
 Misc :
 ALS Vial : 50 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-32

Quant Time: Apr 15 02:29:44 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040820.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 14 12:44:44 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	183289	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	713575	20.00	ng	-0.01
39) Acenaphthene-d10	9.77	164	378423	20.00	ng	0.00
64) Phenanthrene-d10	11.26	188	762256	20.00	ng	0.00
76) Chrysene-d12	13.90	240	575260	20.00	ng	-0.01
87) Perylene-d12	15.32	264	434662	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.36	112	1446214	136.36	ng	0.02
7) Phenol-d6	6.37	99	1660975	121.54	ng	0.00
23) Nitrobenzene-d5	7.30	82	1277694	92.63	ng	-0.01
42) 2,4,6-Tribromophenol	10.57	330	574597	124.02	ng	0.00
45) 2-Fluorobiphenyl	9.10	172	2352267	88.25	ng	0.00
79) Terphenyl-d14	12.86	244	2829678	82.77	ng	0.00
Target Compounds						
9) Benzaldehyde	6.37	77	2147	Below Cal		Qvalue
19) n-Nitroso-di-n-propylamine	7.30	70	168345	19.156 ng	#	1
25) Isophorone	7.30	82	1275429	47.968 ng	#	73
50) Dimethylphthalate	9.77	163	83615	2.857 ng	#	65
51) 2,6-Dinitrotoluene	9.77	165	49423	7.711 ng	#	1
57) 2,4-Dinitrotoluene	9.77	165	49423	5.852 ng	#	19
67) 4-Bromophenyl-phenylether	10.57	248	35353	3.729 ng	#	22
77) Benzidine	12.60	184	119969	6.170 ng	#	1
						95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041320\
Data File : BF119966.D
Acq On : 14 Apr 2020 21:40
Operator : MA/SJ
Sample : L2229-16
Misc :
ALS Vial : 50 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-32

Quant Time: Apr 15 02:29:44 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040820.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 14 12:44:44 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 790
Delta R.T. -0.01 min
Lab File: BF119966.D
Acq: 14 Apr 2020 21:40

Instrument :
BNA_F
ClientSampled :
TP-32




Tot Ion:152 Resp: 183289
Ion Ratio Lower Upper
152 100
150 159.8 124.8 187.2
115 61.6 46.5 69.7






#5

2-Fluorophenol
Concen: 136.360 ng
RT: 5.36 min Scan# 556
Delta R.T. 0.02 min
Lab File: BF119966.D
Acq: 14 Apr 2020 21:40

Tgt Ion:112 Resp: 1446214
Ion Ratio Lower Upper
112 100
64 70.2 55.5 83.3
63 36.5 29.1 43.7





#7

Phenol-d6

Concen: 121.539 ng

RT: 6.37 min Scan# 728

Delta R.T. -0.01 min

Lab File: BF119966.D

Acq: 14 Apr 2020 21:40

Instrument :

BNA_F

ClientSampleId :

TP-32





Tot Ion: 99 Resp: 1660975

Ion Ratio Lower Upper

99 100

42 19.4 16.9 25.3

71 33.3 26.3 39.5



#19

n-Nitroso-di-n-propylamine

Concen: 19.156 ng

RT: 7.30 min Scan# 886

Delta R.T. 0.14 min

Lab File: BF119966.D

Acq: 14 Apr 2020 21:40

Tgt Ion: 70 Resp: 168345


Ion Ratio Lower Upper


70 100

42 49.5 54.2 81.4#

101 0.0 7.4 11.2#

130 2.1 17.8 26.6#





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.02 min Scan# 1008

Delta R.T. -0.01 min

Lab File: BF119966.D

Acq: 14 Apr 2020 21:40

Instrument :

BNA_F

ClientSampleId :

TP-32

Tot Ion:136 Resp: 713575



Ion Ratio Lower Upper

136 100

137 11.1 8.7 13.1

54 10.3 8.5 12.7

68 6.0 3.9 5.9#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 92.632 ng

RT: 7.30 min Scan# 886

Delta R.T. -0.01 min

Lab File: BF119966.D

Acq: 14 Apr 2020 21:40



Tgt Ion: 82 Resp: 1277694

Ion Ratio Lower Upper

82 100

128 45.1 36.2 54.4


54 62.0 50.4 75.6




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 47.968 ng

RT: 7.30 min Scan# 886

Delta R.T. -0.27 min

Lab File: BF119966.D

Acq: 14 Apr 2020 21:40

Instrument :

BNA_F

ClientSampled :

TP-32


Tot Ion: 82 Resp: 1275429

Ion Ratio Lower Upper




82 100

95 0.0 5.8 8.6#

138 0.0 14.5 21.7#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.77 min Scan# 1307

Delta R.T. -0.01 min

Lab File: BF119966.D

Acq: 14 Apr 2020 21:40


Tgt Ion:164 Resp: 378423

Ion Ratio Lower Upper



164 100


162 103.3 81.9 122.9

160 45.7 36.6 54.8



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 124.018 ng
 RT: 10.57 min Scan# 1442
 Delta R.T. 0.00 min
 Lab File: BF119966.D
 Acq: 14 Apr 2020 21:40




Instrument :
 BNA_F
 ClientSampleId :
 TP-32


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.2	76.8	115.2
141	34.5	25.1	37.7



#45
 2-Fluorobiphenyl
 Concen: 88.253 ng
 RT: 9.10 min Scan# 1192
 Delta R.T. -0.01 min
 Lab File: BF119966.D
 Acq: 14 Apr 2020 21:40

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.5	28.9	43.3
170	24.3	19.4	29.2





#50

Dimethylphthalate

Concen: 2.857 ng

RT: 9.77 min Scan# 1307

Delta R.T. 0.26 min

Lab File: BF119966.D

Acq: 14 Apr 2020 21:40

Instrument :

BNA_F

ClientSampleId :

TP-32


Tot Ion:163 Resp: 83615

Ion Ratio Lower Upper




163 100

194 0.0 3.0 4.4#

164 444.4 8.4 12.6#



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#51

2,6-Dinitrotoluene

Concen: 7.711 ng

RT: 9.77 min Scan# 1307

Delta R.T. 0.21 min

Lab File: BF119966.D

Acq: 14 Apr 2020 21:40


Tgt Ion:165 Resp: 49423

Ion Ratio Lower Upper



165 100


63 1.3 55.6 83.4#

89 1.1 47.9 71.9#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF1
Ion 89.00 (88.70 to 89.70): BF1









#57
 2,4-Dinitrotoluene
 Concen: 5.852 ng
 RT: 9.77 min Scan# 1307
 Delta R.T. -0.20 min
 Lab File: BF119966.D
 Acq: 14 Apr 2020 21:40




Instrument :
 BNA_F
 ClientSampleId :
 TP-32


Tot Ion:165 Resp: 49423
 Ion Ratio Lower Upper
 165 100
 63 1.3 40.8 61.2#
 89 1.1 56.9 85.3#
 182 0.0 2.0 3.0#



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.26 min Scan# 1559
 Delta R.T. -0.01 min
 Lab File: BF119966.D
 Acq: 14 Apr 2020 21:40

Tgt Ion:188 Resp: 762256
 Ion Ratio Lower Upper
 188 100
 94 9.9 6.7 10.1
 80 10.6 7.4 11.2









#67
4-Bromophenyl-phenylether
Concen: 3.729 ng
RT: 10.57 min Scan# 1442
Delta R.T. -0.25 min
Lab File: BF119966.D
Acq: 14 Apr 2020 21:40

Instrument :
BNA_F
ClientSampled :
TP-32

Tot Ion:248 Resp: 35353
Ion Ratio Lower Upper
248 100
250 202.9 76.6 114.8#
141 492.4 55.9 83.9#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.90 min Scan# 2008
Delta R.T. -0.01 min
Lab File: BF119966.D
Acq: 14 Apr 2020 21:40

Tgt Ion:240 Resp: 575260
Ion Ratio Lower Upper
240 100
120 10.6 9.0 13.6
236 25.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#77
Benzidine
Concen: 6.170 ng
RT: 12.60 min Scan# 1787
Delta R.T. 0.00 min
Lab File: BF119966.D
Acq: 14 Apr 2020 21:40




Instrument :
BNA_F
ClientSampleId :
TP-32




Tot Ion:184 Resp: 119969
Ion Ratio Lower Upper
184 100
185 13.6 13.2 19.8
183 10.6 9.1 13.7



#79
Terphenyl-d14
Concen: 82.769 ng
RT: 12.86 min Scan# 1831
Delta R.T. 0.00 min
Lab File: BF119966.D
Acq: 14 Apr 2020 21:40

Tgt Ion:244 Resp: 2829678
Ion Ratio Lower Upper
244 100
212 7.1 5.4 8.0
122 13.4 10.3 15.5





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.32 min Scan# 2250
Delta R.T. -0.01 min
Lab File: BF119966.D
Acq: 14 Apr 2020 21:40

Instrument :
BNA_F
ClientSampleId :
TP-32

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.3	28.9
265	21.7	17.6	26.4

