

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041320\
 Data File : BF119938.D
 Acq On : 14 Apr 2020 6:38
 Operator : MA/SJ
 Sample : PB128142BL
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB128142BL

Quant Time: Apr 14 07:48:23 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040820.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 13 13:37:50 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	223680	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	871495	20.00	ng	-0.01
39) Acenaphthene-d10	9.77	164	463602	20.00	ng	0.00
64) Phenanthrene-d10	11.26	188	912978	20.00	ng	0.00
76) Chrysene-d12	13.90	240	725904	20.00	ng	-0.01
87) Perylene-d12	15.33	264	636359	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	1596379	123.34	ng	0.01
7) Phenol-d6	6.37	99	2002469	120.07	ng	0.00
23) Nitrobenzene-d5	7.30	82	1242874	73.78	ng	-0.01
42) 2,4,6-Tribromophenol	10.57	330	626121	110.31	ng	0.00
45) 2-Fluorobiphenyl	9.10	172	2402340	73.57	ng	-0.01
79) Terphenyl-d14	12.86	244	3040488	70.48	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041320\
Data File : BF119938.D
Acq On : 14 Apr 2020 6:38
Operator : MA/SJ
Sample : PB128142BL
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB128142BL

Quant Time: Apr 14 07:48:23 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040820.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 13 13:37:50 2020
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 790
Delta R.T. -0.01 min
Lab File: BF119938.D
Acq: 14 Apr 2020 6:38

Instrument :
BNA_F
ClientSampleId :
PB128142BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.1	124.8	187.2
115	60.3	46.5	69.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 123.339 ng
RT: 5.35 min Scan# 555
Delta R.T. 0.01 min
Lab File: BF119938.D
Acq: 14 Apr 2020 6:38

Tgt Ion	Ratio	Lower	Upper
112	100		
64	70.9	55.5	83.3
63	36.3	29.1	43.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 120.068 ng

RT: 6.37 min Scan# 729

Delta R.T. -0.01 min

Lab File: BF119938.D

Acq: 14 Apr 2020 6:38

Instrument :

BNA_F

ClientSampleId :

PB128142BL




Tot Ion: 99 Resp: 2002469

Ion Ratio Lower Upper

99 100

42 18.3 16.9 25.3

71 32.2 26.3 39.5



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.02 min Scan# 1008

Delta R.T. -0.01 min

Lab File: BF119938.D

Acq: 14 Apr 2020 6:38

Tgt Ion: 136 Resp: 871495




Ion Ratio Lower Upper


136 100

137 11.3 8.7 13.1

54 11.0 8.5 12.7

68 6.0 3.9 5.9#









#23
 Nitrobenzene-d5
 Concen: 73.779 ng
 RT: 7.30 min Scan# 886
 Delta R.T. -0.01 min
 Lab File: BF119938.D
 Acq: 14 Apr 2020 6:38

Instrument :
 BNA_F
 ClientSampleId :
 PB128142BL

Tot Ion: 82 Resp: 1242874
 Ion Ratio Lower Upper
 82 100
 128 45.2 36.2 54.4
 54 61.4 50.4 75.6




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1





#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.77 min Scan# 1307
 Delta R.T. -0.01 min
 Lab File: BF119938.D
 Acq: 14 Apr 2020 6:38

Tgt Ion: 164 Resp: 463602
 Ion Ratio Lower Upper
 164 100
 162 102.4 81.9 122.9
 160 44.4 36.6 54.8



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#42
 2,4,6-Tribromophenol
 Concen: 110.309 ng
 RT: 10.57 min Scan# 1442
 Delta R.T. -0.01 min
 Lab File: BF119938.D
 Acq: 14 Apr 2020 6:38

Instrument :
 BNA_F
 ClientSampleId :
 PB128142BL

Tot Ion:330 Resp: 626121
 Ion Ratio Lower Upper
 330 100
 332 94.5 76.8 115.2
 141 29.7 25.1 37.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 73.572 ng
 RT: 9.10 min Scan# 1192
 Delta R.T. -0.01 min
 Lab File: BF119938.D
 Acq: 14 Apr 2020 6:38

Tgt Ion:172 Resp: 2402340
 Ion Ratio Lower Upper
 172 100
 171 36.5 28.9 43.3
 170 24.2 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.26 min Scan# 1560
Delta R.T. -0.01 min
Lab File: BF119938.D
Acq: 14 Apr 2020 6:38




Instrument :
BNA_F
ClientSampleId :
PB128142BL


Tot Ion:188 Resp: 912978
Ion Ratio Lower Upper
188 100
94 8.5 6.7 10.1
80 8.8 7.4 11.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.90 min Scan# 2008
Delta R.T. -0.01 min
Lab File: BF119938.D
Acq: 14 Apr 2020 6:38

Tgt Ion:240 Resp: 725904
Ion Ratio Lower Upper
240 100
120 12.0 9.0 13.6
236 24.7 20.7 31.1





#79

Terphenyl-d14

Concen: 70.479 ng

RT: 12.86 min Scan# 1831

Delta R.T. -0.01 min

Lab File: BF119938.D

Acq: 14 Apr 2020 6:38

Instrument :

BNA_F

ClientSampleId :

PB128142BL


Tot Ion:244 Resp: 3040488

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0




122 13.1 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.33 min Scan# 2251

Delta R.T. -0.01 min

Lab File: BF119938.D

Acq: 14 Apr 2020 6:38


Tgt Ion:264 Resp: 636359

Ion Ratio Lower Upper

264 100

260 23.8 19.3 28.9

265 21.6 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

