

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041320\
 Data File : BF119974.D
 Acq On : 15 Apr 2020 1:20
 Operator : MA/SJ
 Sample : L2215-14
 Misc :
 ALS Vial : 58 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-4

Quant Time: Apr 15 04:18:36 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040820.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 14 12:44:44 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	214609	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	829347	20.00	ng	-0.01
39) Acenaphthene-d10	9.77	164	438133	20.00	ng	0.00
64) Phenanthrene-d10	11.26	188	858188	20.00	ng	0.00
76) Chrysene-d12	13.90	240	615239	20.00	ng	-0.01
87) Perylene-d12	15.32	264	473104	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	1338431	107.78	ng	0.00
7) Phenol-d6	6.37	99	1726672	107.91	ng	0.00
23) Nitrobenzene-d5	7.30	82	1068589	66.66	ng	-0.01
42) 2,4,6-Tribromophenol	10.57	330	454900	84.80	ng	0.00
45) 2-Fluorobiphenyl	9.10	172	2058810	66.72	ng	0.00
79) Terphenyl-d14	12.86	244	2229760	60.98	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.49	163	351758	10.380	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041320\
Data File : BF119974.D
Acq On : 15 Apr 2020 1:20
Operator : MA/SJ
Sample : L2215-14
Misc :
ALS Vial : 58 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-4

Quant Time: Apr 15 04:18:36 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF040820.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 14 12:44:44 2020
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.73 min Scan# 790
 Delta R.T. -0.01 min
 Lab File: BF119974.D
 Acq: 15 Apr 2020 1:20

Instrument :
 BNA_F
 ClientSampled :
 TP-4

Tot Ion	Ratio	Lower	Upper
152	100		
150	161.1	124.8	187.2
115	60.0	46.5	69.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 107.780 ng
 RT: 5.35 min Scan# 554
 Delta R.T. 0.01 min
 Lab File: BF119974.D
 Acq: 15 Apr 2020 1:20

Tgt Ion	Ratio	Lower	Upper
112	100		
64	70.4	55.5	83.3
63	36.6	29.1	43.7



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 107.907 ng

RT: 6.37 min Scan# 728

Delta R.T. -0.01 min

Lab File: BF119974.D

Acq: 15 Apr 2020 1:20

Instrument :

BNA_F

ClientSampleId :

TP-4




Tot Ion: 99 Resp: 1726672

Ion Ratio Lower Upper

99 100

42 19.7 16.9 25.3

71 33.1 26.3 39.5



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.02 min Scan# 1008

Delta R.T. -0.01 min

Lab File: BF119974.D

Acq: 15 Apr 2020 1:20

Tgt Ion: 136 Resp: 829347




Ion Ratio Lower Upper

136 100

137 11.5 8.7 13.1

54 10.9 8.5 12.7

68 6.0 3.9 5.9#









#23
Nitrobenzene-d5
Concen: 66.657 ng
RT: 7.30 min Scan# 886
Delta R.T. -0.01 min
Lab File: BF119974.D
Acq: 15 Apr 2020 1:20

Instrument :
BNA_F
ClientSampleId :
TP-4

Tot Ion: 82 Resp: 1068589
Ion Ratio Lower Upper
82 100
128 45.8 36.2 54.4
54 61.1 50.4 75.6




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.77 min Scan# 1307
Delta R.T. -0.01 min
Lab File: BF119974.D
Acq: 15 Apr 2020 1:20

Tgt Ion: 164 Resp: 438133
Ion Ratio Lower Upper
164 100
162 101.1 81.9 122.9
160 45.4 36.6 54.8



Abundance Ion 164.00 (163.70 to 164.70): BF1
Ion 162.00 (161.70 to 162.70): BF1
Ion 160.00 (159.70 to 160.70): BF1





#42

2,4,6-Tribromophenol

Concen: 84.802 ng

RT: 10.57 min Scan# 1442

Delta R.T. 0.00 min

Lab File: BF119974.D

Acq: 15 Apr 2020 1:20

Instrument :

BNA_F

ClientSampleId :

TP-4


Tot Ion:330 Resp: 454900

Ion Ratio Lower Upper

330 100

332 96.1 76.8 115.2




141 33.8 25.1 37.7



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 66.716 ng

RT: 9.10 min Scan# 1192

Delta R.T. -0.01 min

Lab File: BF119974.D

Acq: 15 Apr 2020 1:20


Tgt Ion:172 Resp: 2058810

Ion Ratio Lower Upper

172 100

171 36.8 28.9 43.3



170 24.0 19.4 29.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 10.380 ng

RT: 9.49 min Scan# 1259

Delta R.T. -0.02 min

Lab File: BF119974.D

Acq: 15 Apr 2020 1:20

Instrument :

BNA_F

ClientSampled :

TP-4


Tot Ion:163 Resp: 351758

Ion Ratio Lower Upper




163 100

194 3.8 3.0 4.4

164 10.4 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.26 min Scan# 1559

Delta R.T. -0.01 min

Lab File: BF119974.D

Acq: 15 Apr 2020 1:20


Tgt Ion:188 Resp: 858188

Ion Ratio Lower Upper



188 100


94 9.8 6.7 10.1

80 10.6 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.90 min Scan# 2008

Delta R.T. -0.01 min

Lab File: BF119974.D

Acq: 15 Apr 2020 1:20

Instrument :

BNA_F

ClientSampled :

TP-4


Tot Ion:240 Resp: 615239

Ion Ratio Lower Upper

240 100

120 10.7 9.0 13.6




236 25.6 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 60.983 ng

RT: 12.86 min Scan# 1831

Delta R.T. 0.00 min

Lab File: BF119974.D

Acq: 15 Apr 2020 1:20


Tgt Ion:244 Resp: 2229760

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0



122 11.3 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.32 min Scan# 2250
Delta R.T. -0.01 min
Lab File: BF119974.D
Acq: 15 Apr 2020 1:20

Instrument :
BNA_F
ClientSampleId :
TP-4

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.1	19.3	28.9
265	21.0	17.6	26.4

