

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041819\
 Data File : BF113824.D
 Acq On : 18 Apr 2019 18:35
 Operator : JU/SJ
 Sample : K2422-11
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP3-S

Quant Time: Apr 19 02:16:57 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF041819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 18 13:55:51 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	179163	20.00	ng	0.00
21) Naphthalene-d8	8.17	136	623494	20.00	ng	0.00
39) Acenaphthene-d10	9.93	164	272874	20.00	ng	0.00
64) Phenanthrene-d10	11.41	188	467325	20.00	ng	0.00
76) Chrysene-d12	14.04	240	530997	20.00	ng	0.00
87) Perylene-d12	15.51	264	656808	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	1030680	95.66	ng	0.00
7) Phenol-d6	6.52	99	1269790	94.50	ng	0.00
23) Nitrobenzene-d5	7.45	82	748363	73.09	ng	0.00
42) 2,4,6-Tribromophenol	10.71	330	287215	95.27	ng	0.00
45) 2-Fluorobiphenyl	9.25	172	1284707	71.80	ng	0.00
79) Terphenyl-d14	12.99	244	1385124	54.70	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.64	163	194011	10.160	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF041819\
Data File : BF113824.D
Acq On : 18 Apr 2019 18:35
Operator : JU/SJ
Sample : K2422-11
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP3-S

Quant Time: Apr 19 02:16:57 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF041819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 18 13:55:51 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.89 min Scan# 817
Delta R.T. -0.01 min
Lab File: BF113824.D
Acq: 18 Apr 2019 18:35

Instrument :
BNA_F
ClientSampleId :
TP3-S

Tot Ion:152 Resp: 179163
Ion Ratio Lower Upper
152 100
150 158.4 125.9 188.9
115 60.9 45.9 68.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 95.655 ng
RT: 5.52 min Scan# 583
Delta R.T. 0.01 min
Lab File: BF113824.D
Acq: 18 Apr 2019 18:35

Tgt Ion:112 Resp: 1030680
Ion Ratio Lower Upper
112 100
64 57.6 46.6 69.8
63 28.6 23.1 34.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 94.498 ng

RT: 6.52 min Scan# 753

Delta R.T. -0.00 min

Lab File: BF113824.D

Acq: 18 Apr 2019 18:35

Instrument :

BNA_F

ClientSampleId :

TP3-S


Tot Ion: 99 Resp: 1269790

Ion Ratio Lower Upper




99 100

42 15.4 12.5 18.7

71 33.9 26.9 40.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.17 min Scan# 1035

Delta R.T. -0.01 min

Lab File: BF113824.D

Acq: 18 Apr 2019 18:35

Tgt Ion: 136 Resp: 623494


Ion Ratio Lower Upper

136 100



137 10.9 8.6 12.8


54 6.8 5.0 7.6

68 6.2 4.9 7.3



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 73.092 ng
 RT: 7.45 min Scan# 912
 Delta R.T. -0.01 min
 Lab File: BF113824.D
 Acq: 18 Apr 2019 18:35




Instrument :
 BNA_F
 ClientSampleId :
 TP3-S


Tot Ion: 82 Resp: 748363
 Ion Ratio Lower Upper
 82 100
 128 46.1 36.8 55.2
 54 42.0 33.8 50.6



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.93 min Scan# 1333
 Delta R.T. -0.01 min
 Lab File: BF113824.D
 Acq: 18 Apr 2019 18:35

Tgt Ion:164 Resp: 272874
 Ion Ratio Lower Upper
 164 100
 162 102.0 81.1 121.7
 160 44.2 35.8 53.6





#42

2,4,6-Tribromophenol

Concen: 95.270 ng

RT: 10.71 min Scan# 1466

Delta R.T. -0.01 min

Lab File: BF113824.D

Acq: 18 Apr 2019 18:35

Instrument :

BNA_F

ClientSampleId :

TP3-S


Tot Ion:330 Resp: 287215

Ion Ratio Lower Upper

330 100

332 95.5 77.5 116.3




141 27.3 22.2 33.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 71.800 ng

RT: 9.25 min Scan# 1218

Delta R.T. -0.00 min

Lab File: BF113824.D

Acq: 18 Apr 2019 18:35


Tgt Ion:172 Resp: 1284707

Ion Ratio Lower Upper

172 100

171 36.3 29.4 44.0



170 23.9 19.9 29.9




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 10.160 ng
RT: 9.64 min Scan# 1284
Delta R.T. -0.01 min
Lab File: BF113824.D
Acq: 18 Apr 2019 18:35

Instrument :
BNA_F
ClientSampleId :
TP3-S

Tot Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.2
164	9.4	8.5	12.7




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.41 min Scan# 1585
Delta R.T. -0.00 min
Lab File: BF113824.D
Acq: 18 Apr 2019 18:35

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.9	8.2	12.4
80	9.5	9.0	13.6



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.04 min Scan# 2032

Delta R.T. -0.01 min

Lab File: BF113824.D

Acq: 18 Apr 2019 18:35

Instrument :

BNA_F

ClientSampleId :

TP3-S


Tot Ion:240 Resp: 530997

Ion Ratio Lower Upper

240 100

120 11.2 9.3 13.9




236 26.7 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 54.700 ng

RT: 12.99 min Scan# 1854

Delta R.T. -0.01 min

Lab File: BF113824.D

Acq: 18 Apr 2019 18:35


Tgt Ion:244 Resp: 1385124

Ion Ratio Lower Upper

244 100

212 6.7 5.4 8.2



122 10.0 7.6 11.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.51 min Scan# 2282
Delta R.T. -0.00 min
Lab File: BF113824.D
Acq: 18 Apr 2019 18:35

Instrument :
BNA_F
ClientSampleId :
TP3-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.4	18.9	28.3
265	21.8	17.3	25.9

