

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050422\
 Data File : BF128081.D
 Acq On : 04 May 2022 19:47
 Operator : CG\JU
 Sample : N2674-01 2X
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BU-2-050322

Quant Time: May 05 06:07:16 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 04 04:23:29 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.910	152	93276	20.000	ng	0.00
21) Naphthalene-d8	8.198	136	340230	20.000	ng	0.00
39) Acenaphthene-d10	9.957	164	167549	20.000	ng	0.00
64) Phenanthrene-d10	11.445	188	268674	20.000	ng	-0.01
76) Chrysene-d12	14.098	240	214747	20.000	ng	0.00
86) Perylene-d12	15.604	264	143287	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	258933	44.215	ng	-0.01
7) Phenol-d6	6.534	99	336700	44.310	ng	-0.02
23) Nitrobenzene-d5	7.475	82	233176	32.228	ng	-0.01
42) 2,4,6-Tribromophenol	10.745	330	72200	42.806	ng	-0.01
45) 2-Fluorobiphenyl	9.269	172	387163	39.092	ng	-0.01
79) Terphenyl-d14	13.033	244	371074	31.597	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF050422\
Data File : BF128081.D
Acq On : 04 May 2022 19:47
Operator : CG\JU
Sample : N2674-01 2X
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BU-2-050322

Quant Time: May 05 06:07:16 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 04 04:23:29 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.910 min Scan# 792
Delta R.T. -0.006 min
Lab File: BF128081.D
Acq: 04 May 2022 19:47




Instrument :
BNA_F
ClientSampleId :
BU-2-050322

Tgt Ion:152 Resp: 93276
Ion Ratio Lower Upper
152 100
150 158.3 125.3 187.9
115 68.8 48.8 73.2




#5
2-Fluorophenol
Concen: 44.215 ng
RT: 5.528 min Scan# 551
Delta R.T. -0.012 min
Lab File: BF128081.D
Acq: 04 May 2022 19:47


Tgt Ion:112 Resp: 258933
Ion Ratio Lower Upper
112 100
64 66.6 49.5 74.3
63 35.9 26.3 39.5




Abundance Scan 728 (6.569 min): BF127861.D\data.ms (-72




m/z--> Scan 722 (6.534 min): BF128081.D\data.ms




Abundance Scan 722 (6.534 min): BF128081.D\data.ms (-67




m/z--> Scan 1010 (8.228 min): BF127861.D\data.ms (-1



m/z--> Scan 1005 (8.198 min): BF128081.D\data.ms



Abundance Scan 1005 (8.198 min): BF128081.D\data.ms (-9



m/z--> Time-->

#7

Phenol-d6

Concen: 44.310 ng

RT: 6.534 min Scan# 71

Delta R.T. -0.018 min

Lab File: BF128081.D

Acq: 04 May 2022 19:47

Instrument :

BNA_F

ClientSampleId :

BU-2-050322

Tgt Ion: 99 Resp: 336700


Ion Ratio Lower Upper

99 100

42 21.2 16.6 24.8

71 39.7 30.0 45.0

Abundance



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.198 min Scan# 1005

Delta R.T. -0.006 min

Lab File: BF128081.D

Acq: 04 May 2022 19:47

Tgt Ion:136 Resp: 340230

Ion Ratio Lower Upper


136 100


137 10.5 8.6 13.0

54 8.3 6.8 10.2

68 5.8 5.1 7.7

Abundance









#23
Nitrobenzene-d5
Concen: 32.228 ng
RT: 7.475 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF128081.D
Acq: 04 May 2022 19:47




Instrument :
BNA_F
ClientSampleId :
BU-2-050322


Tgt Ion: 82 Resp: 233176
Ion Ratio Lower Upper
82 100
128 38.2 30.0 45.0
54 50.5 41.3 61.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.957 min Scan# 1304
Delta R.T. -0.006 min
Lab File: BF128081.D
Acq: 04 May 2022 19:47

Tgt Ion: 164 Resp: 167549
Ion Ratio Lower Upper
164 100
162 95.9 76.0 114.0
160 42.9 34.8 52.2





#42

2,4,6-Tribromophenol

Concen: 42.806 ng

RT: 10.745 min Scan# 1444

Delta R.T. -0.012 min

Lab File: BF128081.D

Acq: 04 May 2022 19:47

Instrument :

BNA_F

ClientSampleId :

BU-2-050322





Tgt Ion:330 Resp: 72200

Ion Ratio Lower Upper

330 100

332 98.5 79.0 118.4

141 34.7 28.9 43.3



#45

2-Fluorobiphenyl

Concen: 39.092 ng

RT: 9.269 min Scan# 1187

Delta R.T. -0.012 min

Lab File: BF128081.D

Acq: 04 May 2022 19:47




Tgt Ion:172 Resp: 387163


Ion Ratio Lower Upper

172 100

171 34.4 28.6 42.8

170 23.3 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.445 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF128081.D
Acq: 04 May 2022 19:47




Instrument :
BNA_F
ClientSampleId :
BU-2-050322


Tgt Ion:188 Resp: 268674
Ion Ratio Lower Upper
188 100
94 9.0 8.0 12.0
80 10.2 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2008
Delta R.T. -0.006 min
Lab File: BF128081.D
Acq: 04 May 2022 19:47

Tgt Ion:240 Resp: 214747
Ion Ratio Lower Upper
240 100
120 8.8 7.0 10.6
236 25.9 20.3 30.5









#79
 Terphenyl-d14
 Concen: 31.597 ng
 RT: 13.033 min Scan# 1832
 Delta R.T. -0.012 min
 Lab File: BF128081.D
 Acq: 04 May 2022 19:47

Instrument :
 BNA_F
 ClientSampleId :
 BU-2-050322

Tgt Ion:244 Resp: 371074
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.2 9.4
 122 9.9 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.604 min Scan# 2264
 Delta R.T. -0.006 min
 Lab File: BF128081.D
 Acq: 04 May 2022 19:47

Tgt Ion:264 Resp: 143287
 Ion Ratio Lower Upper
 264 100
 260 23.2 20.1 30.1
 265 22.0 17.5 26.3

