

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF051019\
 Data File : BF114129.D
 Acq On : 10 May 2019 19:15
 Operator : JU/SJ
 Sample : K2762-08
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P021-SS001-1824-01

Quant Time: May 11 04:21:05 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 10 15:56:46 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	348378	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	1279008	20.00	ng	0.00
39) Acenaphthene-d10	9.89	164	564044	20.00	ng	0.00
64) Phenanthrene-d10	11.37	188	952099	20.00	ng	0.00
76) Chrysene-d12	14.02	240	723483	20.00	ng	0.00
87) Perylene-d12	15.50	264	765869	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	1922164	88.79	ng	0.00
7) Phenol-d6	6.49	99	2555919	99.82	ng	0.00
23) Nitrobenzene-d5	7.41	82	1535779	67.39	ng	0.00
42) 2,4,6-Tribromophenol	10.67	330	521662	89.46	ng	0.00
45) 2-Fluorobiphenyl	9.20	172	2350254	63.03	ng	0.00
79) Terphenyl-d14	12.95	244	1827600	52.07	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.60	163	493113	11.909	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF051019\
Data File : BF114129.D
Acq On : 10 May 2019 19:15
Operator : JU/SJ
Sample : K2762-08
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P021-SS001-1824-01

Quant Time: May 11 04:21:05 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 10 15:56:46 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 810
Delta R.T. -0.00 min
Lab File: BF114129.D
Acq: 10 May 2019 19:15

Instrument :
BNA_F
ClientSampleId :
P021-SS001-1824-01

Tgt Ion:152 Resp: 348378
Ion Ratio Lower Upper
152 100
150 154.8 124.3 186.5
115 59.1 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 88.790 ng
RT: 5.48 min Scan# 577
Delta R.T. 0.00 min
Lab File: BF114129.D
Acq: 10 May 2019 19:15

Tgt Ion:112 Resp: 1922164
Ion Ratio Lower Upper
112 100
64 64.9 49.0 73.6
63 33.2 24.6 37.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 99.824 ng

RT: 6.49 min Scan# 748

Delta R.T. -0.01 min

Lab File: BF114129.D

Acq: 10 May 2019 19:15

Instrument :

BNA_F

ClientSampleId :

P021-SS001-1824-01


Tgt Ion: 99 Resp: 2555919

Ion Ratio Lower Upper

99 100

42 23.5 17.9 26.9




71 33.6 26.2 39.2



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1028

Delta R.T. -0.00 min

Lab File: BF114129.D

Acq: 10 May 2019 19:15

Tgt Ion: 136 Resp: 1279008


Ion Ratio Lower Upper

136 100

137 11.3 8.8 13.2

54 8.9 7.8 11.8

68 6.0 5.1 7.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 67.387 ng
 RT: 7.41 min Scan# 905
 Delta R.T. -0.01 min
 Lab File: BF114129.D
 Acq: 10 May 2019 19:15




Instrument :
 BNA_F
 ClientSampleId :
 P021-SS001-1824-01


Tgt Ion: 82 Resp: 1535779
 Ion Ratio Lower Upper
 82 100
 128 44.8 35.5 53.3
 54 59.7 48.5 72.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.89 min Scan# 1326
 Delta R.T. -0.00 min
 Lab File: BF114129.D
 Acq: 10 May 2019 19:15

Tgt Ion: 164 Resp: 564044
 Ion Ratio Lower Upper
 164 100
 162 101.5 80.6 120.8
 160 46.8 36.5 54.7









#42
 2,4,6-Tribromophenol
 Concen: 89.459 ng
 RT: 10.67 min Scan# 1460
 Delta R.T. -0.00 min
 Lab File: BF114129.D
 Acq: 10 May 2019 19:15

Instrument :
 BNA_F
 ClientSampleId :
 P021-SS001-1824-01

Tgt Ion:330 Resp: 521662
 Ion Ratio Lower Upper
 330 100
 332 103.3 81.4 122.2
 141 32.3 26.6 40.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 63.030 ng
 RT: 9.20 min Scan# 1210
 Delta R.T. -0.01 min
 Lab File: BF114129.D
 Acq: 10 May 2019 19:15

Tgt Ion:172 Resp: 2350254
 Ion Ratio Lower Upper
 172 100
 171 36.9 30.7 46.1
 170 24.6 20.5 30.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 11.909 ng

RT: 9.60 min Scan# 1277

Delta R.T. -0.01 min

Lab File: BF114129.D

Acq: 10 May 2019 19:15

Instrument :

BNA_F

ClientSampleId :

P021-SS001-1824-01


Tgt Ion:163 Resp: 493113

Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.0




164 9.6 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.37 min Scan# 1578

Delta R.T. -0.00 min

Lab File: BF114129.D

Acq: 10 May 2019 19:15


Tgt Ion:188 Resp: 952099

Ion Ratio Lower Upper

188 100

94 9.6 8.4 12.6



80 9.9 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2028
Delta R.T. -0.01 min
Lab File: BF114129.D
Acq: 10 May 2019 19:15




Instrument :
BNA_F
ClientSampleId :
P021-SS001-1824-01


Tgt Ion:240 Resp: 723483
Ion Ratio Lower Upper
240 100
120 11.7 8.3 12.5
236 26.3 20.8 31.2



#79
Terphenyl-d14
Concen: 52.074 ng
RT: 12.95 min Scan# 1847
Delta R.T. -0.01 min
Lab File: BF114129.D
Acq: 10 May 2019 19:15

Tgt Ion:244 Resp: 1827600
Ion Ratio Lower Upper
244 100
212 6.6 5.8 8.6
122 11.7 9.4 14.2





#87
Perylene-d12
Concen: 20.000 ng
RT: 15.50 min Scan# 2281
Delta R.T. -0.00 min
Lab File: BF114129.D
Acq: 10 May 2019 19:15

Instrument :
BNA_F
ClientSampleId :
P021-SS001-1824-01

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.4	29.0
265	21.7	16.9	25.3

