

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051721\
 Data File : BF123958.D
 Acq On : 17 May 2021 12:25
 Operator : JU/CG
 Sample : M2322-01
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-1-20210505

Quant Time: May 17 13:47:53 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 14 19:05:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.904	152	40003	20.00	ng	0.00
21) Naphthalene-d8	8.187	136	151671	20.00	ng	0.00
39) Acenaphthene-d10	9.939	164	89348	20.00	ng	0.00
64) Phenanthrene-d10	11.427	188	165403	20.00	ng	0.00
76) Chrysene-d12	14.069	240	142807	20.00	ng	0.00
86) Perylene-d12	15.563	264	117573	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	171239	60.10	ng	0.00
7) Phenol-d6	6.516	99	219067	59.27	ng	0.00
23) Nitrobenzene-d5	7.463	82	199945	56.80	ng	0.00
42) 2,4,6-Tribromophenol	10.728	330	78139	72.81	ng	0.00
45) 2-Fluorobiphenyl	9.263	172	368208	50.71	ng	0.00
79) Terphenyl-d14	13.016	244	456134	48.38	ng	0.00


Target Compounds	Qvalue
-----	-----


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051721\
Data File : BF123958.D
Acq On : 17 May 2021 12:25
Operator : JU/CG
Sample : M2322-01
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-1-20210505

Quant Time: May 17 13:47:53 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 14 19:05:57 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.904 min Scan# 819
Delta R.T. 0.000 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25




Instrument :
BNA_F
ClientSampleId :
MW-1-20210505


Tgt Ion:152 Resp: 40003
Ion Ratio Lower Upper
152 100
150 152.1 127.0 190.6
115 61.0 54.3 81.5



#5
2-Fluorophenol
Concen: 60.10 ng
RT: 5.510 min Scan# 582
Delta R.T. 0.000 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25

Tgt Ion:112 Resp: 171239
Ion Ratio Lower Upper
112 100
64 75.7 61.4 92.0
63 42.0 33.0 49.4









#7
Phenol-d6
Concen: 59.27 ng
RT: 6.516 min Scan# 753
Delta R.T. -0.006 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25

Instrument :
BNA_F
ClientSampleId :
MW-1-20210505

Tgt Ion: 99 Resp: 219067




Ion	Ratio	Lower	Upper
99	100		
42	28.1	19.8	29.8
71	45.6	31.1	46.7




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.187 min Scan# 1037
Delta R.T. 0.001 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25

Tgt Ion: 136 Resp: 151671

Ion	Ratio	Lower	Upper
136	100		
137	10.2	8.7	13.1
54	12.4	9.8	14.6
68	5.2	4.1	6.1









#23
Nitrobenzene-d5
Concen: 56.80 ng
RT: 7.463 min Scan# 914
Delta R.T. 0.000 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25




Instrument :
BNA_F
ClientSampleId :
MW-1-20210505


Tgt Ion: 82 Resp: 199945
Ion Ratio Lower Upper
82 100
128 38.7 29.4 44.2
54 68.6 54.1 81.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.939 min Scan# 1335
Delta R.T. -0.006 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25

Tgt Ion:164 Resp: 89348
Ion Ratio Lower Upper
164 100
162 100.6 80.7 121.1
160 42.0 37.3 55.9









#42
2,4,6-Tribromophenol
Concen: 72.81 ng
RT: 10.728 min Scan# 1469
Delta R.T. 0.000 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25




Instrument :
BNA_F
ClientSampleId :
MW-1-20210505


Tgt Ion: 330 Resp: 78139
Ion Ratio Lower Upper
330 100
332 99.2 77.1 115.7
141 37.8 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 50.71 ng
RT: 9.263 min Scan# 1220
Delta R.T. 0.000 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25

Tgt Ion: 172 Resp: 368208
Ion Ratio Lower Upper
172 100
171 37.0 28.1 42.1
170 23.6 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.427 min Scan# 1588
Delta R.T. 0.000 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25




Instrument :
BNA_F
ClientSampleId :
MW-1-20210505


Tgt Ion:188 Resp: 165403
Ion Ratio Lower Upper
188 100
94 10.0 6.9 10.3
80 11.1 8.2 12.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.069 min Scan# 2037
Delta R.T. 0.000 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25

Tgt Ion:240 Resp: 142807
Ion Ratio Lower Upper
240 100
120 9.5 7.2 10.8
236 24.0 19.0 28.4









#79
Terphenyl-d14
Concen: 48.38 ng
RT: 13.016 min Scan# 1858
Delta R.T. 0.000 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25

Instrument :
BNA_F
ClientSampleId :
MW-1-20210505

Tgt Ion:244 Resp: 456134
Ion Ratio Lower Upper
244 100
212 7.5 5.7 8.5
122 11.4 9.7 14.5



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.563 min Scan# 2291
Delta R.T. 0.012 min
Lab File: BF123958.D
Acq: 17 May 2021 12:25

Tgt Ion:264 Resp: 117573
Ion Ratio Lower Upper
264 100
260 24.1 18.7 28.1
265 22.2 17.8 26.8

