

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051821\
 Data File : BF123978.D
 Acq On : 18 May 2021 14:53
 Operator : JU/CG
 Sample : M2436-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-1A

Quant Time: May 19 03:18:19 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 14 19:05:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.904	152	43962	20.00	ng	0.00
21) Naphthalene-d8	8.186	136	170668	20.00	ng	# 0.00
39) Acenaphthene-d10	9.945	164	99678	20.00	ng	0.00
64) Phenanthrene-d10	11.427	188	169531	20.00	ng	# 0.00
76) Chrysene-d12	14.074	240	91721	20.00	ng	0.00
86) Perylene-d12	15.568	264	92272	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	376378	120.21	ng	0.02
7) Phenol-d6	6.528	99	481362	118.51	ng	0.00
23) Nitrobenzene-d5	7.469	82	350200	88.41	ng	0.00
42) 2,4,6-Tribromophenol	10.733	330	151669	126.68	ng	0.00
45) 2-Fluorobiphenyl	9.263	172	569856	70.35	ng	0.00
79) Terphenyl-d14	13.021	244	438710	72.44	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.657	163	80535	10.12	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051821\
Data File : BF123978.D
Acq On : 18 May 2021 14:53
Operator : JU/CG
Sample : M2436-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-1A

Quant Time: May 19 03:18:19 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 14 19:05:57 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.904 min Scan# 819
Delta R.T. 0.000 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53




Instrument :
BNA_F
ClientSampled :
TP-1A


Tgt Ion:152 Resp: 43962
Ion Ratio Lower Upper
152 100
150 165.4 127.0 190.6
115 70.9 54.3 81.5



#5
2-Fluorophenol
Concen: 120.21 ng
RT: 5.528 min Scan# 585
Delta R.T. 0.018 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53

Tgt Ion:112 Resp: 376378
Ion Ratio Lower Upper
112 100
64 72.3 61.4 92.0
63 40.5 33.0 49.4









#7
Phenol-d6
Concen: 118.51 ng
RT: 6.528 min Scan# 755
Delta R.T. 0.006 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53




Instrument :
BNA_F
ClientSampleId :
TP-1A


Tgt Ion: 99 Resp: 481362
Ion Ratio Lower Upper
99 100
42 27.0 19.8 29.8
71 44.8 31.1 46.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.186 min Scan# 1037
Delta R.T. 0.000 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53

Tgt Ion: 136 Resp: 170668
Ion Ratio Lower Upper
136 100
137 10.8 8.7 13.1
54 14.5 9.8 14.6
68 7.0 4.1 6.1#





#23

Nitrobenzene-d5

Concen: 88.41 ng

RT: 7.469 min Scan# 915





Delta R.T. 0.006 min

Lab File: BF123978.D

Acq: 18 May 2021 14:53

Tgt Ion: 82 Resp: 350200

Ion	Ratio	Lower	Upper
82	100		
128	40.0	29.4	44.2
54	70.6	54.1	81.1



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.945 min Scan# 1336




Delta R.T. 0.000 min

Lab File: BF123978.D

Acq: 18 May 2021 14:53

Tgt Ion: 164 Resp: 99678

Ion	Ratio	Lower	Upper
164	100		
162	105.9	80.7	121.1
160	41.4	37.3	55.9




Instrument :

BNA_F


ClientSampleId :

TP-1A






#42
2,4,6-Tribromophenol
Concen: 126.68 ng
RT: 10.733 min Scan# 1470
Delta R.T. 0.006 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53

Instrument :
BNA_F
ClientSampled :
TP-1A







Tgt Ion: 330 Resp: 151669
Ion Ratio Lower Upper
330 100
332 98.0 77.1 115.7
141 37.9 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 70.35 ng
RT: 9.263 min Scan# 1220
Delta R.T. 0.000 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53

Tgt Ion: 172 Resp: 569856
Ion Ratio Lower Upper
172 100
171 36.3 28.1 42.1
170 23.5 19.2 28.8









#50
Dimethylphthalate
Concen: 10.12 ng
RT: 9.657 min Scan# 1287
Delta R.T. -0.006 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53




Instrument :
BNA_F
ClientSampleId :
TP-1A


Tgt Ion:163 Resp: 80535
Ion Ratio Lower Upper
163 100
194 3.4 3.1 4.7
164 10.1 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.427 min Scan# 1588
Delta R.T. 0.000 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53

Tgt Ion:188 Resp: 169531
Ion Ratio Lower Upper
188 100
94 11.1 6.9 10.3#
80 13.2 8.2 12.2#









#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.074 min Scan# 2038
Delta R.T. 0.006 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53




Instrument :
BNA_F
ClientSampleId :
TP-1A


Tgt Ion:240 Resp: 91721
Ion Ratio Lower Upper
240 100
120 9.4 7.2 10.8
236 26.5 19.0 28.4



#79
Terphenyl-d14
Concen: 72.44 ng
RT: 13.021 min Scan# 1859
Delta R.T. 0.006 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53

Tgt Ion:244 Resp: 438710
Ion Ratio Lower Upper
244 100
212 7.1 5.7 8.5
122 9.7 9.7 14.5#





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.568 min Scan# 2292
Delta R.T. 0.018 min
Lab File: BF123978.D
Acq: 18 May 2021 14:53

Instrument :
BNA_F
ClientSampleId :
TP-1A

Tgt Ion:264 Resp: 92272
Ion Ratio Lower Upper
264 100
260 20.5 18.7 28.1
265 19.7 17.8 26.8

