

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF052019\
 Data File : BF114435.D
 Acq On : 20 May 2019 13:39
 Operator : JU/SJ
 Sample : K2905-09
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 21 11:13:39 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF051019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 20 04:47:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.83	152	169546	20.00	ng	-0.01
21) Naphthalene-d8	8.11	136	624166	20.00	ng	-0.01
39) Acenaphthene-d10	9.86	164	261188	20.00	ng	-0.01
64) Phenanthrene-d10	11.35	188	458981	20.00	ng	0.00
76) Chrysene-d12	14.00	240	354456	20.00	ng	0.00
87) Perylene-d12	15.49	264	462561	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	887835	84.27	ng	0.00
7) Phenol-d6	6.47	99	1148594	92.18	ng	-0.02
23) Nitrobenzene-d5	7.39	82	674131	60.61	ng	-0.02
42) 2,4,6-Tribromophenol	10.66	330	206872	76.61	ng	0.00
45) 2-Fluorobiphenyl	9.19	172	1073518	62.17	ng	0.00
79) Terphenyl-d14	12.93	244	823052	47.87	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.39	70	85536	10.830	ng	# 75
25) Isophorone	7.39	82	674125	32.682	ng	# 64
50) Dimethylphthalate	9.58	163	173124	9.029	ng	100
57) 2,4-Dinitrotoluene	9.86	165	33209	5.753	ng	# 25
67) 4-Bromophenyl-phenylether	10.66	248	13193	2.611	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF052019\
Data File : BF114435.D
Acq On : 20 May 2019 13:39
Operator : JU/SJ
Sample : K2905-09
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: May 21 11:13:39 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF051019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 20 04:47:40 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.83 min Scan# 806
 Delta R.T. -0.01 min
 Lab File: BF114435.D
 Acq: 20 May 2019 13:39

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.2	124.3	186.5
115	58.0	49.1	73.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: 84.270 ng
 RT: 5.46 min Scan# 574
 Delta R.T. -0.01 min
 Lab File: BF114435.D
 Acq: 20 May 2019 13:39

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.0	49.0	73.6
63	31.2	24.6	37.0






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 92.176 ng

RT: 6.47 min Scan# 745

Delta R.T. -0.02 min

Lab File: BF114435.D

Acq: 20 May 2019 13:39





Instrument :

BNA_F

ClientSampled :

Tot Ion: 99 Resp: 1148594

Ion	Ratio	Lower	Upper
99	100		
42	22.3	17.9	26.9
71	32.8	26.2	39.2



#19

n-Nitroso-di-n-propylamine

Concen: 10.830 ng

RT: 7.39 min Scan# 901




Delta R.T. 0.13 min


Lab File: BF114435.D

Acq: 20 May 2019 13:39

Tgt Ion: 70 Resp: 85536

Ion	Ratio	Lower	Upper
70	100		
42	56.8	58.6	87.8#
101	0.0	7.8	11.8#
130	2.2	17.1	25.7#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.11 min Scan# 1024
Delta R.T. -0.01 min
Lab File: BF114435.D
Acq: 20 May 2019 13:39




Instrument :
BNA_F
ClientSampleId :


Tot Ion:136	Resp:	624166
Ion	Ratio	Lower Upper
136	100	
137	11.1	8.8 13.2
54	9.5	7.8 11.8
68	6.1	5.1 7.7



#23
Nitrobenzene-d5
Concen: 60.613 ng
RT: 7.39 min Scan# 901
Delta R.T. -0.02 min
Lab File: BF114435.D
Acq: 20 May 2019 13:39

Tgt Ion: 82	Resp:	674131
Ion	Ratio	Lower Upper
82	100	
128	42.9	35.5 53.3
54	58.2	48.5 72.7





#25

Isophorone

Concen: 32.682 ng

RT: 7.39 min Scan# 901

Delta R.T. -0.28 min

Lab File: BF114435.D

Acq: 20 May 2019 13:39

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 674125

Ion Ratio Lower Upper

82 100

95 0.0 5.6 8.4#




138 0.0 14.8 22.2#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.86 min Scan# 1322

Delta R.T. -0.01 min

Lab File: BF114435.D

Acq: 20 May 2019 13:39


Tgt Ion: 164 Resp: 261188

Ion Ratio Lower Upper

164 100

162 104.0 80.6 120.8



160 46.2 36.5 54.7




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 76.612 ng

RT: 10.66 min Scan# 1457

Delta R.T. -0.01 min

Lab File: BF114435.D

Acq: 20 May 2019 13:39

Instrument :

BNA_F

ClientSampleId :


Tot Ion:330 Resp: 206872

Ion Ratio Lower Upper

330 100

332 102.1 81.4 122.2




141 33.1 26.6 40.0



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 62.173 ng

RT: 9.19 min Scan# 1207

Delta R.T. -0.01 min

Lab File: BF114435.D

Acq: 20 May 2019 13:39


Tgt Ion:172 Resp: 1073518

Ion Ratio Lower Upper

172 100

171 34.3 30.7 46.1



170 23.3 20.5 30.7




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 9.029 ng

RT: 9.58 min Scan# 1274

Delta R.T. -0.01 min

Lab File: BF114435.D

Acq: 20 May 2019 13:39

Instrument :

BNA_F

ClientSampleId :


Tot Ion:163 Resp: 173124

Ion Ratio Lower Upper

163 100

194 4.0 3.4 5.0




164 10.2 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#57

2,4-Dinitrotoluene

Concen: 5.753 ng

RT: 9.86 min Scan# 1322

Delta R.T. -0.21 min

Lab File: BF114435.D

Acq: 20 May 2019 13:39

Tgt Ion:165 Resp: 33209


Ion Ratio Lower Upper

165 100

63 1.1 35.5 53.3#

89 1.3 55.2 82.8#

182 0.0 2.2 3.2#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.35 min Scan# 1575
Delta R.T. -0.01 min
Lab File: BF114435.D
Acq: 20 May 2019 13:39




Instrument :
BNA_F
ClientSampleId :


Tot Ion:188 Resp: 458981
Ion Ratio Lower Upper
188 100
94 9.9 8.4 12.6
80 10.0 9.2 13.8



#67
4-Bromophenyl-phenylether
Concen: 2.611 ng
RT: 10.66 min Scan# 1457
Delta R.T. -0.24 min
Lab File: BF114435.D
Acq: 20 May 2019 13:39

Tgt Ion:248 Resp: 13193
Ion Ratio Lower Upper
248 100
250 210.7 77.4 116.2#
141 475.2 55.6 83.4#





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.00 min Scan# 2025

Delta R.T. -0.01 min

Lab File: BF114435.D

Acq: 20 May 2019 13:39

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 354456

Ion Ratio Lower Upper

240 100

120 12.6 8.3 12.5#




236 25.9 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 47.867 ng

RT: 12.93 min Scan# 1844

Delta R.T. -0.01 min

Lab File: BF114435.D

Acq: 20 May 2019 13:39


Tgt Ion:244 Resp: 823052

Ion Ratio Lower Upper

244 100

212 6.2 5.8 8.6



122 10.2 9.4 14.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.49 min Scan# 2278
Delta R.T. 0.02 min
Lab File: BF114435.D
Acq: 20 May 2019 13:39

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.4	29.0
265	21.7	16.9	25.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

