

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF052319\
 Data File : BF114549.D
 Acq On : 24 May 2019 2:52
 Operator : JU/SJ
 Sample : K2994-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 24 07:22:14 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF051019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 23 03:49:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	169290	20.00	ng	-0.03
21) Naphthalene-d8	8.09	136	644228	20.00	ng	-0.03
39) Acenaphthene-d10	9.85	164	319405	20.00	ng	-0.02
64) Phenanthrene-d10	11.33	188	672170	20.00	ng	-0.02
76) Chrysene-d12	13.98	240	430145	20.00	ng	-0.02
87) Perylene-d12	15.44	264	443716	20.00	ng	-0.02

System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	938959	89.26	ng	-0.03
7) Phenol-d6	6.46	99	1240127	99.67	ng	-0.03
23) Nitrobenzene-d5	7.37	82	734786	64.01	ng	-0.03
42) 2,4,6-Tribromophenol	10.64	330	318507	96.46	ng	-0.02
45) 2-Fluorobiphenyl	9.17	172	1045749	49.53	ng	-0.02
79) Terphenyl-d14	12.92	244	1027341	49.23	ng	-0.02


Target Compounds				Qvalue		
10) Phenol	6.47	94	40326	2.755	ng	91
19) n-Nitroso-di-n-propylamine	7.37	70	96671	12.258	ng	# 77
25) Isophorone	7.37	82	734778	34.513	ng	# 64
31) Naphthalene	8.12	128	64212	2.134	ng	96
32) Benzoic acid	7.92	122	692	7.114	ng	# 76
50) Dimethylphthalate	9.56	163	159027	6.782	ng	99
56) 4-Nitrophenol	10.06	139	11281	2.471	ng	# 11
57) 2,4-Dinitrotoluene	9.85	165	42272	5.989	ng	# 26
67) 4-Bromophenyl-phenylether	10.64	248	21191	2.863	ng	# 1
71) Phenanthrene	11.36	178	179888	5.501	ng	98
72) Anthracene	11.41	178	73222	2.229	ng	98
75) Fluoranthene	12.55	202	408004	11.586	ng	100
78) Pvrene	12.78	202	365762	10.570	ng	96
81) Benzo(a)anthracene	13.97	228	183770	6.605	ng	98
83) Chrysene	14.00	228	159216	5.838	ng	98
86) Indeno(1,2,3-cd)pyrene	16.92	276	100507	4.170	ng	93
88) Benzo(b)fluoranthene	15.02	252	292282	10.282	ng	# 97
89) Benzo(k)fluoranthene	15.02	252	292282	11.193	ng	# 97
90) Benzo(a)pvrene	15.38	252	170558	6.817	ng	98
92) Benzo(a,h,i)perylene	17.36	276	87649	4.207	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF052319\
Data File : BF114549.D
Acq On : 24 May 2019 2:52
Operator : JU/SJ
Sample : K2994-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampled :

Quant Time: May 24 07:22:14 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF051019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 23 03:49:15 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.81 min Scan# 803
Delta R.T. -0.03 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.0	124.3	186.5
115	58.5	49.1	73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 89.257 ng
RT: 5.44 min Scan# 570
Delta R.T. -0.03 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Tgt Ion	Ratio	Lower	Upper
112	100		
64	66.3	49.0	73.6
63	33.9	24.6	37.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 99.672 ng

RT: 6.46 min Scan# 743

Delta R.T. -0.03 min

Lab File: BF114549.D

Acq: 24 May 2019 2:52


Instrument :

BNA_F

ClientSampleId :

Tot Ion: 99 Resp: 1240127

Ion	Ratio	Lower	Upper
99	100		
42	22.5	17.9	26.9
71	34.0	26.2	39.2




Abundance



Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



Time-->



#10

Phenol

Concen: 2.755 ng

RT: 6.47 min Scan# 745


Delta R.T. -0.04 min

Lab File: BF114549.D

Acq: 24 May 2019 2:52

Tgt Ion: 94 Resp: 40326

Ion	Ratio	Lower	Upper
94	100		
65	32.9	14.7	54.7
66	58.0	29.6	69.6




Abundance


Ion 94.00 (93.70 to 94.70): BF1


Ion 65.00 (64.70 to 65.70): BF1

Ion 66.00 (65.70 to 66.70): BF1



Time-->









#19
n-Nitroso-di-n-propylamine
Concen: 12.258 ng
RT: 7.37 min Scan# 899
Delta R.T. 0.12 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52




Instrument :
BNA_F
ClientSampleId :


Tot Ion: 70 Resp: 96671
Ion Ratio Lower Upper
70 100
42 58.3 58.6 87.8#
101 0.0 7.8 11.8#
130 2.2 17.1 25.7#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.09 min Scan# 1021
Delta R.T. -0.03 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Tgt Ion: 136 Resp: 644228
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 9.6 7.8 11.8
68 5.8 5.1 7.7





#23

Nitrobenzene-d5

Concen: 64.009 ng

RT: 7.37 min Scan# 899

Delta R.T. -0.03 min

Lab File: BF114549.D

Acq: 24 May 2019 2:52

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 734786

Ion Ratio Lower Upper

82 100

128 45.7 35.5 53.3




54 59.5 48.5 72.7



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#25

Isophorone

Concen: 34.513 ng

RT: 7.37 min Scan# 899

Delta R.T. -0.29 min

Lab File: BF114549.D

Acq: 24 May 2019 2:52


Tgt Ion: 82 Resp: 734778

Ion Ratio Lower Upper

82 100

95 0.0 5.6 8.4#



138 0.0 14.8 22.2#




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1









#31
Naphthalene
Concen: 2.134 ng
RT: 8.12 min Scan# 1025
Delta R.T. -0.03 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Instrument :
BNA_F
ClientSampleId :

Tot Ion:128 Resp: 64212
Ion Ratio Lower Upper
128 100
129 10.4 9.6 14.4
127 12.5 11.3 16.9




Abundance Ion 128.00 (127.70 to 128.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 127.00 (126.70 to 127.70): E






#32
Benzoic acid
Concen: 7.114 ng
RT: 7.92 min Scan# 991
Delta R.T. -0.02 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Tgt Ion:122 Resp: 692
Ion Ratio Lower Upper
122 100
105 84.0 99.9 139.9#
77 77.6 69.4 109.4



Abundance Ion 122.00 (121.70 to 122.70): E
Ion 105.00 (104.70 to 105.70): E
Ion 77.00 (76.70 to 77.70): BF1









#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1320
 Delta R.T. -0.02 min
 Lab File: BF114549.D
 Acq: 24 May 2019 2:52

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
164	100		
162	104.4	80.6	120.8
160	46.8	36.5	54.7




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#42
 2,4,6-Tribromophenol
 Concen: 96.456 ng
 RT: 10.64 min Scan# 1454
 Delta R.T. -0.02 min
 Lab File: BF114549.D
 Acq: 24 May 2019 2:52

Tgt Ion	Ratio	Lower	Upper
330	100		
332	104.9	81.4	122.2
141	33.7	26.6	40.0



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 49.525 ng
RT: 9.17 min Scan# 1204
Delta R.T. -0.02 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52




Instrument :
BNA_F
ClientSampleId :


Tot Ion:172 Resp: 1045749
Ion Ratio Lower Upper
172 100
171 35.5 30.7 46.1
170 23.5 20.5 30.7



#50
Dimethylphthalate
Concen: 6.782 ng
RT: 9.56 min Scan# 1271
Delta R.T. -0.03 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Tgt Ion:163 Resp: 159027
Ion Ratio Lower Upper
163 100
194 3.7 3.4 5.0
164 9.8 8.2 12.2





#56

4-Nitrophenol

Concen: 2.471 ng

RT: 10.06 min Scan# 1355

Delta R.T. 0.05 min

Lab File: BF114549.D

Acq: 24 May 2019 2:52

Instrument :

BNA_F

ClientSampled :


Tot Ion:139 Resp: 11281

Ion Ratio Lower Upper

139 100

109 5.9 43.9 83.9#




65 4.8 85.7 125.7#



Abundance Ion 139.00 (138.70 to 139.70): E

Ion 109.00 (108.70 to 109.70): E

Ion 65.00 (64.70 to 65.70): BF1



#57

2,4-Dinitrotoluene

Concen: 5.989 ng

RT: 9.85 min Scan# 1320

Delta R.T. -0.22 min

Lab File: BF114549.D

Acq: 24 May 2019 2:52

Tgt Ion:165 Resp: 42272


Ion Ratio Lower Upper

165 100

63 1.4 35.5 53.3#

89 1.9 55.2 82.8#

182 0.0 2.2 3.2#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1572
Delta R.T. -0.02 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52




Instrument :
BNA_F
ClientSampled :


Tot Ion:188 Resp: 672170
Ion Ratio Lower Upper
188 100
94 10.4 8.4 12.6
80 10.8 9.2 13.8



#67
4-Bromophenyl-phenylether
Concen: 2.863 ng
RT: 10.64 min Scan# 1454
Delta R.T. -0.26 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Tgt Ion:248 Resp: 21191
Ion Ratio Lower Upper
248 100
250 187.6 77.4 116.2#
141 525.4 55.6 83.4#









#71
Phenanthrene
Concen: 5.501 ng
RT: 11.36 min Scan# 1576
Delta R.T. -0.03 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52




Instrument :
BNA_F
ClientSampled :


Tot Ion:178 Resp: 179888
Ion Ratio Lower Upper
178 100
176 19.3 16.4 24.6
179 15.5 13.2 19.8



#72
Anthracene
Concen: 2.229 ng
RT: 11.41 min Scan# 1585
Delta R.T. -0.03 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Tgt Ion:178 Resp: 73222
Ion Ratio Lower Upper
178 100
176 18.2 15.8 23.8
179 16.3 13.0 19.4





#75

Fluoranthene

Concen: 11.586 ng

RT: 12.55 min Scan# 1779

Delta R.T. -0.02 min

Lab File: BF114549.D

Acq: 24 May 2019 2:52

Instrument :

BNA_F

ClientSampleId :


Tot Ion:202 Resp: 408004

Ion Ratio Lower Upper

202 100

101 10.8 0.0 31.0




203 18.2 0.0 38.4



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.98 min Scan# 2022

Delta R.T. -0.02 min

Lab File: BF114549.D

Acq: 24 May 2019 2:52


Tgt Ion:240 Resp: 430145

Ion Ratio Lower Upper

240 100

120 12.1 8.3 12.5



236 26.8 20.8 31.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Pvrene

Concen: 10.570 ng

RT: 12.78 min Scan# 1818

Delta R.T. -0.02 min

Lab File: BF114549.D

Acq: 24 May 2019 2:52

Instrument :

BNA_F

ClientSampleId :


Tot Ion:202 Resp: 365762

Ion Ratio Lower Upper

202 100

200 18.8 16.9 25.3




203 16.9 14.5 21.7



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#79

Terphenyl-d14

Concen: 49.234 ng

RT: 12.92 min Scan# 1841

Delta R.T. -0.02 min

Lab File: BF114549.D

Acq: 24 May 2019 2:52


Tgt Ion:244 Resp: 1027341

Ion Ratio Lower Upper

244 100

212 6.9 5.8 8.6



122 12.0 9.4 14.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#81
Benzo(a)anthracene
Concen: 6.605 ng
RT: 13.97 min Scan# 2020
Delta R.T. -0.02 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52




Instrument :
BNA_F
ClientSampleId :


Tot Ion:228 Resp: 183770
Ion Ratio Lower Upper
228 100
226 25.7 22.2 33.2
229 20.6 16.4 24.6



#83
Chrysene
Concen: 5.838 ng
RT: 14.00 min Scan# 2026
Delta R.T. -0.03 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Tgt Ion:228 Resp: 159216
Ion Ratio Lower Upper
228 100
226 29.9 25.0 37.6
229 21.5 17.0 25.6









#86
 Indeno(1,2,3-cd)pyrene
 Concen: 4.170 ng
 RT: 16.92 min Scan# 2521
 Delta R.T. -0.04 min
 Lab File: BF114549.D
 Acq: 24 May 2019 2:52




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
276	100		
138	20.5	20.2	30.2
277	22.9	20.0	30.0



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.44 min Scan# 2271
 Delta R.T. -0.02 min
 Lab File: BF114549.D
 Acq: 24 May 2019 2:52

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.4	29.0
265	22.2	16.9	25.3









#88
Benzo(b)fluoranthene
Concen: 10.282 ng
RT: 15.02 min Scan# 2199
Delta R.T. -0.02 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52




Instrument :
BNA_F
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.8	26.8
125	13.1	8.3	12.5



#89
Benzo(k)fluoranthene
Concen: 11.193 ng
RT: 15.02 min Scan# 2199
Delta R.T. -0.05 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Tgt Ion	Ratio	Lower	Upper
252	100		
253	22.1	18.2	27.2
125	13.1	8.6	13.0









#90
Benzo(a)pyrene
Concen: 6.817 ng
RT: 15.38 min Scan# 2260
Delta R.T. -0.02 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
252	100		
253	23.1	18.1	27.1
125	13.9	9.5	14.3




Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E



#92
Benzo(g,h,i)perylene
Concen: 4.207 ng
RT: 17.36 min Scan# 2597
Delta R.T. -0.02 min
Lab File: BF114549.D
Acq: 24 May 2019 2:52

Tgt Ion	Ratio	Lower	Upper
276	100		
277	25.0	19.0	28.4
138	22.5	17.8	26.6



Abundance Ion 276.00 (275.70 to 276.70): E
Ion 277.00 (276.70 to 277.70): E
Ion 138.00 (137.70 to 138.70): E

