

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052521\
 Data File : BF124055.D
 Acq On : 25 May 2021 20:35
 Operator : JU/CG
 Sample : M2503-01 5X
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OK-01-052421

Quant Time: May 26 02:35:21 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 14 19:05:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	43996	20.00	ng	-0.01
21) Naphthalene-d8	8.175	136	154614	20.00	ng	-0.01
39) Acenaphthene-d10	9.933	164	81600	20.00	ng	-0.01
64) Phenanthrene-d10	11.421	188	122040	20.00	ng	0.00
76) Chrysene-d12	14.068	240	104690	20.00	ng	0.00
86) Perylene-d12	15.562	264	103481	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	63732	20.34	ng	0.00
7) Phenol-d6	6.510	99	79828	19.64	ng	-0.01
23) Nitrobenzene-d5	7.445	82	61574	17.16	ng	-0.02
42) 2,4,6-Tribromophenol	10.721	330	21800	22.24	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	109575	16.52	ng	-0.01
79) Terphenyl-d14	13.004	244	97425	14.09	ng	-0.01
Target Compounds						
75) Fluoranthene	12.633	202	29010	3.62	ng	98
78) Pyrene	12.862	202	22838	2.46	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052521\
Data File : BF124055.D
Acq On : 25 May 2021 20:35
Operator : JU/CG
Sample : M2503-01 5X
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OK-01-052421

Quant Time: May 26 02:35:21 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 14 19:05:57 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.892 min Scan# 817
Delta R.T. -0.012 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35




Instrument :
BNA_F
ClientSampleId :
OK-01-052421


Tgt Ion:152 Resp: 43996
Ion Ratio Lower Upper
152 100
150 162.8 127.0 190.6
115 66.5 54.3 81.5



#5
2-Fluorophenol
Concen: 20.34 ng
RT: 5.504 min Scan# 581
Delta R.T. -0.006 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35

Tgt Ion:112 Resp: 63732
Ion Ratio Lower Upper
112 100
64 78.6 61.4 92.0
63 40.5 33.0 49.4









#7
Phenol-d6
Concen: 19.64 ng
RT: 6.510 min Scan# 752
Delta R.T. -0.012 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35

Instrument :
BNA_F
ClientSampleId :
OK-01-052421

Tgt Ion: 99 Resp: 79828




Ion	Ratio	Lower	Upper
99	100		
42	24.4	19.8	29.8
71	44.7	31.1	46.7




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.011 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35

Tgt Ion: 136 Resp: 154614

Ion	Ratio	Lower	Upper
136	100		
137	10.4	8.7	13.1
54	13.1	9.8	14.6
68	5.6	4.1	6.1









#23
Nitrobenzene-d5
Concen: 17.16 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.018 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35




Instrument :
BNA_F
ClientSampleId :
OK-01-052421


Tgt Ion: 82 Resp: 61574
Ion Ratio Lower Upper
82 100
128 32.4 29.4 44.2
54 63.1 54.1 81.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.012 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35


Tgt Ion:164 Resp: 81600
Ion Ratio Lower Upper
164 100
162 101.1 80.7 121.1
160 46.5 37.3 55.9








#42
2,4,6-Tribromophenol
Concen: 22.24 ng
RT: 10.721 min Scan# 1468
Delta R.T. -0.006 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35

Instrument :
BNA_F
ClientSampleId :
OK-01-052421







Tgt Ion:330 Resp: 21800
Ion Ratio Lower Upper
330 100
332 94.4 77.1 115.7
141 34.8 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 16.52 ng
RT: 9.251 min Scan# 1218
Delta R.T. -0.012 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35

Tgt Ion:172 Resp: 109575
Ion Ratio Lower Upper
172 100
171 34.2 28.1 42.1
170 22.4 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.421 min Scan# 1587
Delta R.T. -0.006 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35




Instrument :
BNA_F
ClientSampleId :
OK-01-052421


Tgt Ion:188 Resp: 122040
Ion Ratio Lower Upper
188 100
94 7.7 6.9 10.3
80 10.6 8.2 12.2



#75
Fluoranthene
Concen: 3.62 ng
RT: 12.633 min Scan# 1793
Delta R.T. -0.006 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35

Tgt Ion:202 Resp: 29010
Ion Ratio Lower Upper
202 100
101 11.8 0.0 30.9
203 17.9 0.0 37.5









#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.068 min Scan# 2037
Delta R.T. -0.000 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35




Instrument :
BNA_F
ClientSampleId :
OK-01-052421


Tgt Ion:240 Resp: 104690
Ion Ratio Lower Upper
240 100
120 7.9 7.2 10.8
236 24.5 19.0 28.4



#78
Pyrene
Concen: 2.46 ng
RT: 12.862 min Scan# 1832
Delta R.T. -0.006 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35


Tgt Ion:202 Resp: 22838
Ion Ratio Lower Upper
202 100
200 22.4 16.1 24.1
203 19.7 14.8 22.2








#79
Terphenyl-d14
Concen: 14.09 ng
RT: 13.004 min Scan# 1856
Delta R.T. -0.012 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35

Instrument :
BNA_F
ClientSampleId :
OK-01-052421



Tgt Ion:244 Resp: 97425
Ion Ratio Lower Upper
244 100
212 6.4 5.7 8.5
122 10.4 9.7 14.5



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.562 min Scan# 2291
Delta R.T. 0.012 min
Lab File: BF124055.D
Acq: 25 May 2021 20:35

Tgt Ion:264 Resp: 103481
Ion Ratio Lower Upper
264 100
260 22.5 18.7 28.1
265 21.1 17.8 26.8

