

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052521\
 Data File : BF124056.D
 Acq On : 25 May 2021 21:07
 Operator : JU/CG
 Sample : M2503-01MS 5X
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OK-01-052421MS

Quant Time: May 26 03:07:39 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 14 19:05:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	52113	20.00	ng	-0.01
21) Naphthalene-d8	8.180	136	188785	20.00	ng	0.00
39) Acenaphthene-d10	9.933	164	90146	20.00	ng	-0.01
64) Phenanthrene-d10	11.421	188	134689	20.00	ng	0.00
76) Chrysene-d12	14.068	240	112577	20.00	ng	0.00
86) Perylene-d12	15.562	264	92760	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	77665	20.92	ng	0.00
7) Phenol-d6	6.516	99	98185	20.39	ng	0.00
23) Nitrobenzene-d5	7.451	82	74155	16.92	ng	-0.01
42) 2,4,6-Tribromophenol	10.721	330	24511	22.64	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	125912	17.19	ng	-0.01
79) Terphenyl-d14	13.004	244	100704	13.55	ng	-0.01
Target Compounds						Qvalue
2) 1,4-Dioxane	2.687	88	8467	5.19	ng	96
3) Pyridine	3.457	79	20225	4.81	ng	# 87
4) n-Nitrosodimethylamine	3.381	42	18219	6.67	ng	88
6) Aniline	6.551	93	32417	5.93	ng	# 93
8) 2-Chlorophenol	6.675	128	32090	8.31	ng	97
9) Benzaldehyde	6.439	77	23913	11.48	ng	91
10) Phenol	6.528	94	41803	8.59	ng	97
11) bis(2-Chloroethyl)ether	6.622	93	29362	7.76	ng	95
12) 1,3-Dichlorobenzene	6.833	146	35459	7.88	ng	92
13) 1,4-Dichlorobenzene	6.910	146	36472	7.92	ng	95
14) 1,2-Dichlorobenzene	7.063	146	35382	8.22	ng	95
15) Benzyl Alcohol	7.028	79	32636	7.85	ng	95
16) 2,2'-oxybis(1-Chloropr...	7.169	45	56571	7.43	ng	94
17) 2-Methylphenol	7.139	107	26633	8.50	ng	93
18) Hexachloroethane	7.410	117	12201	7.15	ng	89
19) n-Nitroso-di-n-propyla...	7.298	70	26476	8.14	ng	91
20) 3+4-Methylphenols	7.292	107	34881	8.45	ng	# 68
22) Acetophenone	7.298	105	48980	9.14	ng	# 96
24) Nitrobenzene	7.469	77	40229	8.98	ng	99
25) Isophorone	7.710	82	66227	7.86	ng	97
26) 2-Nitrophenol	7.792	139	15693	9.31	ng	93
27) 2,4-Dimethylphenol	7.822	122	28209	8.74	ng	96
28) bis(2-Chloroethoxy)met...	7.922	93	38489	9.08	ng	95
29) 2,4-Dichlorophenol	8.033	162	27261	8.35	ng	93
30) 1,2,4-Trichlorobenzene	8.116	180	31238	8.51	ng	89
31) Naphthalene	8.198	128	93010	8.32	ng	96
32) Benzoic acid	7.904	122	11660	6.58	ng	# 69
33) 4-Chloroaniline	8.245	127	24471	5.75	ng	95
34) Hexachlorobutadiene	8.316	225	23058	9.59	ng	87
35) Caprolactam	8.580	113	7624	8.57	ng	# 90
36) 4-Chloro-3-methylphenol	8.722	107	26918	7.54	ng	# 78
37) 2-Methylnaphthalene	8.892	142	61091	8.07	ng	95
38) 1-Methylnaphthalene	8.986	142	55861	7.91	ng	100
40) 1,2,4,5-Tetrachloroben...	9.057	216	29853	9.18	ng	97
41) Hexachlorocyclopentadiene	9.045	237	5762	2.79	ng	79
43) 2,4,6-Trichlorophenol	9.163	196	18192	8.62	ng	95


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052521\
 Data File : BF124056.D
 Acq On : 25 May 2021 21:07
 Operator : JU/CG
 Sample : M2503-01MS 5X
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OK-01-052421MS

Quant Time: May 26 03:07:39 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 14 19:05:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.204	196	19118	8.72	ng	89
46) 1,1'-Biphenyl	9.351	154	73650	9.28	ng	92
47) 2-Chloronaphthalene	9.374	162	53768	8.53	ng	95
48) 2-Nitroaniline	9.469	65	22019	10.34	ng	95
49) Acenaphthylene	9.792	152	80969	8.69	ng	97
50) Dimethylphthalate	9.645	163	82063	11.40	ng	100
51) 2,6-Dinitrotoluene	9.710	165	12978	8.92	ng	92
52) Acenaphthene	9.969	154	50027	7.84	ng	98
53) 3-Nitroaniline	9.874	138	10529	7.28	ng	89
54) 2,4-Dinitrophenol	9.986	184	2512	10.20	ng	86
55) Dibenzofuran	10.139	168	76093	8.31	ng	97
56) 4-Nitrophenol	10.033	139	18461	15.43	ng	# 85
57) 2,4-Dinitrotoluene	10.110	165	17413	9.75	ng	# 98
58) Fluorene	10.480	166	57936	8.39	ng	94
59) 2,3,4,6-Tetrachlorophenol	10.257	232	13496	7.49	ng	# 98
60) Diethylphthalate	10.345	149	65916	9.25	ng	95
61) 4-Chlorophenyl-phenyle...	10.474	204	28753	8.31	ng	97
62) 4-Nitroaniline	10.486	138	12412	8.63	ng	89
63) Azobenzene	10.633	77	60282	7.60	ng	95
65) 4,6-Dinitro-2-methylph...	10.521	198	2072	7.56	ng	# 79
66) n-Nitrosodiphenylamine	10.586	169	49004	9.52	ng	98
67) 4-Bromophenyl-phenylether	10.963	248	15319	8.65	ng	91
68) Hexachlorobenzene	11.033	284	17458	8.83	ng	93
69) Atrazine	11.110	200	16205	11.15	ng	93
70) Pentachlorophenol	11.227	266	13653	11.65	ng	96
71) Phenanthrene	11.445	178	85760	10.05	ng	94
72) Anthracene	11.498	178	77079	8.91	ng	99
73) Carbazole	11.651	167	60666	8.02	ng	95
74) Di-n-butylphthalate	11.980	149	90714	9.58	ng	99
75) Fluoranthene	12.639	202	101038	11.43	ng	98
77) Benzidine	12.757	184	39110	14.40	ng	# 94
78) Pyrene	12.868	202	95753	9.58	ng	94
80) Butylbenzylphthalate	13.480	149	34621	8.83	ng	96
81) Benzo(a)anthracene	14.057	228	78557	9.65	ng	96
82) 3,3'-Dichlorobenzidine	14.015	252	18091	7.15	ng	# 96
83) Chrysene	14.092	228	77315	9.87	ng	99
84) Bis(2-ethylhexyl)phtha...	14.045	149	49912	9.02	ng	# 97
85) Di-n-octyl phthalate	14.662	149	85386	10.21	ng	# 98
87) Indeno(1,2,3-cd)pyrene	17.068	276	52932	7.39	ng	# 91
88) Benzo(b)fluoranthene	15.121	252	72407	10.09	ng	# 98
89) Benzo(k)fluoranthene	15.151	252	66382	10.15	ng	93
90) Benzo(a)pyrene	15.498	252	63946	10.31	ng	# 95
91) Dibenzo(a,h)anthracene	17.086	278	45162	7.49	ng	97
92) Benzo(g,h,i)perylene	17.521	276	42790	7.07	ng	98





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.892 min Scan# 817
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:152 Resp: 52113
Ion Ratio Lower Upper
152 100
150 157.7 127.0 190.6
115 68.0 54.3 81.5



#2
1,4-Dioxane
Concen: 5.19 ng
RT: 2.687 min Scan# 102
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion: 88 Resp: 8467
Ion Ratio Lower Upper
88 100
58 109.4 83.8 125.8
43 41.2 32.2 48.4





#3

Pyridine

Concen: 4.81 ng

RT: 3.457 min Scan# 233

Delta R.T. 0.018 min

Lab File: BF124056.D

Acq: 25 May 2021 21:07





Tgt Ion: 79 Resp: 20225

Ion Ratio Lower Upper

79 100

52 117.6 87.4 131.0

51 67.3 41.4 62.0#



#4

n-Nitrosodimethylamine

Concen: 6.67 ng

RT: 3.381 min Scan# 220

Delta R.T. -0.018 min

Lab File: BF124056.D

Acq: 25 May 2021 21:07




Tgt Ion: 42 Resp: 18219


Ion Ratio Lower Upper

42 100

74 91.4 83.5 125.3

44 6.6 5.7 8.5









#5
2-Fluorophenol
Concen: 20.92 ng
RT: 5.504 min Scan# 581
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:112 Resp: 77665
Ion Ratio Lower Upper
112 100
64 83.0 61.4 92.0
63 41.4 33.0 49.4



#6
Aniline
Concen: 5.93 ng
RT: 6.551 min Scan# 759
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion: 93 Resp: 32417
Ion Ratio Lower Upper
93 100
66 48.0 36.4 54.6
65 30.8 19.4 29.0#









#7
Phenol-d6
Concen: 20.39 ng
RT: 6.516 min Scan# 753
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion: 99 Resp: 98185
Ion Ratio Lower Upper
99 100
42 24.7 19.8 29.8
71 45.1 31.1 46.7



#8
2-Chlorophenol
Concen: 8.31 ng
RT: 6.675 min Scan# 780
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion: 128 Resp: 32090
Ion Ratio Lower Upper
128 100
130 29.8 12.6 52.6
64 62.8 41.5 81.5









#9
Benzaldehyde
Concen: 11.48 ng
RT: 6.439 min Scan# 740
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS

Tgt Ion: 77 Resp: 23913




Ion	Ratio	Lower	Upper
77	100		
105	95.9	75.2	115.2
106	75.2	71.6	111.6




#10
Phenol
Concen: 8.59 ng
RT: 6.528 min Scan# 755
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion: 94 Resp: 41803

Ion	Ratio	Lower	Upper
94	100		
65	36.1	18.1	58.1
66	46.9	29.0	69.0









#11
bis(2-Chloroethyl)ether
Concen: 7.76 ng
RT: 6.622 min Scan# 771
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:	93	Resp:	29362
Ion	Ratio	Lower	Upper
93	100		
63	102.1	76.1	116.1
95	32.0	11.5	51.5



#12
1,3-Dichlorobenzene
Concen: 7.88 ng
RT: 6.833 min Scan# 807
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	146	Resp:	35459
Ion	Ratio	Lower	Upper
146	100		
148	67.1	50.9	76.3
75	34.6	34.2	51.4









#13
1,4-Dichlorobenzene
Concen: 7.92 ng
RT: 6.910 min Scan# 820
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:146 Resp: 36472
Ion Ratio Lower Upper
146 100
148 62.8 49.9 74.9
111 41.9 39.5 59.3



#14
1,2-Dichlorobenzene
Concen: 8.22 ng
RT: 7.063 min Scan# 846
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:146 Resp: 35382
Ion Ratio Lower Upper
146 100
148 60.3 51.6 77.4
111 45.4 38.4 57.6









#15
Benzyl Alcohol
Concen: 7.85 ng
RT: 7.028 min Scan# 840
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion: 79 Resp: 32636
Ion Ratio Lower Upper
79 100
108 63.4 55.8 83.8
77 63.4 49.9 74.9



#16
2,2'-oxybis(1-Chloropropane)
Concen: 7.43 ng
RT: 7.169 min Scan# 864
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion: 45 Resp: 56571
Ion Ratio Lower Upper
45 100
77 11.8 0.0 30.0
79 9.6 0.0 27.3









#17
2-Methylphenol
Concen: 8.50 ng
RT: 7.139 min Scan# 859
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:	107	Resp:	26633
Ion	Ratio	Lower	Upper
107	100		
108	106.8	89.8	134.8
77	55.4	40.9	61.3
79	57.4	40.2	60.4



#18
Hexachloroethane
Concen: 7.15 ng
RT: 7.410 min Scan# 905
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	117	Resp:	12201
Ion	Ratio	Lower	Upper
117	100		
119	104.8	77.8	116.8
201	98.3	67.8	101.8









#19
n-Nitroso-di-n-propylamine
Concen: 8.14 ng
RT: 7.298 min Scan# 886
Delta R.T. -0.018 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS

Tgt Ion: 70 Resp: 26476




Ion	Ratio	Lower	Upper
70	100		
42	65.9	60.1	90.1
101	10.1	7.4	11.2
130	19.3	14.2	21.2




#20
3+4-Methylphenols
Concen: 8.45 ng
RT: 7.292 min Scan# 885
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion: 107 Resp: 34881

Ion	Ratio	Lower	Upper
107	100		
108	77.8	71.5	111.5
77	158.0	82.0	122.0#
79	39.1	14.1	54.1









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.180 min Scan# 1036
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS

Tgt Ion:136 Resp: 188785




Ion	Ratio	Lower	Upper
136	100		
137	9.7	8.7	13.1
54	10.3	9.8	14.6
68	4.7	4.1	6.1




#22
Acetophenone
Concen: 9.14 ng
RT: 7.298 min Scan# 886
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:105 Resp: 48980

Ion	Ratio	Lower	Upper
105	100		
71	9.4	4.2	6.4#
51	39.2	33.6	50.4
120	19.9	16.3	24.5









#23
Nitrobenzene-d5
Concen: 16.92 ng
RT: 7.451 min Scan# 912
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS

Tgt Ion: 82 Resp: 74155




Ion	Ratio	Lower	Upper
82	100		
128	34.2	29.4	44.2
54	60.3	54.1	81.1




#24
Nitrobenzene
Concen: 8.98 ng
RT: 7.469 min Scan# 915
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion: 77 Resp: 40229

Ion	Ratio	Lower	Upper
77	100		
123	43.3	34.5	51.7
65	16.6	12.2	18.2









#25
Isophorone
Concen: 7.86 ng
RT: 7.710 min Scan# 956
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:	82	Resp:	66227
Ion	Ratio	Lower	Upper
82	100		
95	7.0	5.8	8.6
138	16.4	11.8	17.8



#26
2-Nitrophenol
Concen: 9.31 ng
RT: 7.792 min Scan# 970
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	139	Resp:	15693
Ion	Ratio	Lower	Upper
139	100		
109	31.7	28.6	43.0
65	64.9	56.8	85.2









#27
2,4-Dimethylphenol
Concen: 8.74 ng
RT: 7.822 min Scan# 975
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS

Tgt Ion:122 Resp: 28209




Ion	Ratio	Lower	Upper
122	100		
107	130.3	106.3	159.5
121	51.5	45.4	68.0




#28
bis(2-Chloroethoxy)methane
Concen: 9.08 ng
RT: 7.922 min Scan# 992
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion: 93 Resp: 38489

Ion	Ratio	Lower	Upper
93	100		
95	30.0	26.5	39.7
123	12.0	8.4	12.6









#29
2,4-Dichlorophenol
Concen: 8.35 ng
RT: 8.033 min Scan# 1011
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:162 Resp: 27261
Ion Ratio Lower Upper
162 100
164 65.5 44.1 84.1
98 38.3 27.3 67.3



#30
1,2,4-Trichlorobenzene
Concen: 8.51 ng
RT: 8.116 min Scan# 1025
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:180 Resp: 31238
Ion Ratio Lower Upper
180 100
182 83.5 77.2 115.8
145 31.1 26.0 39.0









#31
Naphthalene
Concen: 8.32 ng
RT: 8.198 min Scan# 1039
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:128 Resp: 93010
Ion Ratio Lower Upper
128 100
129 9.5 8.9 13.3
127 12.3 10.8 16.2



#32
Benzoic acid
Concen: 6.58 ng
RT: 7.904 min Scan# 989
Delta R.T. -0.029 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07


Tgt Ion:122 Resp: 11660
Ion Ratio Lower Upper
122 100
105 85.9 107.8 147.8#
77 77.8 81.6 121.6#








#33
4-Chloroaniline
Concen: 5.75 ng
RT: 8.245 min Scan# 1047
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS







Tgt Ion:	127	Resp:	24471
Ion	Ratio	Lower	Upper
127	100		
129	35.6	25.7	38.5
65	39.9	34.5	51.7
92	20.5	17.4	26.0



#34
Hexachlorobutadiene
Concen: 9.59 ng
RT: 8.316 min Scan# 1059
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	225	Resp:	23058
Ion	Ratio	Lower	Upper
225	100		
223	51.6	50.4	75.6
227	56.0	51.4	77.0









#35
Caprolactam
Concen: 8.57 ng
RT: 8.580 min Scan# 1104
Delta R.T. -0.035 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:113 Resp: 7624
Ion Ratio Lower Upper
113 100
55 264.7 254.9 294.9
56 176.3 179.4 219.4#



#36
4-Chloro-3-methylphenol
Concen: 7.54 ng
RT: 8.722 min Scan# 1128
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:107 Resp: 26918
Ion Ratio Lower Upper
107 100
144 27.6 16.3 24.5#
142 81.5 50.1 75.1#









#37
2-Methylnaphthalene
Concen: 8.07 ng
RT: 8.892 min Scan# 1157
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:142 Resp: 61091
Ion Ratio Lower Upper
142 100
141 94.8 71.8 107.6



#38
1-Methylnaphthalene
Concen: 7.91 ng
RT: 8.986 min Scan# 1173
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:142 Resp: 55861
Ion Ratio Lower Upper
142 100
141 90.8 72.8 109.2









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS

Tgt Ion:164 Resp: 90146




Ion	Ratio	Lower	Upper
164	100		
162	102.9	80.7	121.1
160	43.8	37.3	55.9




#40
1,2,4,5-Tetrachlorobenzene
Concen: 9.18 ng
RT: 9.057 min Scan# 1185
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:216 Resp: 29853

Ion	Ratio	Lower	Upper
216	100		
214	79.0	63.8	95.8
179	23.6	17.9	26.9
108	18.8	18.6	28.0









#41
Hexachlorocyclopentadiene
Concen: 2.79 ng
RT: 9.045 min Scan# 1183
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:	237	Resp:	5762
Ion	Ratio	Lower	Upper
237	100		
235	76.9	38.8	78.8
272	14.2	0.0	32.4



#42
2,4,6-Tribromophenol
Concen: 22.64 ng
RT: 10.721 min Scan# 1468
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	330	Resp:	24511
Ion	Ratio	Lower	Upper
330	100		
332	94.5	77.1	115.7
141	36.4	27.9	41.9









#43
2,4,6-Trichlorophenol
Concen: 8.62 ng
RT: 9.163 min Scan# 1203
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:196 Resp: 18192
Ion Ratio Lower Upper
196 100
198 91.7 78.2 117.2
200 32.8 25.0 37.6



#44
2,4,5-Trichlorophenol
Concen: 8.72 ng
RT: 9.204 min Scan# 1210
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:196 Resp: 19118
Ion Ratio Lower Upper
196 100
198 104.6 76.5 114.7
97 54.9 52.9 79.3
132 35.3 25.3 37.9









#45
2-Fluorobiphenyl
Concen: 17.19 ng
RT: 9.251 min Scan# 1218
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:172 Resp: 125912
Ion Ratio Lower Upper
172 100
171 37.8 28.1 42.1
170 23.2 19.2 28.8



#46
1,1'-Biphenyl
Concen: 9.28 ng
RT: 9.351 min Scan# 1235
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:154 Resp: 73650
Ion Ratio Lower Upper
154 100
153 47.0 20.7 60.7
76 12.7 0.0 31.7









#47
2-Chloronaphthalene
Concen: 8.53 ng
RT: 9.374 min Scan# 1239
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:162 Resp: 53768
Ion Ratio Lower Upper
162 100
127 41.1 36.2 54.2
164 30.4 25.4 38.2



#48
2-Nitroaniline
Concen: 10.34 ng
RT: 9.469 min Scan# 1255
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion: 65 Resp: 22019
Ion Ratio Lower Upper
65 100
92 59.6 47.1 70.7
138 81.3 70.2 105.2





#49

Acenaphthylene

Concen: 8.69 ng

RT: 9.792 min Scan# 1310

Delta R.T. -0.012 min

Lab File: BF124056.D

Acq: 25 May 2021 21:07





Tgt Ion:152 Resp: 80969

Ion Ratio Lower Upper

152 100

151 22.3 16.0 24.0

153 12.9 10.4 15.6



#50

Dimethylphthalate

Concen: 11.40 ng

RT: 9.645 min Scan# 1285

Delta R.T. -0.018 min

Lab File: BF124056.D

Acq: 25 May 2021 21:07




Tgt Ion:163 Resp: 82063


Ion Ratio Lower Upper

163 100

194 3.9 3.1 4.7

164 9.9 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 8.92 ng
RT: 9.710 min Scan# 1296
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:165 Resp: 12978
Ion Ratio Lower Upper
165 100
63 82.1 67.7 101.5
89 60.8 58.8 88.2



#52
Acenaphthene
Concen: 7.84 ng
RT: 9.969 min Scan# 1340
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:154 Resp: 50027
Ion Ratio Lower Upper
154 100
153 112.4 88.1 132.1
152 55.8 43.4 65.0









#53
3-Nitroaniline
Concen: 7.28 ng
RT: 9.874 min Scan# 1324
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS

Tgt Ion:138 Resp: 10529




Ion	Ratio	Lower	Upper
138	100		
108	14.2	10.2	15.4
92	143.3	103.3	154.9




#54
2,4-Dinitrophenol
Concen: 10.20 ng
RT: 9.986 min Scan# 1343
Delta R.T. 0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:184 Resp: 2512

Ion	Ratio	Lower	Upper
184	100		
63	73.9	73.5	110.3
154	70.4	52.5	78.7









#55
Dibenzenofuran
Concen: 8.31 ng
RT: 10.139 min Scan# 1369
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:168 Resp: 76093
Ion Ratio Lower Upper
168 100
139 39.4 33.2 49.8
169 13.5 10.8 16.2



#56
4-Nitrophenol
Concen: 15.43 ng
RT: 10.033 min Scan# 1351
Delta R.T. 0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:139 Resp: 18461
Ion Ratio Lower Upper
139 100
109 87.3 63.2 103.2
65 104.8 110.0 150.0#









#57
2,4-Dinitrotoluene
Concen: 9.75 ng
RT: 10.110 min Scan# 1364
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:	165	Resp:	17413
Ion Ratio	Lower	Upper	
165	100		
63	57.6	43.5	65.3
89	85.3	67.7	101.5
182	3.7	2.1	3.1#



#58
Fluorene
Concen: 8.39 ng
RT: 10.480 min Scan# 1427
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	166	Resp:	57936
Ion Ratio	Lower	Upper	
166	100		
165	98.2	73.5	110.3
167	13.9	10.7	16.1









#59
2,3,4,6-Tetrachlorophenol
Concen: 7.49 ng
RT: 10.257 min Scan# 1389
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS

Tgt Ion:232 Resp: 13496




Ion	Ratio	Lower	Upper
232	100		
131	53.7	43.2	64.8
130	1.0	2.2	3.2#
166	31.9	27.3	40.9




#60
Diethylphthalate
Concen: 9.25 ng
RT: 10.345 min Scan# 1404
Delta R.T. -0.018 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:149 Resp: 65916

Ion	Ratio	Lower	Upper
149	100		
177	21.7	15.4	23.2
150	14.6	9.9	14.9









#61
4-Chlorophenyl-phenylether
Concen: 8.31 ng
RT: 10.474 min Scan# 1426
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:204 Resp: 28753
Ion Ratio Lower Upper
204 100
206 34.5 25.7 38.5
141 67.4 55.5 83.3



#62
4-Nitroaniline
Concen: 8.63 ng
RT: 10.486 min Scan# 1428
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:138 Resp: 12412
Ion Ratio Lower Upper
138 100
92 56.0 35.8 75.8
108 100.3 63.6 103.6









#63
Azobenzene
Concen: 7.60 ng
RT: 10.633 min Scan# 1453
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:	77	Resp:	60282
Ion Ratio	Lower	Upper	
77	100		
182	26.0	1.7	41.7
105	20.2	1.7	41.7
51	38.3	15.9	55.9



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.421 min Scan# 1587
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	188	Resp:	134689
Ion Ratio	Lower	Upper	
188	100		
94	8.7	6.9	10.3
80	11.3	8.2	12.2









#65
4,6-Dinitro-2-methylphenol
Concen: 7.56 ng
RT: 10.521 min Scan# 1434
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:198 Resp: 2072
Ion Ratio Lower Upper
198 100
51 54.2 64.8 104.8#
105 59.6 42.6 82.6



#66
n-Nitrosodiphenylamine
Concen: 9.52 ng
RT: 10.586 min Scan# 1445
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:169 Resp: 49004
Ion Ratio Lower Upper
169 100
168 68.2 53.3 79.9
167 35.5 29.9 44.9









#67
4-Bromophenyl-phenylether
Concen: 8.65 ng
RT: 10.963 min Scan# 1509
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:	248	Resp:	15319
Ion	Ratio	Lower	Upper
248	100		
250	106.4	77.4	116.2
141	87.0	63.7	95.5



#68
Hexachlorobenzene
Concen: 8.83 ng
RT: 11.033 min Scan# 1521
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	284	Resp:	17458
Ion	Ratio	Lower	Upper
284	100		
142	28.9	28.3	42.5
249	30.7	23.5	35.3









#69
Atrazine
Concen: 11.15 ng
RT: 11.110 min Scan# 1534
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:200 Resp: 16205
Ion Ratio Lower Upper
200 100
173 30.5 6.9 46.9
215 42.2 26.5 66.5



#70
Pentachlorophenol
Concen: 11.65 ng
RT: 11.227 min Scan# 1554
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:266 Resp: 13653
Ion Ratio Lower Upper
266 100
268 61.9 51.6 77.4
264 69.1 52.6 78.8









#71
Phenanthrene
Concen: 10.05 ng
RT: 11.445 min Scan# 1591
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:178 Resp: 85760
Ion Ratio Lower Upper
178 100
176 17.1 15.6 23.4
179 13.0 12.5 18.7



#72
Anthracene
Concen: 8.91 ng
RT: 11.498 min Scan# 1600
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:178 Resp: 77079
Ion Ratio Lower Upper
178 100
176 18.8 15.4 23.0
179 15.2 12.6 18.8









#73
Carbazole
Concen: 8.02 ng
RT: 11.651 min Scan# 1626
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:167	Resp: 60666
Ion Ratio	Lower Upper
167	100
166	24.4 17.0 25.6
139	11.8 10.4 15.6



#74
Di-n-butylphthalate
Concen: 9.58 ng
RT: 11.980 min Scan# 1682
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:149	Resp: 90714
Ion Ratio	Lower Upper
149	100
150	9.7 7.8 11.8
104	4.8 4.6 6.8









#75
Fluoranthene
Concen: 11.43 ng
RT: 12.639 min Scan# 1794
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:	202	Resp:	101038
Ion	Ratio	Lower	Upper
202	100		
101	9.6	0.0	30.9
203	16.7	0.0	37.5



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.068 min Scan# 2037
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	240	Resp:	112577
Ion	Ratio	Lower	Upper
240	100		
120	7.7	7.2	10.8
236	22.2	19.0	28.4









#77
Benzidine
Concen: 14.40 ng
RT: 12.757 min Scan# 1814
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:184 Resp: 39110
Ion Ratio Lower Upper
184 100
185 15.4 12.1 18.1
183 14.5 7.8 11.8#



#78
Pyrene
Concen: 9.58 ng
RT: 12.868 min Scan# 1833
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:202 Resp: 95753
Ion Ratio Lower Upper
202 100
200 22.2 16.1 24.1
203 15.5 14.8 22.2









#79
Terphenyl-d14
Concen: 13.55 ng
RT: 13.004 min Scan# 1856
Delta R.T. -0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:244 Resp: 100704
Ion Ratio Lower Upper
244 100
212 7.2 5.7 8.5
122 10.0 9.7 14.5



#80
Butylbenzylphthalate
Concen: 8.83 ng
RT: 13.480 min Scan# 1937
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:149 Resp: 34621
Ion Ratio Lower Upper
149 100
91 84.1 63.6 95.4
206 18.5 14.5 21.7









#81
Benzo(a)anthracene
Concen: 9.65 ng
RT: 14.057 min Scan# 2035
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:	228	Resp:	78557
Ion	Ratio	Lower	Upper
228	100		
226	24.1	22.4	33.6
229	20.1	16.0	24.0



#82
3,3'-Dichlorobenzidine
Concen: 7.15 ng
RT: 14.015 min Scan# 2028
Delta R.T. -0.000 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	252	Resp:	18091
Ion	Ratio	Lower	Upper
252	100		
254	61.4	51.1	76.7
126	12.1	7.7	11.5









#83
Chrysene
Concen: 9.87 ng
RT: 14.092 min Scan# 2041
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:	228	Resp:	77315
Ion Ratio	Lower	Upper	
228	100		
226	30.0	24.3	36.5
229	20.6	16.2	24.2



#84
Bis(2-ethylhexyl)phthalate
Concen: 9.02 ng
RT: 14.045 min Scan# 2033
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	149	Resp:	49912
Ion Ratio	Lower	Upper	
149	100		
167	25.8	21.8	32.6
279	5.6	3.3	4.9#









#85
Di-n-octyl phthalate
Concen: 10.21 ng
RT: 14.662 min Scan# 2138
Delta R.T. -0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:149 Resp: 85386
Ion Ratio Lower Upper
149 100
167 2.5 1.2 1.8#
43 15.7 11.8 17.6



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.562 min Scan# 2291
Delta R.T. 0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:264 Resp: 92760
Ion Ratio Lower Upper
264 100
260 26.0 18.7 28.1
265 21.0 17.8 26.8









#87
Indeno(1,2,3-cd)pyrene
Concen: 7.39 ng
RT: 17.068 min Scan# 2547
Delta R.T. 0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07




Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS


Tgt Ion:276 Resp: 52932
Ion Ratio Lower Upper
276 100
138 24.8 16.2 24.2#
277 29.1 20.1 30.1



#88
Benzo(b)fluoranthene
Concen: 10.09 ng
RT: 15.121 min Scan# 2216
Delta R.T. 0.006 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:252 Resp: 72407
Ion Ratio Lower Upper
252 100
253 23.1 18.1 27.1
125 9.7 6.2 9.4#





#89

Benzo(k)fluoranthene

Concen: 10.15 ng

RT: 15.151 min Scan# 2221

Delta R.T. -0.000 min

Lab File: BF124056.D

Acq: 25 May 2021 21:07





Instrument :

BNA_F

ClientSampleId :

OK-01-052421MS

Tgt Ion:252	Resp:	66382
Ion Ratio	Lower	Upper
252	100	
253	26.1	17.9 26.9
125	10.4	7.0 10.6



#90

Benzo(a)pyrene

Concen: 10.31 ng




RT: 15.498 min Scan# 2280


Delta R.T. 0.006 min

Lab File: BF124056.D

Acq: 25 May 2021 21:07

Tgt Ion:252	Resp:	63946
Ion Ratio	Lower	Upper
252	100	
253	22.2	18.4 27.6
125	14.4	8.0 12.0#









#91
Dibenzo(a,h)anthracene
Concen: 7.49 ng
RT: 17.086 min Scan# 2550
Delta R.T. 0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Instrument :
BNA_F
ClientSampleId :
OK-01-052421MS

Tgt Ion:	278	Resp:	45162
Ion Ratio	Lower	Upper	
278	100		
139	14.2	10.2	15.2
279	22.9	19.4	29.0



#92
Benzo(g,h,i)perylene
Concen: 7.07 ng
RT: 17.521 min Scan# 2624
Delta R.T. 0.012 min
Lab File: BF124056.D
Acq: 25 May 2021 21:07

Tgt Ion:	276	Resp:	42790
Ion Ratio	Lower	Upper	
276	100		
277	22.9	18.2	27.2
138	19.3	13.8	20.6

