

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060623\
 Data File : BF133608.D
 Acq On : 07 Jun 2023 01:38
 Operator : CG\JU
 Sample : 03018-01
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 277

Quant Time: Jun 07 04:29:08 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052523.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 06 14:05:12 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.834	152	129762	20.000	ng	0.00
21) Naphthalene-d8	8.116	136	458264	20.000	ng	0.00
39) Acenaphthene-d10	9.875	164	192069	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	314567	20.000	ng	0.00
76) Chrysene-d12	14.010	240	169655	20.000	ng	# 0.00
86) Perylene-d12	15.474	264	150051	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	501064	64.426	ng	0.00
7) Phenol-d6	6.457	99	661388	69.082	ng	0.00
23) Nitrobenzene-d5	7.398	82	414260	60.357	ng	0.00
42) 2,4,6-Tribromophenol	10.663	330	77098	40.269	ng	0.00
45) 2-Fluorobiphenyl	9.192	172	762351	61.261	ng	0.00
79) Terphenyl-d14	12.951	244	653121	68.447	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060623\
Data File : BF133608.D
Acq On : 07 Jun 2023 01:38
Operator : CG\JU
Sample : 03018-01
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
277

Quant Time: Jun 07 04:29:08 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052523.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 06 14:05:12 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.834 min Scan# 808
Delta R.T. -0.000 min
Lab File: BF133608.D
Acq: 07 Jun 2023 01:38




Instrument :
BNA_F
ClientSampleId :
277


Tgt Ion:152 Resp: 129762
Ion Ratio Lower Upper
152 100
150 158.7 124.9 187.3
115 61.6 48.1 72.1



#5
2-Fluorophenol
Concen: 64.426 ng
RT: 5.446 min Scan# 571
Delta R.T. 0.000 min
Lab File: BF133608.D
Acq: 07 Jun 2023 01:38

Tgt Ion:112 Resp: 501064
Ion Ratio Lower Upper
112 100
64 61.6 50.1 75.1
63 33.5 27.5 41.3









#7
Phenol-d6
Concen: 69.082 ng
RT: 6.457 min Scan# 744
Delta R.T. -0.006 min
Lab File: BF133608.D
Acq: 07 Jun 2023 01:38




Instrument :
BNA_F
ClientSampleId :
277


Tgt Ion: 99 Resp: 661388
Ion Ratio Lower Upper
99 100
42 23.4 19.7 29.5
71 37.8 29.8 44.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.116 min Scan# 1025
Delta R.T. -0.006 min
Lab File: BF133608.D
Acq: 07 Jun 2023 01:38

Tgt Ion: 136 Resp: 458264
Ion Ratio Lower Upper
136 100
137 11.2 8.2 12.4
54 9.8 6.6 10.0
68 6.4 4.6 7.0





#23

Nitrobenzene-d5

Concen: 60.357 ng

RT: 7.398 min Scan# 905

Delta R.T. -0.006 min

Lab File: BF133608.D

Acq: 07 Jun 2023 01:38

Instrument :

BNA_F

ClientSampleId :

277





Tgt Ion: 82 Resp: 414260

Ion Ratio Lower Upper

82 100

128 44.9 34.2 51.4

54 57.8 48.2 72.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.875 min Scan# 1324

Delta R.T. 0.000 min

Lab File: BF133608.D

Acq: 07 Jun 2023 01:38




Tgt Ion:164 Resp: 192069


Ion Ratio Lower Upper

164 100

162 101.1 79.7 119.5

160 45.2 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 40.269 ng
RT: 10.663 min Scan# 1459
Delta R.T. -0.006 min
Lab File: BF133608.D
Acq: 07 Jun 2023 01:38




Instrument :
BNA_F
ClientSampleId :
277


Tgt Ion:330 Resp: 77098
Ion Ratio Lower Upper
330 100
332 95.6 77.8 116.6
141 31.7 26.6 40.0



#45
2-Fluorobiphenyl
Concen: 61.261 ng
RT: 9.192 min Scan# 1208
Delta R.T. -0.006 min
Lab File: BF133608.D
Acq: 07 Jun 2023 01:38

Tgt Ion:172 Resp: 762351
Ion Ratio Lower Upper
172 100
171 35.1 28.4 42.6
170 23.3 19.3 28.9





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.363 min Scan# 1577

Delta R.T. 0.000 min

Lab File: BF133608.D

Acq: 07 Jun 2023 01:38

Instrument :

BNA_F

ClientSampleId :

277





Tgt Ion:188 Resp: 314567

Ion Ratio Lower Upper

188 100

94 9.9 8.6 12.8

80 10.5 9.2 13.8



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.010 min Scan# 2027

Delta R.T. 0.000 min

Lab File: BF133608.D

Acq: 07 Jun 2023 01:38




Tgt Ion:240 Resp: 169655


Ion Ratio Lower Upper

240 100

120 10.1 10.3 15.5#

236 25.3 20.5 30.7









#79
Terphenyl-d14
Concen: 68.447 ng
RT: 12.951 min Scan# 1847
Delta R.T. -0.006 min
Lab File: BF133608.D
Acq: 07 Jun 2023 01:38

Instrument :
BNA_F
ClientSampleId :
277

Tgt Ion:244 Resp: 653121
Ion Ratio Lower Upper
244 100
212 6.6 5.8 8.6
122 11.4 8.5 12.7



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.474 min Scan# 2276
Delta R.T. 0.006 min
Lab File: BF133608.D
Acq: 07 Jun 2023 01:38

Tgt Ion:264 Resp: 150051
Ion Ratio Lower Upper
264 100
260 24.1 19.0 28.4
265 21.5 16.8 25.2

