

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060923\
 Data File : BF133684.D
 Acq On : 09 Jun 2023 19:33
 Operator : CG\JU
 Sample : 03029-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-6

Quant Time: Jun 09 22:25:47 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 09 15:37:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.840	152	86042	20.000	ng	0.00
21) Naphthalene-d8	8.122	136	301414	20.000	ng	0.00
39) Acenaphthene-d10	9.875	164	128616	20.000	ng	0.00
64) Phenanthrene-d10	11.369	188	207862	20.000	ng	0.00
76) Chrysene-d12	14.010	240	136921	20.000	ng	0.00
86) Perylene-d12	15.480	264	101371	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.451	112	454376	91.935	ng	0.00
7) Phenol-d6	6.469	99	544933	84.705	ng	0.00
23) Nitrobenzene-d5	7.404	82	360137	65.078	ng	0.00
42) 2,4,6-Tribromophenol	10.669	330	125355	76.997	ng	0.00
45) 2-Fluorobiphenyl	9.198	172	563696	62.302	ng	0.00
79) Terphenyl-d14	12.957	244	498219	56.304	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060923\
Data File : BF133684.D
Acq On : 09 Jun 2023 19:33
Operator : CG\JU
Sample : 03029-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-6

Quant Time: Jun 09 22:25:47 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 09 15:37:41 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.840 min Scan# 808
Delta R.T. -0.000 min
Lab File: BF133684.D
Acq: 09 Jun 2023 19:33




Instrument :
BNA_F
ClientSampleId :
TP-6


Tgt Ion:152 Resp: 86042
Ion Ratio Lower Upper
152 100
150 157.1 124.3 186.5
115 59.7 48.5 72.7



#5
2-Fluorophenol
Concen: 91.935 ng
RT: 5.451 min Scan# 572
Delta R.T. 0.000 min
Lab File: BF133684.D
Acq: 09 Jun 2023 19:33

Tgt Ion:112 Resp: 454376
Ion Ratio Lower Upper
112 100
64 65.7 49.0 73.4
63 37.8 26.8 40.2









#7
Phenol-d6
Concen: 84.705 ng
RT: 6.469 min Scan# 745
Delta R.T. -0.000 min
Lab File: BF133684.D
Acq: 09 Jun 2023 19:33




Instrument :
BNA_F
ClientSampleId :
TP-6

Tgt Ion: 99 Resp: 544933
Ion Ratio Lower Upper
99 100
42 25.4 19.9 29.9
71 42.6 32.2 48.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.122 min Scan# 1026
Delta R.T. -0.000 min
Lab File: BF133684.D
Acq: 09 Jun 2023 19:33

Tgt Ion: 136 Resp: 301414
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 8.5 7.4 11.0
68 5.1 4.4 6.6





#23

Nitrobenzene-d5

Concen: 65.078 ng

RT: 7.404 min Scan# 905

Delta R.T. -0.006 min

Lab File: BF133684.D

Acq: 09 Jun 2023 19:33

Instrument :

BNA_F

ClientSampleId :

TP-6





Tgt Ion: 82 Resp: 360137

Ion Ratio Lower Upper

82 100

128 42.9 34.2 51.2

54 58.1 46.5 69.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.875 min Scan# 1324

Delta R.T. -0.006 min

Lab File: BF133684.D

Acq: 09 Jun 2023 19:33




Tgt Ion: 164 Resp: 128616


Ion Ratio Lower Upper

164 100

162 102.8 80.8 121.2

160 45.2 36.7 55.1





#42

2,4,6-Tribromophenol

Concen: 76.997 ng

RT: 10.669 min Scan# 1459

Delta R.T. -0.006 min

Lab File: BF133684.D

Acq: 09 Jun 2023 19:33

Instrument :

BNA_F

ClientSampleId :

TP-6





Tgt Ion:330 Resp: 125355

Ion Ratio Lower Upper

330 100

332 95.7 77.2 115.8

141 33.1 24.9 37.3



#45

2-Fluorobiphenyl

Concen: 62.302 ng

RT: 9.198 min Scan# 1209

Delta R.T. -0.006 min

Lab File: BF133684.D

Acq: 09 Jun 2023 19:33




Tgt Ion:172 Resp: 563696

Ion Ratio Lower Upper

172 100

171 34.9 28.6 43.0

170 23.9 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.369 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF133684.D
Acq: 09 Jun 2023 19:33




Instrument :
BNA_F
ClientSampleId :
TP-6

Tgt Ion:188 Resp: 207862
Ion Ratio Lower Upper
188 100
94 7.3 6.8 10.2
80 8.6 7.8 11.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.010 min Scan# 2027
Delta R.T. -0.006 min
Lab File: BF133684.D
Acq: 09 Jun 2023 19:33


Tgt Ion:240 Resp: 136921
Ion Ratio Lower Upper
240 100
120 10.9 8.1 12.1
236 24.9 20.5 30.7








#79
 Terphenyl-d14
 Concen: 56.304 ng
 RT: 12.957 min Scan# 1848
 Delta R.T. -0.000 min
 Lab File: BF133684.D
 Acq: 09 Jun 2023 19:33


Instrument :
 BNA_F
 ClientSampleId :
 TP-6



Tgt Ion:244 Resp: 498219
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.4 8.2
 122 9.4 8.1 12.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.480 min Scan# 2277
 Delta R.T. -0.000 min
 Lab File: BF133684.D
 Acq: 09 Jun 2023 19:33



Tgt Ion:264 Resp: 101371
 Ion Ratio Lower Upper
 264 100
 260 23.2 18.2 27.2
 265 20.2 17.8 26.6

