

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF061219\
 Data File : BF114981.D
 Acq On : 12 Jun 2019 18:10
 Operator : HP/JU
 Sample : PB120290BL
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB120290BL

Quant Time: Jun 13 03:31:02 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 12 15:42:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.65	152	265686	20.00	ng	0.00
21) Naphthalene-d8	7.93	136	1035085	20.00	ng	0.00
39) Acenaphthene-d10	9.67	164	509215	20.00	ng	0.00
64) Phenanthrene-d10	11.15	188	1030334	20.00	ng	-0.01
76) Chrysene-d12	13.77	240	804222	20.00	ng	-0.01
87) Perylene-d12	15.14	264	769707	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	1816791	114.18	ng	0.00
7) Phenol-d6	6.29	99	2265561	118.04	ng	0.00
23) Nitrobenzene-d5	7.21	82	1403671	81.63	ng	0.00
42) 2,4,6-Tribromophenol	10.46	330	669428	122.76	ng	0.00
45) 2-Fluorobiphenyl	9.00	172	2631856	87.60	ng	0.00
79) Terphenyl-d14	12.73	244	2923511	68.37	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF061219\
Data File : BF114981.D
Acq On : 12 Jun 2019 18:10
Operator : HP/JU
Sample : PB120290BL
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB120290BL

Quant Time: Jun 13 03:31:02 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 12 15:42:37 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.65 min Scan# 775
Delta R.T. -0.01 min
Lab File: BF114981.D
Acq: 12 Jun 2019 18:10

Instrument :
BNA_F
ClientSampleId :
PB120290BL

Tot Ion:152 Resp: 265686
Ion Ratio Lower Upper
152 100
150 152.1 127.4 191.0
115 58.3 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 114.182 ng
RT: 5.26 min Scan# 540
Delta R.T. 0.01 min
Lab File: BF114981.D
Acq: 12 Jun 2019 18:10

Tgt Ion:112 Resp: 1816791
Ion Ratio Lower Upper
112 100
64 55.4 41.6 62.4
63 28.8 20.9 31.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 118.037 ng

RT: 6.29 min Scan# 715

Delta R.T. -0.01 min

Lab File: BF114981.D

Acq: 12 Jun 2019 18:10

Instrument :

BNA_F

ClientSampleId :

PB120290BL


Tot Ion: 99 Resp: 2265561

Ion Ratio Lower Upper




99 100

42 17.0 13.4 20.2

71 34.6 26.4 39.6



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.93 min Scan# 993

Delta R.T. -0.01 min

Lab File: BF114981.D

Acq: 12 Jun 2019 18:10

Tgt Ion: 136 Resp: 1035085


Ion Ratio Lower Upper

136 100



137 10.9 9.0 13.4


54 6.2 5.4 8.0

68 5.5 4.6 7.0



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
 Nitrobenzene-d5
 Concen: 81.626 ng
 RT: 7.21 min Scan# 871
 Delta R.T. -0.01 min
 Lab File: BF114981.D
 Acq: 12 Jun 2019 18:10




Instrument :
 BNA_F
 ClientSampleId :
 PB120290BL

Tot Ion: 82 Resp: 1403671

Ion	Ratio	Lower	Upper
82	100		
128	51.9	39.9	59.9
54	45.8	37.3	55.9




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1





#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.67 min Scan# 1290
 Delta R.T. -0.01 min
 Lab File: BF114981.D
 Acq: 12 Jun 2019 18:10


Tgt Ion:164 Resp: 509215

Ion	Ratio	Lower	Upper
164	100		
162	101.9	82.6	124.0
160	45.8	36.9	55.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#42
 2,4,6-Tribromophenol
 Concen: 122.764 ng
 RT: 10.46 min Scan# 1424
 Delta R.T. -0.01 min
 Lab File: BF114981.D
 Acq: 12 Jun 2019 18:10

Instrument :
 BNA_F
 ClientSampleId :
 PB120290BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	77.6	116.4
141	32.8	27.2	40.8






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 87.597 ng
 RT: 9.00 min Scan# 1176
 Delta R.T. -0.01 min
 Lab File: BF114981.D
 Acq: 12 Jun 2019 18:10

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.7	29.8	44.6
170	25.7	20.6	31.0






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.15 min Scan# 1540
Delta R.T. -0.01 min
Lab File: BF114981.D
Acq: 12 Jun 2019 18:10

Instrument :
BNA_F
ClientSampled :
PB120290BL

Tot Ion:188 Resp: 1030334
Ion Ratio Lower Upper
188 100
94 10.5 7.2 10.8
80 11.0 7.4 11.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.77 min Scan# 1986
Delta R.T. -0.01 min
Lab File: BF114981.D
Acq: 12 Jun 2019 18:10

Tgt Ion:240 Resp: 804222
Ion Ratio Lower Upper
240 100
120 12.7 10.0 15.0
236 26.6 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 68.373 ng
 RT: 12.73 min Scan# 1810
 Delta R.T. -0.01 min
 Lab File: BF114981.D
 Acq: 12 Jun 2019 18:10

Instrument :
 BNA_F
 ClientSampleId :
 PB120290BL

Tot Ion:244 Resp: 2923511

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.8
122	12.8	9.4	14.0



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.14 min Scan# 2220
 Delta R.T. -0.01 min
 Lab File: BF114981.D
 Acq: 12 Jun 2019 18:10

Tgt Ion:264 Resp: 769707

Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.9	29.9
265	21.7	17.6	26.4

