

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061523\
 Data File : BF133770.D
 Acq On : 15 Jun 2023 12:26
 Operator : CG\JU
 Sample : 03167-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-4-GA

Quant Time: Jun 15 13:14:53 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 14 16:27:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.828	152	105676	20.000	ng	0.00
21) Naphthalene-d8	8.110	136	398044	20.000	ng	0.00
39) Acenaphthene-d10	9.869	164	203656	20.000	ng	0.00
64) Phenanthrene-d10	11.357	188	397614	20.000	ng	0.00
76) Chrysene-d12	13.998	240	259418	20.000	ng	-0.01
86) Perylene-d12	15.457	264	265992	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.451	112	714015	117.626	ng	0.00
7) Phenol-d6	6.463	99	861452	109.026	ng	0.00
23) Nitrobenzene-d5	7.392	82	595081	81.428	ng	-0.01
42) 2,4,6-Tribromophenol	10.657	330	286407	111.100	ng	-0.01
45) 2-Fluorobiphenyl	9.192	172	1060786	74.043	ng	0.00
79) Terphenyl-d14	12.945	244	1205465	71.902	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061523\
Data File : BF133770.D
Acq On : 15 Jun 2023 12:26
Operator : CG\JU
Sample : 03167-01
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-4-GA

Quant Time: Jun 15 13:14:53 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 14 16:27:59 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.828 min Scan# 808
Delta R.T. -0.006 min
Lab File: BF133770.D
Acq: 15 Jun 2023 12:26




Instrument :
BNA_F
ClientSampleId :
TP-4-GA


Tgt Ion:152 Resp: 105676
Ion Ratio Lower Upper
152 100
150 155.6 124.3 186.5
115 60.3 48.5 72.7



#5
2-Fluorophenol
Concen: 117.626 ng
RT: 5.451 min Scan# 572
Delta R.T. 0.006 min
Lab File: BF133770.D
Acq: 15 Jun 2023 12:26

Tgt Ion:112 Resp: 714015
Ion Ratio Lower Upper
112 100
64 58.8 49.0 73.4
63 33.3 26.8 40.2









#7
Phenol-d6
Concen: 109.026 ng
RT: 6.463 min Scan# 745
Delta R.T. -0.006 min
Lab File: BF133770.D
Acq: 15 Jun 2023 12:26




Instrument :
BNA_F
ClientSampleId :
TP-4-GA


Tgt Ion: 99 Resp: 861452
Ion Ratio Lower Upper
99 100
42 24.3 19.9 29.9
71 40.6 32.2 48.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.110 min Scan# 1024
Delta R.T. -0.006 min
Lab File: BF133770.D
Acq: 15 Jun 2023 12:26

Tgt Ion: 136 Resp: 398044
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 9.1 7.4 11.0
68 5.5 4.4 6.6





#23

Nitrobenzene-d5

Concen: 81.428 ng

RT: 7.392 min Scan# 905

Delta R.T. -0.012 min

Lab File: BF133770.D

Acq: 15 Jun 2023 12:26

Instrument :

BNA_F

ClientSampleId :

TP-4-GA





Tgt Ion: 82 Resp: 595081

Ion Ratio Lower Upper

82 100

128 40.9 34.2 51.2

54 61.1 46.5 69.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.869 min Scan# 1323

Delta R.T. -0.006 min

Lab File: BF133770.D

Acq: 15 Jun 2023 12:26




Tgt Ion:164 Resp: 203656


Ion Ratio Lower Upper

164 100

162 98.8 80.8 121.2

160 45.8 36.7 55.1





#42

2,4,6-Tribromophenol

Concen: 111.100 ng

RT: 10.657 min Scan# 1457

Delta R.T. -0.012 min

Lab File: BF133770.D


Acq: 15 Jun 2023 12:26

Instrument :

BNA_F

ClientSampleId :

TP-4-GA






Tgt Ion:330 Resp: 286407

Ion Ratio Lower Upper

330 100

332 96.1 77.2 115.8

141 33.2 24.9 37.3



#45

2-Fluorobiphenyl

Concen: 74.043 ng

RT: 9.192 min Scan# 1208

Delta R.T. -0.000 min

Lab File: BF133770.D

Acq: 15 Jun 2023 12:26




Tgt Ion:172 Resp: 1060786


Ion Ratio Lower Upper

172 100

171 36.0 28.6 43.0

170 23.8 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.357 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF133770.D

Acq: 15 Jun 2023 12:26

Instrument :

BNA_F

ClientSampleId :

TP-4-GA





Tgt Ion:188 Resp: 397614

Ion Ratio Lower Upper

188 100

94 7.8 6.8 10.2

80 8.5 7.8 11.6



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.998 min Scan# 2025

Delta R.T. -0.012 min

Lab File: BF133770.D

Acq: 15 Jun 2023 12:26




Tgt Ion:240 Resp: 259418


Ion Ratio Lower Upper

240 100

120 10.5 8.1 12.1

236 25.2 20.5 30.7









#79
 Terphenyl-d14
 Concen: 71.902 ng
 RT: 12.945 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF133770.D
 Acq: 15 Jun 2023 12:26

Instrument :
 BNA_F
 ClientSampleId :
 TP-4-GA

Tgt Ion:244 Resp: 1205465
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.4 8.2
 122 10.6 8.1 12.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.457 min Scan# 2273
 Delta R.T. -0.012 min
 Lab File: BF133770.D
 Acq: 15 Jun 2023 12:26

Tgt Ion:264 Resp: 265992
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.2 27.2
 265 21.7 17.8 26.6

