

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061523\
 Data File : BF133794.D
 Acq On : 16 Jun 2023 01:36
 Operator : CG\JU
 Sample : 03235-03
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-PLEASANT

Quant Time: Jun 16 03:03:17 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 15 15:12:57 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.828	152	115168	20.000	ng	0.00
21) Naphthalene-d8	8.110	136	450489	20.000	ng	0.00
39) Acenaphthene-d10	9.869	164	227744	20.000	ng	0.00
64) Phenanthrene-d10	11.357	188	401996	20.000	ng	0.00
76) Chrysene-d12	13.998	240	205749	20.000	ng	0.00
86) Perylene-d12	15.457	264	225710	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	548555	82.921	ng	0.00
7) Phenol-d6	6.457	99	686425	79.714	ng	0.00
23) Nitrobenzene-d5	7.392	82	453575	54.840	ng	0.00
42) 2,4,6-Tribromophenol	10.657	330	185551	64.364	ng	0.00
45) 2-Fluorobiphenyl	9.186	172	846308	52.824	ng	0.00
79) Terphenyl-d14	12.945	244	666670	50.137	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061523\
Data File : BF133794.D
Acq On : 16 Jun 2023 01:36
Operator : CG\JU
Sample : 03235-03
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B-PLEASANT

Quant Time: Jun 16 03:03:17 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 15 15:12:57 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.828 min Scan# 80
Delta R.T. -0.006 min
Lab File: BF133794.D
Acq: 16 Jun 2023 01:36




Instrument :
BNA_F
ClientSampleId :
B-PLEASANT


Tgt Ion:152 Resp: 115168
Ion Ratio Lower Upper
152 100
150 160.8 124.3 186.5
115 63.9 48.5 72.7



#5
2-Fluorophenol
Concen: 82.921 ng
RT: 5.446 min Scan# 571
Delta R.T. 0.006 min
Lab File: BF133794.D
Acq: 16 Jun 2023 01:36


Tgt Ion:112 Resp: 548555
Ion Ratio Lower Upper
112 100
64 60.9 49.0 73.4
63 35.0 26.8 40.2








#7
Phenol-d6
Concen: 79.714 ng
RT: 6.457 min Scan# 745
Delta R.T. -0.006 min
Lab File: BF133794.D
Acq: 16 Jun 2023 01:36

Instrument :
BNA_F
ClientSampleId :
B-PLEASANT



Tgt Ion: 99 Resp: 686425




Ion	Ratio	Lower	Upper
99	100		
42	24.7	19.9	29.9
71	39.4	32.2	48.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.110 min Scan# 1024
Delta R.T. -0.006 min
Lab File: BF133794.D
Acq: 16 Jun 2023 01:36

Tgt Ion: 136 Resp: 450489

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.8	13.2
54	9.3	7.4	11.0
68	5.7	4.4	6.6





#23

Nitrobenzene-d5

Concen: 54.840 ng

RT: 7.392 min Scan# 90

Delta R.T. -0.006 min

Lab File: BF133794.D

Acq: 16 Jun 2023 01:36

Instrument :

BNA_F

ClientSampleId :

B-PLEASANT





Tgt Ion: 82 Resp: 453575

Ion Ratio Lower Upper

82 100

128 41.4 34.2 51.2

54 58.8 46.5 69.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.869 min Scan# 1323

Delta R.T. -0.000 min

Lab File: BF133794.D

Acq: 16 Jun 2023 01:36




Tgt Ion:164 Resp: 227744


Ion Ratio Lower Upper

164 100

162 101.0 80.8 121.2

160 46.1 36.7 55.1









#42
2,4,6-Tribromophenol
Concen: 64.364 ng
RT: 10.657 min Scan# 1460
Delta R.T. -0.006 min
Lab File: BF133794.D
Acq: 16 Jun 2023 01:36




Instrument :
BNA_F
ClientSampleId :
B-PLEASANT


Tgt Ion:330 Resp: 185551
Ion Ratio Lower Upper
330 100
332 97.1 77.2 115.8
141 33.0 24.9 37.3



#45
2-Fluorobiphenyl
Concen: 52.824 ng
RT: 9.186 min Scan# 1207
Delta R.T. -0.006 min
Lab File: BF133794.D
Acq: 16 Jun 2023 01:36

Tgt Ion:172 Resp: 846308
Ion Ratio Lower Upper
172 100
171 35.7 28.6 43.0
170 23.5 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.357 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF133794.D
Acq: 16 Jun 2023 01:36




Instrument :
BNA_F
ClientSampleId :
B-PLEASANT


Tgt Ion:188 Resp: 401996
Ion Ratio Lower Upper
188 100
94 8.4 6.8 10.2
80 8.2 7.8 11.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.998 min Scan# 2025
Delta R.T. -0.006 min
Lab File: BF133794.D
Acq: 16 Jun 2023 01:36

Tgt Ion:240 Resp: 205749
Ion Ratio Lower Upper
240 100
120 9.9 8.1 12.1
236 25.0 20.5 30.7









#79
 Terphenyl-d14
 Concen: 50.137 ng
 RT: 12.945 min Scan# 1846
 Delta R.T. -0.000 min
 Lab File: BF133794.D
 Acq: 16 Jun 2023 01:36

Instrument :
 BNA_F
 ClientSampleId :
 B-PLEASANT

Tgt Ion:244 Resp: 666670
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.4 8.2
 122 9.0 8.1 12.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.457 min Scan# 2273
 Delta R.T. -0.006 min
 Lab File: BF133794.D
 Acq: 16 Jun 2023 01:36

Tgt Ion:264 Resp: 225710
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.2 27.2
 265 21.8 17.8 26.6

