

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061523\
 Data File : BF133795.D
 Acq On : 16 Jun 2023 02:08
 Operator : CG\JU
 Sample : 03235-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 C-ANDREW

Quant Time: Jun 16 03:03:30 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 15 15:12:57 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.828	152	120873	20.000	ng	0.00
21) Naphthalene-d8	8.110	136	464478	20.000	ng	0.00
39) Acenaphthene-d10	9.869	164	232099	20.000	ng	0.00
64) Phenanthrene-d10	11.357	188	410297	20.000	ng	0.00
76) Chrysene-d12	13.998	240	195939	20.000	ng	0.00
86) Perylene-d12	15.457	264	261114	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	1019788	146.877	ng	0.02
7) Phenol-d6	6.463	99	1259419	139.353	ng	0.00
23) Nitrobenzene-d5	7.398	82	798976	93.691	ng	0.00
42) 2,4,6-Tribromophenol	10.663	330	361752	123.130	ng	0.00
45) 2-Fluorobiphenyl	9.192	172	1467532	89.881	ng	0.00
79) Terphenyl-d14	12.945	244	1249390	98.665	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061523\
Data File : BF133795.D
Acq On : 16 Jun 2023 02:08
Operator : CG\JU
Sample : 03235-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
C-ANDREW

Quant Time: Jun 16 03:03:30 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 15 15:12:57 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.828 min Scan# 808
Delta R.T. -0.006 min
Lab File: BF133795.D
Acq: 16 Jun 2023 02:08




Instrument :
BNA_F
ClientSampleId :
C-ANDREW


Tgt Ion:152 Resp: 120873
Ion Ratio Lower Upper
152 100
150 154.7 124.3 186.5
115 61.5 48.5 72.7



#5
2-Fluorophenol
Concen: 146.877 ng
RT: 5.457 min Scan# 573
Delta R.T. 0.018 min
Lab File: BF133795.D
Acq: 16 Jun 2023 02:08

Tgt Ion:112 Resp: 1019788
Ion Ratio Lower Upper
112 100
64 64.6 49.0 73.4
63 36.1 26.8 40.2









#7
Phenol-d6
Concen: 139.353 ng
RT: 6.463 min Scan# 745
Delta R.T. -0.000 min
Lab File: BF133795.D
Acq: 16 Jun 2023 02:08




Instrument :
BNA_F
ClientSampleId :
C-ANDREW


Tgt Ion: 99 Resp: 1259419
Ion Ratio Lower Upper
99 100
42 25.8 19.9 29.9
71 41.2 32.2 48.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.110 min Scan# 1024
Delta R.T. -0.006 min
Lab File: BF133795.D
Acq: 16 Jun 2023 02:08

Tgt Ion: 136 Resp: 464478
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 9.0 7.4 11.0
68 5.5 4.4 6.6





#23

Nitrobenzene-d5

Concen: 93.691 ng

RT: 7.398 min Scan# 905

Delta R.T. -0.000 min

Lab File: BF133795.D

Acq: 16 Jun 2023 02:08

Instrument :

BNA_F

ClientSampleId :

C-ANDREW





Tgt Ion: 82 Resp: 798976

Ion Ratio Lower Upper

82 100

128 40.8 34.2 51.2

54 60.4 46.5 69.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.869 min Scan# 1323

Delta R.T. -0.000 min

Lab File: BF133795.D

Acq: 16 Jun 2023 02:08




Tgt Ion:164 Resp: 232099


Ion Ratio Lower Upper

164 100

162 102.0 80.8 121.2

160 47.0 36.7 55.1





#42

2,4,6-Tribromophenol

Concen: 123.130 ng

RT: 10.663 min Scan# 1460

Delta R.T. -0.000 min

Lab File: BF133795.D

Acq: 16 Jun 2023 02:08

Instrument :

BNA_F

ClientSampleId :

C-ANDREW





Tgt Ion:330 Resp: 361752

Ion Ratio Lower Upper

330 100

332 96.0 77.2 115.8

141 31.7 24.9 37.3



#45

2-Fluorobiphenyl

Concen: 89.881 ng

RT: 9.192 min Scan# 1208

Delta R.T. -0.000 min

Lab File: BF133795.D

Acq: 16 Jun 2023 02:08




Tgt Ion:172 Resp: 1467532


Ion Ratio Lower Upper

172 100

171 35.5 28.6 43.0

170 24.2 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.357 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF133795.D
Acq: 16 Jun 2023 02:08




Instrument :
BNA_F
ClientSampleId :
C-ANDREW


Tgt Ion:188 Resp: 410297
Ion Ratio Lower Upper
188 100
94 8.5 6.8 10.2
80 8.5 7.8 11.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.998 min Scan# 2025
Delta R.T. -0.006 min
Lab File: BF133795.D
Acq: 16 Jun 2023 02:08


Tgt Ion:240 Resp: 195939
Ion Ratio Lower Upper
240 100
120 9.5 8.1 12.1
236 25.0 20.5 30.7








#79
 Terphenyl-d14
 Concen: 98.665 ng
 RT: 12.945 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF133795.D
 Acq: 16 Jun 2023 02:08

Instrument :
 BNA_F
 ClientSampleId :
 C-ANDREW



Tgt Ion:244 Resp: 1249390
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.4 8.2
 122 10.5 8.1 12.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.457 min Scan# 2273
 Delta R.T. -0.006 min
 Lab File: BF133795.D
 Acq: 16 Jun 2023 02:08

Tgt Ion:264 Resp: 261114
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.2 27.2
 265 22.4 17.8 26.6

