

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061622\
 Data File : BF128843.D
 Acq On : 16 Jun 2022 17:01
 Operator : CG\JU
 Sample : N3353-01RE
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PL-01-061422

Quant Time: Jun 17 02:22:38 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 14 14:53:53 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	74272	20.000	ng	0.00
21) Naphthalene-d8	8.063	136	258907	20.000	ng	# 0.00
39) Acenaphthene-d10	9.822	164	125161	20.000	ng	0.00
64) Phenanthrene-d10	11.310	188	206468	20.000	ng	# 0.00
76) Chrysene-d12	13.963	240	135325	20.000	ng	# 0.00
86) Perylene-d12	15.421	264	99227	20.000	ng	# 0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	422242	90.554	ng	0.00
7) Phenol-d6	6.439	99	519729	91.311	ng	0.00
23) Nitrobenzene-d5	7.345	82	363416	65.352	ng	0.00
42) 2,4,6-Tribromophenol	10.616	330	113463	76.724	ng	0.00
45) 2-Fluorobiphenyl	9.139	172	635314	71.104	ng	0.00
79) Terphenyl-d14	12.898	244	575888	73.947	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.345	70	51403	14.525	ng	# 76
25) Isophorone	7.345	82	363411	43.029	ng	# 65
49) Acenaphthylene	9.680	152	60828	5.545	ng	98
67) 4-Bromophenyl-phenylether	10.616	248	7649	3.322	ng	# 1
71) Phenanthrene	11.333	178	268243	25.902	ng	97
72) Anthracene	11.386	178	93033	9.076	ng	97
73) Carbazole	11.545	167	20662	2.170	ng	94
75) Fluoranthene	12.533	202	957484	88.450	ng	95
78) Pyrene	12.763	202	913386	90.721	ng	99
81) Benzo(a)anthracene	13.951	228	449279	53.262	ng	97
83) Chrysene	13.986	228	378626	47.081	ng	98
87) Indeno(1,2,3-cd)pyrene	16.874	276	196476	32.852	ng	# 86
88) Benzo(b)fluoranthene	15.004	252	603846	95.237	ng	96
89) Benzo(k)fluoranthene	15.004	252	603846	101.241	ng	96
90) Benzo(a)pyrene	15.298	252	219387	44.024	ng	98
91) Dibenzo(a,h)anthracene	16.880	278	52633	10.610	ng	# 91
92) Benzo(g,h,i)perylene	17.321	276	183656	37.354	ng	# 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061622\
Data File : BF128843.D
Acq On : 16 Jun 2022 17:01
Operator : CG\JU
Sample : N3353-01RE
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PL-01-061422


Quant Time: Jun 17 02:22:38 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 14 14:53:53 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.781 min Scan# 772
Delta R.T. -0.000 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01

Instrument :
BNA_F
ClientSampleId :
PL-01-061422







Tgt Ion:152 Resp: 74272
Ion Ratio Lower Upper
152 100
150 155.6 123.7 185.5
115 62.0 49.9 74.9



#5
2-Fluorophenol
Concen: 90.554 ng
RT: 5.416 min Scan# 532
Delta R.T. -0.000 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01

Tgt Ion:112 Resp: 422242
Ion Ratio Lower Upper
112 100
64 67.8 53.3 79.9
63 37.7 28.0 42.0









#7
Phenol-d6
Concen: 91.311 ng
RT: 6.439 min Scan# 70
Delta R.T. -0.000 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01




Instrument :
BNA_F
ClientSampleId :
PL-01-061422


Tgt Ion: 99 Resp: 519729
Ion Ratio Lower Upper
99 100
42 21.2 17.3 25.9
71 41.3 28.9 43.3



#19
n-Nitroso-di-n-propylamine
Concen: 14.525 ng
RT: 7.345 min Scan# 860
Delta R.T. 0.141 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01

Tgt Ion: 70 Resp: 51403
Ion Ratio Lower Upper
70 100
42 50.8 52.3 78.5#
101 0.0 7.5 11.3#
130 2.1 16.1 24.1#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.063 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01




Instrument :
BNA_F
ClientSampleId :
PL-01-061422


Tgt Ion:136 Resp: 258907
Ion Ratio Lower Upper
136 100
137 11.3 8.8 13.2
54 9.6 7.5 11.3
68 4.6 4.7 7.1#



#23
Nitrobenzene-d5
Concen: 65.352 ng
RT: 7.345 min Scan# 860
Delta R.T. -0.006 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01

Tgt Ion: 82 Resp: 363416
Ion Ratio Lower Upper
82 100
128 39.6 34.0 51.0
54 58.7 46.9 70.3









#25
Isophorone
Concen: 43.029 ng
RT: 7.345 min Scan# 80
Delta R.T. -0.265 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01




Instrument :
BNA_F
ClientSampleId :
PL-01-061422


Tgt Ion: 82 Resp: 363411
Ion Ratio Lower Upper
82 100
95 0.0 5.7 8.5#
138 0.0 14.2 21.2#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.822 min Scan# 1281
Delta R.T. -0.006 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01

Tgt Ion: 164 Resp: 125161
Ion Ratio Lower Upper
164 100
162 96.9 79.5 119.3
160 44.6 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 76.724 ng

RT: 10.616 min Scan# 1416

Delta R.T. -0.006 min

Lab File: BF128843.D


Acq: 16 Jun 2022 17:01

Instrument :

BNA_F

ClientSampleId :

PL-01-061422






Tgt Ion:330 Resp: 113463

Ion Ratio Lower Upper

330 100

332 96.1 76.8 115.2

141 32.7 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 71.104 ng

RT: 9.139 min Scan# 1165

Delta R.T. -0.006 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01




Tgt Ion:172 Resp: 635314


Ion Ratio Lower Upper

172 100

171 34.6 28.8 43.2

170 22.6 19.8 29.8









#49
Acenaphthylene
Concen: 5.545 ng
RT: 9.680 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01




Instrument :
BNA_F
ClientSampleId :
PL-01-061422


Tgt Ion:152 Resp: 60828
Ion Ratio Lower Upper
152 100
151 19.8 16.2 24.4
153 14.9 10.7 16.1



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.310 min Scan# 1534
Delta R.T. -0.006 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01

Tgt Ion:188 Resp: 206468
Ion Ratio Lower Upper
188 100
94 6.7 7.0 10.6#
80 7.5 7.6 11.4#









#67
4-Bromophenyl-phenylether
Concen: 3.322 ng
RT: 10.616 min Scan# 1464
Delta R.T. -0.241 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01




Instrument :
BNA_F
ClientSampleId :
PL-01-061422


Tgt Ion:248 Resp: 7649
Ion Ratio Lower Upper
248 100
250 178.6 80.6 120.8#
141 389.2 58.9 88.3#



#71
Phenanthrene
Concen: 25.902 ng
RT: 11.333 min Scan# 1538
Delta R.T. -0.006 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01

Tgt Ion:178 Resp: 268243
Ion Ratio Lower Upper
178 100
176 18.7 16.0 24.0
179 14.9 12.6 19.0









#72
 Anthracene
 Concen: 9.076 ng
 RT: 11.386 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF128843.D
 Acq: 16 Jun 2022 17:01




Instrument :
 BNA_F
 ClientSampleId :
 PL-01-061422


Tgt Ion:178 Resp: 93033
 Ion Ratio Lower Upper
 178 100
 176 17.5 15.4 23.2
 179 14.6 12.6 19.0



#73
 Carbazole
 Concen: 2.170 ng
 RT: 11.545 min Scan# 1574
 Delta R.T. -0.006 min
 Lab File: BF128843.D
 Acq: 16 Jun 2022 17:01

Tgt Ion:167 Resp: 20662
 Ion Ratio Lower Upper
 167 100
 166 25.8 17.7 26.5
 139 15.4 11.2 16.8









#75
Fluoranthene
Concen: 88.450 ng
RT: 12.533 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01




Instrument :
BNA_F
ClientSampleId :
PL-01-061422


Tgt Ion:202 Resp: 957484
Ion Ratio Lower Upper
202 100
101 8.1 0.0 31.4
203 17.1 0.0 38.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.963 min Scan# 1985
Delta R.T. -0.000 min
Lab File: BF128843.D
Acq: 16 Jun 2022 17:01

Tgt Ion:240 Resp: 135325
Ion Ratio Lower Upper
240 100
120 8.4 8.9 13.3#
236 25.3 20.8 31.2





#78

Pyrene

Concen: 90.721 ng

RT: 12.763 min Scan# 11

Delta R.T. 0.006 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01

Instrument :

BNA_F

ClientSampleId :

PL-01-061422





Tgt Ion:202 Resp: 913386

Ion Ratio Lower Upper

202 100

200 21.3 17.7 26.5

203 17.8 14.6 21.8



#79

Terphenyl-d14

Concen: 73.947 ng

RT: 12.898 min Scan# 1804

Delta R.T. -0.006 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01




Tgt Ion:244 Resp: 575888


Ion Ratio Lower Upper

244 100

212 7.2 6.1 9.1

122 8.9 8.8 13.2





#81

Benzo(a)anthracene

Concen: 53.262 ng

RT: 13.951 min Scan# 1983

Delta R.T. -0.000 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01

Instrument :

BNA_F

ClientSampleId :

PL-01-061422





Tgt Ion:228 Resp: 449279

Ion Ratio Lower Upper

228 100

226 29.5 22.1 33.1

229 20.8 15.8 23.8



#83

Chrysene

Concen: 47.081 ng

RT: 13.986 min Scan# 1989

Delta R.T. -0.006 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01




Tgt Ion:228 Resp: 378626


Ion Ratio Lower Upper

228 100

226 29.9 24.3 36.5

229 21.4 15.9 23.9





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.421 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01

Instrument :

BNA_F

ClientSampleId :

PL-01-061422





Tgt Ion:264 Resp: 99227

Ion Ratio Lower Upper

264 100

260 24.7 18.4 27.6

265 26.5 17.2 25.8#



#87

Indeno(1,2,3-cd)pyrene

Concen: 32.852 ng

RT: 16.874 min Scan# 2480

Delta R.T. 0.012 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01




Tgt Ion:276 Resp: 196476


Ion Ratio Lower Upper

276 100

138 15.0 21.1 31.7#

277 22.3 20.3 30.5





#88

Benzo(b)fluoranthene

Concen: 95.237 ng

RT: 15.004 min Scan# 2162

Delta R.T. 0.012 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01

Instrument :

BNA_F

ClientSampleId :

PL-01-061422





Tgt Ion:252 Resp: 603846

Ion Ratio Lower Upper

252 100

253 24.0 17.7 26.5

125 8.5 8.0 12.0



#89

Benzo(k)fluoranthene

Concen: 101.241 ng

RT: 15.004 min Scan# 2162

Delta R.T. -0.024 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01




Tgt Ion:252 Resp: 603846


Ion Ratio Lower Upper

252 100

253 24.0 17.8 26.6

125 8.5 8.3 12.5





#90

Benzo(a)pyrene

Concen: 44.024 ng

RT: 15.298 min Scan# 21

Delta R.T. -0.059 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01

Instrument :

BNA_F

ClientSampleId :

PL-01-061422





Tgt Ion:252 Resp: 219387

Ion Ratio Lower Upper

252 100

253 22.7 17.0 25.6

125 11.4 8.8 13.2



#91

Dibenzo(a,h)anthracene

Concen: 10.610 ng

RT: 16.880 min Scan# 2481

Delta R.T. 0.006 min

Lab File: BF128843.D

Acq: 16 Jun 2022 17:01




Tgt Ion:278 Resp: 52633


Ion Ratio Lower Upper

278 100

139 17.1 12.8 19.2

279 29.5 18.6 28.0#





#92

Benzo(g,h,i)perylene

Concen: 37.354 ng

RT: 17.321 min Scan# 21

Delta R.T. 0.023 min

Lab File: BF128843.D


Acq: 16 Jun 2022 17:01

Instrument :

BNA_F

ClientSampleId :

PL-01-061422



Tgt Ion:276 Resp: 183656

Ion Ratio Lower Upper

276 100

277 25.5 19.1 28.7

138 16.1 18.0 27.0#

