

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062024\
 Data File : BF138272.D
 Acq On : 20 Jun 2024 20:13
 Operator : CG\JU
 Sample : P2976-04
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-K-COMP

Quant Time: Jun 21 01:20:02 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061224.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 13 01:52:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.886	152	295554	20.000	ng	0.00
21) Naphthalene-d8	8.163	136	1139335	20.000	ng	-0.01
39) Acenaphthene-d10	9.916	164	626756	20.000	ng	-0.01
64) Phenanthrene-d10	11.404	188	1041282	20.000	ng	-0.01
76) Chrysene-d12	14.039	240	555117	20.000	ng	-0.01
86) Perylene-d12	15.515	264	590356	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	1891720	107.071	ng	0.01
7) Phenol-d6	6.516	99	2240013	99.984	ng	0.00
23) Nitrobenzene-d5	7.445	82	1453047	74.246	ng	-0.01
42) 2,4,6-Tribromophenol	10.710	330	764806	122.575	ng	0.00
45) 2-Fluorobiphenyl	9.239	172	2809843	71.289	ng	-0.01
79) Terphenyl-d14	12.992	244	3067616	87.524	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062024\
Data File : BF138272.D
Acq On : 20 Jun 2024 20:13
Operator : CG\JU
Sample : P2976-04
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-K-COMP

Quant Time: Jun 21 01:20:02 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061224.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 13 01:52:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.886 min Scan# 817
Delta R.T. -0.007 min
Lab File: BF138272.D
Acq: 20 Jun 2024 20:13




Instrument :
BNA_F
ClientSampleId :
MH-K-COMP

Tgt Ion:152 Resp: 295554
Ion Ratio Lower Upper
152 100
150 154.4 125.0 187.4
115 56.3 48.4 72.6



#5
2-Fluorophenol
Concen: 107.071 ng
RT: 5.522 min Scan# 584
Delta R.T. 0.012 min
Lab File: BF138272.D
Acq: 20 Jun 2024 20:13

Tgt Ion:112 Resp: 1891720
Ion Ratio Lower Upper
112 100
64 53.3 45.2 67.8
63 26.7 22.9 34.3









#7
Phenol-d6
Concen: 99.984 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF138272.D
Acq: 20 Jun 2024 20:13




Instrument :
BNA_F
ClientSampleId :
MH-K-COMP

Tgt Ion: 99 Resp: 2240013
Ion Ratio Lower Upper
99 100
42 16.5 13.7 20.5
71 32.2 25.0 37.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.163 min Scan# 1033
Delta R.T. -0.012 min
Lab File: BF138272.D
Acq: 20 Jun 2024 20:13

Tgt Ion: 136 Resp: 1139335
Ion Ratio Lower Upper
136 100
137 11.2 9.1 13.7
54 7.4 6.6 10.0
68 6.5 5.4 8.2









#23
Nitrobenzene-d5
Concen: 74.246 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.012 min
Lab File: BF138272.D
Acq: 20 Jun 2024 20:13




Instrument :
BNA_F
ClientSampleId :
MH-K-COMP

Tgt Ion: 82 Resp: 1453047
Ion Ratio Lower Upper
82 100
128 48.5 37.2 55.8
54 47.2 39.8 59.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.916 min Scan# 1331
Delta R.T. -0.012 min
Lab File: BF138272.D
Acq: 20 Jun 2024 20:13

Tgt Ion:164 Resp: 626756
Ion Ratio Lower Upper
164 100
162 100.5 80.6 121.0
160 45.2 36.3 54.5









#42
 2,4,6-Tribromophenol
 Concen: 122.575 ng
 RT: 10.710 min Scan# 1467
 Delta R.T. -0.006 min
 Lab File: BF138272.D
 Acq: 20 Jun 2024 20:13




Instrument :
 BNA_F
 ClientSampleId :
 MH-K-COMP

Tgt Ion: 330 Resp: 764806
 Ion Ratio Lower Upper
 330 100
 332 96.9 76.6 115.0
 141 28.9 23.9 35.9



#45
 2-Fluorobiphenyl
 Concen: 71.289 ng
 RT: 9.239 min Scan# 1216
 Delta R.T. -0.012 min
 Lab File: BF138272.D
 Acq: 20 Jun 2024 20:13

Tgt Ion: 172 Resp: 2809843
 Ion Ratio Lower Upper
 172 100
 171 36.8 30.3 45.5
 170 24.5 20.6 30.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.404 min Scan# 1

Delta R.T. -0.012 min

Lab File: BF138272.D

Acq: 20 Jun 2024 20:13

Instrument :

BNA_F

ClientSampleId :

MH-K-COMP





Tgt Ion:188 Resp: 1041282

Ion Ratio Lower Upper

188 100

94 9.8 7.6 11.4

80 10.4 8.1 12.1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.039 min Scan# 2032

Delta R.T. -0.012 min

Lab File: BF138272.D

Acq: 20 Jun 2024 20:13




Tgt Ion:240 Resp: 555117


Ion Ratio Lower Upper

240 100

120 12.2 9.2 13.8

236 26.3 21.0 31.6









#79
 Terphenyl-d14
 Concen: 87.524 ng
 RT: 12.992 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF138272.D
 Acq: 20 Jun 2024 20:13

Instrument :
 BNA_F
 ClientSampleId :
 MH-K-COMP

Tgt Ion:244 Resp: 3067616
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.9 8.9
 122 11.6 10.6 15.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.515 min Scan# 2283
 Delta R.T. -0.006 min
 Lab File: BF138272.D
 Acq: 20 Jun 2024 20:13

Tgt Ion:264 Resp: 590356
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.7 28.1
 265 21.8 17.0 25.6

