

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062119\
 Data File : BF115087.D
 Acq On : 21 Jun 2019 19:38
 Operator : HP/JU
 Sample : PB120722BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jun 22 04:54:43 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF062119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 21 17:55:32 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.61	152	240760	20.00	ng	0.00
21) Naphthalene-d8	7.90	136	928528	20.00	ng	0.00
39) Acenaphthene-d10	9.64	164	457222	20.00	ng	0.00
64) Phenanthrene-d10	11.11	188	944065	20.00	ng	0.00
76) Chrysene-d12	13.74	240	794247	20.00	ng	-0.01
87) Perylene-d12	15.11	264	849631	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.22	112	1714074	109.86	ng	0.01
7) Phenol-d6	6.25	99	2051556	108.34	ng	0.00
23) Nitrobenzene-d5	7.17	82	1253977	83.08	ng	-0.01
42) 2,4,6-Tribromophenol	10.42	330	602503	124.96	ng	0.00
45) 2-Fluorobiphenyl	8.98	172	2353514	87.44	ng	0.00
79) Terphenyl-d14	12.71	244	2785138	74.56	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.17	70	166294	13.717	ng	# 78
25) Isophorone	7.17	82	1195170	38.652	ng	# 63
50) Dimethylphthalate	9.64	163	132219	3.931	ng	# 1
51) 2,6-Dinitrotoluene	9.64	165	60567	7.799	ng	# 28
57) 2,4-Dinitrotoluene	9.64	165	60567	6.040	ng	# 30
58) Fluorene	10.42	166	26823	Below Cal		# 84
65) 4,6-Dinitro-2-methylphenol	10.42	198	1438	5.217	ng	# 1
67) 4-Bromophenyl-phenylether	10.42	248	38220	3.734	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062119\
Data File : BF115087.D
Acq On : 21 Jun 2019 19:38
Operator : HP/JU
Sample : PB120722BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Jun 22 04:54:43 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF062119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 21 17:55:32 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.61 min Scan# 795
 Delta R.T. -0.01 min
 Lab File: BF115087.D
 Acq: 21 Jun 2019 19:38

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:152 Resp: 240760
 Ion Ratio Lower Upper
 152 100
 150 155.3 124.2 186.2
 115 58.0 46.1 69.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 109.865 ng
 RT: 5.22 min Scan# 558
 Delta R.T. 0.01 min
 Lab File: BF115087.D
 Acq: 21 Jun 2019 19:38

Tgt Ion:112 Resp: 1714074
 Ion Ratio Lower Upper
 112 100
 64 55.5 43.8 65.6
 63 28.4 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 108.338 ng

RT: 6.25 min Scan# 734

Delta R.T. -0.00 min

Lab File: BF115087.D

Acq: 21 Jun 2019 19:38

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 2051556

Ion Ratio Lower Upper




99 100

42 17.2 13.6 20.4

71 33.0 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 13.717 ng

RT: 7.17 min Scan# 890

Delta R.T. 0.12 min

Lab File: BF115087.D

Acq: 21 Jun 2019 19:38

Tgt Ion: 70 Resp: 166294


Ion Ratio Lower Upper

70 100



42 44.8 42.6 63.8


101 0.0 8.0 12.0#

130 2.6 19.4 29.0#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.90 min Scan# 1013
Delta R.T. -0.01 min
Lab File: BF115087.D
Acq: 21 Jun 2019 19:38




Instrument :
BNA_F
ClientSampleId :


Tot Ion:	136	Resp:	928528
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	6.5	5.6	8.4
68	5.8	4.8	7.2



#23
Nitrobenzene-d5
Concen: 83.077 ng
RT: 7.17 min Scan# 890
Delta R.T. -0.01 min
Lab File: BF115087.D
Acq: 21 Jun 2019 19:38

Tgt Ion:	82	Resp:	1253977
Ion	Ratio	Lower	Upper
82	100		
128	49.4	40.4	60.6
54	47.3	37.5	56.3





#25

Isophorone

Concen: 38.652 ng

RT: 7.17 min Scan# 890

Delta R.T. -0.28 min

Lab File: BF115087.D

Acq: 21 Jun 2019 19:38

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 1195170

Ion Ratio Lower Upper

82 100

95 0.0 5.4 8.2#




138 0.0 15.9 23.9#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.64 min Scan# 1310

Delta R.T. -0.01 min

Lab File: BF115087.D

Acq: 21 Jun 2019 19:38


Tgt Ion:164 Resp: 457222

Ion Ratio Lower Upper

164 100

162 103.7 81.7 122.5



160 47.2 37.0 55.4




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 124.960 ng
 RT: 10.42 min Scan# 1443
 Delta R.T. -0.01 min
 Lab File: BF115087.D
 Acq: 21 Jun 2019 19:38

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	77.3	115.9
141	32.7	28.2	42.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 87.435 ng
 RT: 8.98 min Scan# 1197
 Delta R.T. -0.01 min
 Lab File: BF115087.D
 Acq: 21 Jun 2019 19:38

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.3	29.8	44.6
170	25.6	20.3	30.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 3.931 ng
RT: 9.64 min Scan# 1310
Delta R.T. 0.26 min
Lab File: BF115087.D
Acq: 21 Jun 2019 19:38

Instrument :
BNA_F
ClientSampleId :

Tot Ion:163 Resp: 132219
Ion Ratio Lower Upper
163 100
194 0.0 3.2 4.8#
164 364.4 8.6 13.0#




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#51
2,6-Dinitrotoluene
Concen: 7.799 ng
RT: 9.64 min Scan# 1310
Delta R.T. 0.21 min
Lab File: BF115087.D
Acq: 21 Jun 2019 19:38

Tgt Ion:165 Resp: 60567
Ion Ratio Lower Upper
165 100
63 1.1 39.4 59.2#
89 1.3 42.0 63.0#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF1
Ion 89.00 (88.70 to 89.70): BF1






#57
2,4-Dinitrotoluene
Concen: 6.040 ng
RT: 9.64 min Scan# 1310
Delta R.T. -0.19 min
Lab File: BF115087.D
Acq: 21 Jun 2019 19:38

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.1	27.5	41.3#
89	1.3	49.9	74.9#
182	0.0	2.1	3.1#






Abundance

Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1


Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E



#58
Fluorene
Concen: Below Cal
RT: 10.42 min Scan# 1443
Delta R.T. 0.23 min
Lab File: BF115087.D
Acq: 21 Jun 2019 19:38

Tgt Ion	Ratio	Lower	Upper
166	100		
165	106.5	76.5	114.7
167	34.7	11.0	16.4#






Abundance

Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.11 min Scan# 1560
 Delta R.T. -0.01 min
 Lab File: BF115087.D
 Acq: 21 Jun 2019 19:38

Instrument :
 BNA_F
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
188	100		
94	10.3	8.6	12.8
80	11.1	8.8	13.2




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1






#65
 4,6-Dinitro-2-methylphenol
 Concen: 5.217 ng
 RT: 10.42 min Scan# 1443
 Delta R.T. 0.18 min
 Lab File: BF115087.D
 Acq: 21 Jun 2019 19:38

Tgt Ion	Ratio	Lower	Upper
198	100		
51	135.0	11.0	51.0#
105	161.3	17.3	57.3#



Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 51.00 (50.70 to 51.70): BF1
 Ion 105.00 (104.70 to 105.70): E









#67
 4-Bromophenyl-phenylether
 Concen: 3.734 ng
 RT: 10.42 min Scan# 1443
 Delta R.T. -0.25 min
 Lab File: BF115087.D
 Acq: 21 Jun 2019 19:38

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:248 Resp: 38220
 Ion Ratio Lower Upper
 248 100
 250 194.8 76.2 114.2#
 141 490.3 59.6 89.4#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.74 min Scan# 2006
 Delta R.T. -0.01 min
 Lab File: BF115087.D
 Acq: 21 Jun 2019 19:38

Tgt Ion:240 Resp: 794247
 Ion Ratio Lower Upper
 240 100
 120 12.2 9.4 14.2
 236 27.4 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 74.557 ng

RT: 12.71 min Scan# 1831

Delta R.T. -0.00 min

Lab File: BF115087.D

Acq: 21 Jun 2019 19:38


Instrument :

BNA_F

ClientSampleId :

Tot Ion:244 Resp: 2785138




Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	12.4	10.4	15.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.11 min Scan# 2239


Delta R.T. -0.01 min

Lab File: BF115087.D

Acq: 21 Jun 2019 19:38

Tgt Ion:264 Resp: 849631

Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.6	29.4
265	21.8	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

