

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062218\
 Data File : BF106703.D
 Acq On : 22 Jun 2018 12:37
 Operator : JU/SJ
 Sample : J3603-19
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 26KV-TP-7

Quant Time: Jun 22 13:03:35 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 22 11:34:03 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.96	152	63645	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	253690	20.00	ng	0.00
38) Acenaphthene-d10	10.00	164	135937	20.00	ng	0.00
63) Phenanthrene-d10	11.50	188	276215	20.00	ng	0.00
75) Chrysene-d12	14.14	240	205602	20.00	ng	-0.01
86) Perylene-d12	15.68	264	202397	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	336262	89.46	ng	0.00
7) Phenol-d6	6.60	99	428341	91.26	ng	0.00
23) Nitrobenzene-d5	7.52	82	272980	59.80	ng	0.00
41) 2,4,6-Tribromophenol	10.80	330	133801	84.92	ng	0.00
44) 2-Fluorobiphenyl	9.31	172	406994	43.47	ng	-0.01
78) Terphenyl-d14	13.08	244	452266	53.28	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.71	163	57798	5.669	ng	Qvalue # 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062218\
Data File : BF106703.D
Acq On : 22 Jun 2018 12:37
Operator : JU/SJ
Sample : J3603-19
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
26KV-TP-7

Quant Time: Jun 22 13:03:35 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 22 11:34:03 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.96 min Scan# 786
Delta R.T. 0.00 min
Lab File: BF106703.D
Acq: 22 Jun 2018 12:37

Instrument :
BNA_F
ClientSampleId :
26KV-TP-7

Tot Ion:152 Resp: 63645
Ion Ratio Lower Upper
152 100
150 158.6 124.6 186.8
115 58.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 89.465 ng
RT: 5.60 min Scan# 555
Delta R.T. 0.00 min
Lab File: BF106703.D
Acq: 22 Jun 2018 12:37

Tgt Ion:112 Resp: 336262
Ion Ratio Lower Upper
112 100
64 58.2 47.9 71.9
63 29.3 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 91.258 ng

RT: 6.60 min Scan# 725

Delta R.T. -0.01 min

Lab File: BF106703.D

Acq: 22 Jun 2018 12:37

Instrument :

BNA_F

ClientSampleId :

26KV-TP-7


Tot Ion: 99 Resp: 428341

Ion Ratio Lower Upper

99 100

42 16.1 14.5 21.7



71 33.8 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1004

Delta R.T. -0.01 min

Lab File: BF106703.D

Acq: 22 Jun 2018 12:37

Tgt Ion: 136 Resp: 253690


Ion Ratio Lower Upper

136 100

137 10.6 8.9 13.3

54 7.8 6.6 9.8

68 6.2 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 59.799 ng
 RT: 7.52 min Scan# 882
 Delta R.T. -0.01 min
 Lab File: BF106703.D
 Acq: 22 Jun 2018 12:37

Instrument :
 BNA_F
 ClientSampleId :
 26KV-TP-7

Tot Ion	82	Resp	272980
Ion Ratio	Lower	Upper	
82	100		
128	46.3	36.1	54.1
54	47.7	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.00 min Scan# 1303
 Delta R.T. -0.01 min
 Lab File: BF106703.D
 Acq: 22 Jun 2018 12:37

Tgt Ion	164	Resp	135937
Ion Ratio	Lower	Upper	
164	100		
162	96.0	86.1	129.1
160	43.8	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 84.924 ng
 RT: 10.80 min Scan# 1438
 Delta R.T. -0.01 min
 Lab File: BF106703.D
 Acq: 22 Jun 2018 12:37

Instrument :
 BNA_F
 ClientSampleId :
 26KV-TP-7

Tot Ion:330 Resp: 133801
 Ion Ratio Lower Upper
 330 100
 332 96.6 77.0 115.6
 141 24.0 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 43.470 ng
 RT: 9.31 min Scan# 1186
 Delta R.T. -0.01 min
 Lab File: BF106703.D
 Acq: 22 Jun 2018 12:37

Tgt Ion:172 Resp: 406994
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.7 44.5
 170 23.7 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 5.669 ng

RT: 9.71 min Scan# 1253

Delta R.T. -0.02 min

Lab File: BF106703.D

Acq: 22 Jun 2018 12:37

Instrument :

BNA_F

ClientSampleId :

26KV-TP-7


Tot Ion:163 Resp: 57798

Ion Ratio Lower Upper

163 100

194 4.5 2.7 4.1#




164 10.2 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.50 min Scan# 1557

Delta R.T. -0.01 min

Lab File: BF106703.D

Acq: 22 Jun 2018 12:37


Tgt Ion:188 Resp: 276215

Ion Ratio Lower Upper

188 100

94 8.3 8.5 12.7#



80 8.6 9.2 13.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.14 min Scan# 2007

Delta R.T. -0.01 min

Lab File: BF106703.D

Acq: 22 Jun 2018 12:37

Instrument :

BNA_F

ClientSampleId :

26KV-TP-7


Tot Ion:240 Resp: 205602

Ion Ratio Lower Upper

240 100

120 10.9 9.5 14.3



236 25.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 53.284 ng

RT: 13.08 min Scan# 1826

Delta R.T. -0.01 min

Lab File: BF106703.D

Acq: 22 Jun 2018 12:37


Tgt Ion:244 Resp: 452266

Ion Ratio Lower Upper

244 100

212 6.5 5.4 8.0



122 8.9 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.68 min Scan# 2269
Delta R.T. -0.01 min
Lab File: BF106703.D
Acq: 22 Jun 2018 12:37

Instrument :
BNA_F
ClientSampleId :
26KV-TP-7

Tot Ion:	264	Resp:	202397
Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.2	28.8
265	22.6	17.5	26.3

