

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062223\
Data File : BF133890.D
Acq On : 22 Jun 2023 09:00
Operator : CG\JU
Sample : PB153533BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB153533BL

Quant Time: Jun 23 02:24:16 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 23 02:21:26 2023
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.857	152	110681	20.000	ng	0.00
21) Naphthalene-d8	8.139	136	431927	20.000	ng	0.00
39) Acenaphthene-d10	9.898	164	219683	20.000	ng	0.00
64) Phenanthrene-d10	11.392	188	426103	20.000	ng	0.00
76) Chrysene-d12	14.051	240	241130	20.000	ng	0.00
86) Perylene-d12	15.557	264	217970	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	918954	144.542	ng	0.01
7) Phenol-d6	6.504	99	1109207	134.034	ng	0.00
23) Nitrobenzene-d5	7.428	82	766661	96.677	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	360049	129.477	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	1374097	88.915	ng	0.00
79) Terphenyl-d14	12.992	244	1585282	101.728	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062223\
Data File : BF133890.D
Acq On : 22 Jun 2023 09:00
Operator : CG\JU
Sample : PB153533BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB153533BL

Quant Time: Jun 23 02:24:16 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 23 02:21:26 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.857 min Scan# 811
Delta R.T. -0.006 min
Lab File: BF133890.D
Acq: 22 Jun 2023 09:00




Instrument :
BNA_F
ClientSampleId :
PB153533BL


Tgt Ion:152 Resp: 110681
Ion Ratio Lower Upper
152 100
150 159.3 124.3 186.5
115 62.3 48.5 72.7



#5
2-Fluorophenol
Concen: 144.542 ng
RT: 5.504 min Scan# 581
Delta R.T. 0.012 min
Lab File: BF133890.D
Acq: 22 Jun 2023 09:00

Tgt Ion:112 Resp: 918954
Ion Ratio Lower Upper
112 100
64 65.0 49.0 73.4
63 37.3 26.8 40.2









#7
Phenol-d6
Concen: 134.034 ng
RT: 6.504 min Scan# 71
Delta R.T. 0.006 min
Lab File: BF133890.D
Acq: 22 Jun 2023 09:00




Instrument :
BNA_F
ClientSampleId :
PB153533BL


Tgt Ion: 99 Resp: 1109207
Ion Ratio Lower Upper
99 100
42 24.8 19.9 29.9
71 41.2 32.2 48.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.139 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF133890.D
Acq: 22 Jun 2023 09:00

Tgt Ion: 136 Resp: 431927
Ion Ratio Lower Upper
136 100
137 10.6 8.8 13.2
54 8.4 7.4 11.0
68 5.1 4.4 6.6





#23

Nitrobenzene-d5

Concen: 96.677 ng

RT: 7.428 min Scan# 905

Delta R.T. 0.000 min

Lab File: BF133890.D

Acq: 22 Jun 2023 09:00

Instrument :

BNA_F

ClientSampleId :

PB153533BL





Tgt Ion: 82 Resp: 766661

Ion Ratio Lower Upper

82 100

128 44.0 34.2 51.2

54 57.5 46.5 69.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.898 min Scan# 1328

Delta R.T. 0.000 min

Lab File: BF133890.D

Acq: 22 Jun 2023 09:00




Tgt Ion:164 Resp: 219683


Ion Ratio Lower Upper

164 100

162 99.9 80.8 121.2

160 44.7 36.7 55.1





#42

2,4,6-Tribromophenol

Concen: 129.477 ng

RT: 10.692 min Scan# 1463

Delta R.T. -0.006 min

Lab File: BF133890.D


Acq: 22 Jun 2023 09:00

Instrument :

BNA_F

ClientSampleId :

PB153533BL






Tgt Ion:330 Resp: 360049

Ion Ratio Lower Upper

330 100

332 96.4 77.2 115.8

141 32.5 24.9 37.3



#45

2-Fluorobiphenyl

Concen: 88.915 ng

RT: 9.222 min Scan# 1213

Delta R.T. 0.000 min

Lab File: BF133890.D

Acq: 22 Jun 2023 09:00




Tgt Ion:172 Resp: 1374097


Ion Ratio Lower Upper

172 100

171 35.6 28.6 43.0

170 24.1 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.392 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF133890.D

Acq: 22 Jun 2023 09:00

Instrument :

BNA_F

ClientSampleId :

PB153533BL





Tgt Ion:188 Resp: 426103

Ion Ratio Lower Upper

188 100

94 8.1 6.8 10.2

80 8.9 7.8 11.6



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.051 min Scan# 2034

Delta R.T. -0.006 min

Lab File: BF133890.D

Acq: 22 Jun 2023 09:00




Tgt Ion:240 Resp: 241130


Ion Ratio Lower Upper

240 100

120 9.5 8.1 12.1

236 26.5 20.5 30.7









#79
 Terphenyl-d14
 Concen: 101.728 ng
 RT: 12.992 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF133890.D
 Acq: 22 Jun 2023 09:00

Instrument :
 BNA_F
 ClientSampleId :
 PB153533BL

Tgt Ion:244 Resp: 1585282
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.4 8.2
 122 9.8 8.1 12.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.557 min Scan# 2290
 Delta R.T. -0.006 min
 Lab File: BF133890.D
 Acq: 22 Jun 2023 09:00

Tgt Ion:264 Resp: 217970
 Ion Ratio Lower Upper
 264 100
 260 23.6 18.2 27.2
 265 22.1 17.8 26.6

