

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062223\
 Data File : BF133920.D
 Acq On : 23 Jun 2023 01:29
 Operator : CG\JU
 Sample : 03321-14
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WC-21

Quant Time: Jun 23 05:06:27 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 23 02:21:26 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.857	152	102376	20.000	ng	0.00
21) Naphthalene-d8	8.134	136	405805	20.000	ng	0.00
39) Acenaphthene-d10	9.892	164	211245	20.000	ng	0.00
64) Phenanthrene-d10	11.386	188	436816	20.000	ng	0.00
76) Chrysene-d12	14.045	240	332834	20.000	ng	-0.01
86) Perylene-d12	15.557	264	248643	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	814066	138.432	ng	0.02
7) Phenol-d6	6.498	99	927290	121.141	ng	0.00
23) Nitrobenzene-d5	7.422	82	726305	97.484	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	395260	147.817	ng	0.00
45) 2-Fluorobiphenyl	9.216	172	1350530	90.880	ng	0.00
79) Terphenyl-d14	12.992	244	1814227	84.343	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062223\
Data File : BF133920.D
Acq On : 23 Jun 2023 01:29
Operator : CG\JU
Sample : 03321-14
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WC-21

Quant Time: Jun 23 05:06:27 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 23 02:21:26 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.857 min Scan# 811
Delta R.T. -0.006 min
Lab File: BF133920.D
Acq: 23 Jun 2023 01:29




Instrument :
BNA_F
ClientSampleId :
WC-21


Tgt Ion:152 Resp: 102376
Ion Ratio Lower Upper
152 100
150 158.9 124.3 186.5
115 64.0 48.5 72.7



#5
2-Fluorophenol
Concen: 138.432 ng
RT: 5.510 min Scan# 582
Delta R.T. 0.018 min
Lab File: BF133920.D
Acq: 23 Jun 2023 01:29

Tgt Ion:112 Resp: 814066
Ion Ratio Lower Upper
112 100
64 62.8 49.0 73.4
63 36.3 26.8 40.2









#7
Phenol-d6
Concen: 121.141 ng
RT: 6.498 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF133920.D
Acq: 23 Jun 2023 01:29




Instrument :
BNA_F
ClientSampleId :
WC-21

Tgt Ion: 99 Resp: 927290
Ion Ratio Lower Upper
99 100
42 25.0 19.9 29.9
71 41.0 32.2 48.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.134 min Scan# 1028
Delta R.T. -0.006 min
Lab File: BF133920.D
Acq: 23 Jun 2023 01:29

Tgt Ion: 136 Resp: 405805
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 9.1 7.4 11.0
68 5.5 4.4 6.6





#23

Nitrobenzene-d5

Concen: 97.484 ng

RT: 7.422 min Scan# 905

Delta R.T. -0.006 min

Lab File: BF133920.D

Acq: 23 Jun 2023 01:29

Instrument :

BNA_F

ClientSampleId :

WC-21





Tgt Ion: 82 Resp: 726305

Ion Ratio Lower Upper

82 100

128 41.6 34.2 51.2

54 59.3 46.5 69.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.892 min Scan# 1327

Delta R.T. -0.006 min

Lab File: BF133920.D

Acq: 23 Jun 2023 01:29




Tgt Ion:164 Resp: 211245


Ion Ratio Lower Upper

164 100

162 102.8 80.8 121.2

160 46.2 36.7 55.1









#42
2,4,6-Tribromophenol
Concen: 147.817 ng
RT: 10.692 min Scan# 1463
Delta R.T. -0.006 min
Lab File: BF133920.D
Acq: 23 Jun 2023 01:29




Instrument :
BNA_F
ClientSampleId :
WC-21


Tgt Ion:330 Resp: 395260
Ion Ratio Lower Upper
330 100
332 96.6 77.2 115.8
141 32.2 24.9 37.3



#45
2-Fluorobiphenyl
Concen: 90.880 ng
RT: 9.216 min Scan# 1212
Delta R.T. -0.006 min
Lab File: BF133920.D
Acq: 23 Jun 2023 01:29

Tgt Ion:172 Resp: 1350530
Ion Ratio Lower Upper
172 100
171 35.4 28.6 43.0
170 23.6 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.386 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF133920.D
Acq: 23 Jun 2023 01:29




Instrument :
BNA_F
ClientSampleId :
WC-21

Tgt Ion:188 Resp: 436816
Ion Ratio Lower Upper
188 100
94 9.7 6.8 10.2
80 10.3 7.8 11.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 2033
Delta R.T. -0.012 min
Lab File: BF133920.D
Acq: 23 Jun 2023 01:29

Tgt Ion:240 Resp: 332834
Ion Ratio Lower Upper
240 100
120 10.4 8.1 12.1
236 25.7 20.5 30.7









#79
 Terphenyl-d14
 Concen: 84.343 ng
 RT: 12.992 min Scan# 1854
 Delta R.T. 0.000 min
 Lab File: BF133920.D
 Acq: 23 Jun 2023 01:29

Instrument :
 BNA_F
 ClientSampleId :
 WC-21

Tgt Ion:244 Resp: 1814227
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.4 8.2
 122 9.5 8.1 12.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.557 min Scan# 2290
 Delta R.T. -0.006 min
 Lab File: BF133920.D
 Acq: 23 Jun 2023 01:29

Tgt Ion:264 Resp: 248643
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.2 27.2
 265 20.3 17.8 26.6

