

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062618\
 Data File : BF106854.D
 Acq On : 27 Jun 2018 5:59
 Operator : JU/SJ
 Sample : J3639-07
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 062018-TIPC-E-D-M

Quant Time: Jun 27 06:47:10 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 25 18:50:17 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	42572	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	146977	20.00	ng	0.00
38) Acenaphthene-d10	10.00	164	64891	20.00	ng	-0.01
63) Phenanthrene-d10	11.49	188	125926	20.00	ng	-0.01
75) Chrysene-d12	14.14	240	127532	20.00	ng	-0.02
86) Perylene-d12	15.67	264	84749	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	93208	37.07	ng	0.00
7) Phenol-d6	6.60	99	72656	23.14	ng	-0.02
23) Nitrobenzene-d5	7.52	82	213040	80.55	ng	-0.01
41) 2,4,6-Tribromophenol	10.79	330	54440	72.38	ng	-0.01
44) 2-Fluorobiphenyl	9.31	172	396293	107.23	ng	-0.01
78) Terphenyl-d14	13.08	244	453981	86.23	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.71	163	14685	3.017	ng	Qvalue # 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062618\
Data File : BF106854.D
Acq On : 27 Jun 2018 5:59
Operator : JU/SJ
Sample : J3639-07
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
062018-TIPC-E-D-M

Quant Time: Jun 27 06:47:10 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 25 18:50:17 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF106854.D
Acq: 27 Jun 2018 5:59

Instrument :
BNA_F
ClientSampleId :
062018-TIPC-E-D-M

Tot Ion:152 Resp: 42572
Ion Ratio Lower Upper
152 100
150 159.3 124.6 186.8
115 63.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 37.074 ng
RT: 5.60 min Scan# 554
Delta R.T. -0.01 min
Lab File: BF106854.D
Acq: 27 Jun 2018 5:59

Tgt Ion:112 Resp: 93208
Ion Ratio Lower Upper
112 100
64 58.9 47.9 71.9
63 28.2 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 23.141 ng

RT: 6.60 min Scan# 724

Delta R.T. -0.02 min

Lab File: BF106854.D

Acq: 27 Jun 2018 5:59

Instrument :

BNA_F

ClientSampleId :

062018-TIPC-E-D-M


Tot Ion: 99 Resp: 72656

Ion Ratio Lower Upper

99 100

42 16.6 14.5 21.7




71 33.4 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1004

Delta R.T. -0.01 min

Lab File: BF106854.D

Acq: 27 Jun 2018 5:59

Tgt Ion: 136 Resp: 146977


Ion Ratio Lower Upper

136 100

137 10.4 8.9 13.3

54 7.3 6.6 9.8

68 5.6 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 80.553 ng
 RT: 7.52 min Scan# 882
 Delta R.T. -0.01 min
 Lab File: BF106854.D
 Acq: 27 Jun 2018 5:59

Instrument :
 BNA_F
 ClientSampleId :
 062018-TIPC-E-D-M

Tot Ion	82	Resp	213040
Ion Ratio	Lower	Upper	
82	100		
128	47.2	36.1	54.1
54	46.5	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.00 min Scan# 1302
 Delta R.T. -0.01 min
 Lab File: BF106854.D
 Acq: 27 Jun 2018 5:59

Tgt Ion	164	Resp	64891
Ion Ratio	Lower	Upper	
164	100		
162	95.5	86.1	129.1
160	41.1	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 72.384 ng
 RT: 10.79 min Scan# 1437
 Delta R.T. -0.01 min
 Lab File: BF106854.D
 Acq: 27 Jun 2018 5:59

Instrument :
 BNA_F
 ClientSampleId :
 062018-TIPC-E-D-M

Tot Ion:330 Resp: 54440
 Ion Ratio Lower Upper
 330 100
 332 96.4 77.0 115.6
 141 23.7 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 107.227 ng
 RT: 9.31 min Scan# 1186
 Delta R.T. -0.01 min
 Lab File: BF106854.D
 Acq: 27 Jun 2018 5:59

Tgt Ion:172 Resp: 396293
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.7 44.5
 170 24.0 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.017 ng

RT: 9.71 min Scan# 1253

Delta R.T. -0.02 min

Lab File: BF106854.D

Acq: 27 Jun 2018 5:59

Instrument :

BNA_F

ClientSampleId :

062018-TIPC-E-D-M


Tot Ion:163 Resp: 14685

Ion Ratio Lower Upper

163 100

194 5.0 2.7 4.1#




164 11.4 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.49 min Scan# 1556

Delta R.T. -0.01 min

Lab File: BF106854.D

Acq: 27 Jun 2018 5:59


Tgt Ion:188 Resp: 125926

Ion Ratio Lower Upper

188 100

94 8.8 8.5 12.7



80 9.6 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.14 min Scan# 2007

Delta R.T. -0.02 min

Lab File: BF106854.D

Acq: 27 Jun 2018 5:59

Instrument :

BNA_F

ClientSampleId :

062018-TIPC-E-D-M


Tot Ion:240 Resp: 127532

Ion Ratio Lower Upper

240 100

120 8.6 9.5 14.3#




236 26.1 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 86.228 ng

RT: 13.08 min Scan# 1826

Delta R.T. -0.01 min

Lab File: BF106854.D

Acq: 27 Jun 2018 5:59


Tgt Ion:244 Resp: 453981

Ion Ratio Lower Upper

244 100

212 6.3 5.4 8.0



122 8.1 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.67 min Scan# 2267
 Delta R.T. -0.05 min
 Lab File: BF106854.D
 Acq: 27 Jun 2018 5:59

Instrument :
 BNA_F
 ClientSampleId :
 062018-TIPC-E-D-M

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.7	19.2	28.8
265	20.8	17.5	26.3

