

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062623\
 Data File : BF133980.D
 Acq On : 27 Jun 2023 08:30
 Operator : CG\JU
 Sample : 03336-05
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WC-5

Quant Time: Jun 27 08:50:17 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF062623.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 26 23:12:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.851	152	106399	20.000	ng	0.00
21) Naphthalene-d8	8.128	136	389434	20.000	ng	0.00
39) Acenaphthene-d10	9.886	164	158970	20.000	ng	0.00
64) Phenanthrene-d10	11.380	188	302432	20.000	ng	0.00
76) Chrysene-d12	14.039	240	204749	20.000	ng	0.00
86) Perylene-d12	15.545	264	157617	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	896390	140.927	ng	0.02
7) Phenol-d6	6.492	99	888931	113.640	ng	0.00
23) Nitrobenzene-d5	7.416	82	603519	83.539	ng	0.00
42) 2,4,6-Tribromophenol	10.680	330	236086	118.448	ng	0.00
45) 2-Fluorobiphenyl	9.210	172	1072366	98.075	ng	0.00
79) Terphenyl-d14	12.980	244	1177925	92.590	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062623\
Data File : BF133980.D
Acq On : 27 Jun 2023 08:30
Operator : CG\JU
Sample : 03336-05
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WC-5

Quant Time: Jun 27 08:50:17 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF062623.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 26 23:12:04 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.851 min Scan# 810
Delta R.T. 0.000 min
Lab File: BF133980.D
Acq: 27 Jun 2023 08:30




Instrument :
BNA_F
ClientSampleId :
WC-5


Tgt Ion:152 Resp: 106399
Ion Ratio Lower Upper
152 100
150 154.8 124.5 186.7
115 63.2 50.2 75.2



#5
2-Fluorophenol
Concen: 140.927 ng
RT: 5.504 min Scan# 581
Delta R.T. 0.024 min
Lab File: BF133980.D
Acq: 27 Jun 2023 08:30

Tgt Ion:112 Resp: 896390
Ion Ratio Lower Upper
112 100
64 62.1 52.1 78.1
63 35.1 28.6 42.8








#7
Phenol-d6
Concen: 113.640 ng
RT: 6.492 min Scan# 749
Delta R.T. 0.000 min
Lab File: BF133980.D
Acq: 27 Jun 2023 08:30




Instrument :
BNA_F
ClientSampleId :
WC-5


Tgt Ion: 99 Resp: 888931
Ion Ratio Lower Upper
99 100
42 25.6 19.8 29.6
71 42.8 31.9 47.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.128 min Scan# 1027
Delta R.T. -0.006 min
Lab File: BF133980.D
Acq: 27 Jun 2023 08:30

Tgt Ion:136 Resp: 389434
Ion Ratio Lower Upper
136 100
137 10.7 8.6 12.8
54 9.1 6.5 9.7
68 5.5 4.2 6.2









#23
 Nitrobenzene-d5
 Concen: 83.539 ng
 RT: 7.416 min Scan# 906
 Delta R.T. 0.000 min
 Lab File: BF133980.D
 Acq: 27 Jun 2023 08:30




Instrument :
 BNA_F
 ClientSampleId :
 WC-5

Tgt Ion: 82 Resp: 603519
 Ion Ratio Lower Upper
 82 100
 128 42.9 32.5 48.7
 54 58.8 48.2 72.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.886 min Scan# 1326
 Delta R.T. -0.006 min
 Lab File: BF133980.D
 Acq: 27 Jun 2023 08:30

Tgt Ion:164 Resp: 158970
 Ion Ratio Lower Upper
 164 100
 162 102.5 80.0 120.0
 160 45.6 35.9 53.9





#42

2,4,6-Tribromophenol

Concen: 118.448 ng

RT: 10.680 min Scan# 1462

Delta R.T. -0.006 min

Lab File: BF133980.D

Acq: 27 Jun 2023 08:30

Instrument :

BNA_F

ClientSampleId :

WC-5





Tgt Ion:330 Resp: 236086

Ion Ratio Lower Upper

330 100

332 96.9 77.0 115.6

141 32.9 26.3 39.5



#45

2-Fluorobiphenyl

Concen: 98.075 ng

RT: 9.210 min Scan# 1211

Delta R.T. 0.000 min

Lab File: BF133980.D

Acq: 27 Jun 2023 08:30




Tgt Ion:172 Resp: 1072366

Ion Ratio Lower Upper

172 100

171 35.8 28.6 43.0

170 23.9 19.4 29.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.380 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF133980.D
Acq: 27 Jun 2023 08:30




Instrument :
BNA_F
ClientSampleId :
WC-5


Tgt Ion:188 Resp: 302432
Ion Ratio Lower Upper
188 100
94 8.2 6.4 9.6
80 9.0 7.3 10.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.039 min Scan# 2032
Delta R.T. -0.006 min
Lab File: BF133980.D
Acq: 27 Jun 2023 08:30

Tgt Ion:240 Resp: 204749
Ion Ratio Lower Upper
240 100
120 9.9 7.4 11.0
236 25.5 21.0 31.6









#79
 Terphenyl-d14
 Concen: 92.590 ng
 RT: 12.980 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF133980.D
 Acq: 27 Jun 2023 08:30

Instrument :
 BNA_F
 ClientSampleId :
 WC-5

Tgt Ion:244 Resp: 1177925
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.0 9.0
 122 10.5 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.545 min Scan# 2288
 Delta R.T. 0.000 min
 Lab File: BF133980.D
 Acq: 27 Jun 2023 08:30

Tgt Ion:264 Resp: 157617
 Ion Ratio Lower Upper
 264 100
 260 22.7 19.5 29.3
 265 21.0 16.6 25.0

