

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062718\
 Data File : BF106898.D
 Acq On : 28 Jun 2018 3:48
 Operator : JU/SJ
 Sample : J3705-04
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 W-3

Quant Time: Jun 28 07:13:49 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 25 18:50:17 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	46093	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	161494	20.00	ng	-0.01
38) Acenaphthene-d10	10.00	164	68358	20.00	ng	-0.01
63) Phenanthrene-d10	11.49	188	118159	20.00	ng	-0.01
75) Chrysene-d12	14.14	240	130597	20.00	ng	-0.02
86) Perylene-d12	15.68	264	92509	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	156383	57.45	ng	0.00
7) Phenol-d6	6.60	99	115216	33.89	ng	-0.02
23) Nitrobenzene-d5	7.52	82	264952	91.18	ng	-0.01
41) 2,4,6-Tribromophenol	10.79	330	103144	130.19	ng	-0.01
44) 2-Fluorobiphenyl	9.31	172	443943	115.16	ng	-0.01
78) Terphenyl-d14	13.08	244	490584	90.99	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.70	163	12033	2.347	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062718\
Data File : BF106898.D
Acq On : 28 Jun 2018 3:48
Operator : JU/SJ
Sample : J3705-04
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
W-3

Quant Time: Jun 28 07:13:49 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 25 18:50:17 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF106898.D
Acq: 28 Jun 2018 3:48

Instrument :
BNA_F
ClientSampleId :
W-3

Tot Ion:152 Resp: 46093
Ion Ratio Lower Upper
152 100
150 156.7 124.6 186.8
115 60.7 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 57.450 ng
RT: 5.60 min Scan# 554
Delta R.T. -0.01 min
Lab File: BF106898.D
Acq: 28 Jun 2018 3:48

Tgt Ion:112 Resp: 156383
Ion Ratio Lower Upper
112 100
64 57.8 47.9 71.9
63 27.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 33.894 ng

RT: 6.60 min Scan# 724

Delta R.T. -0.02 min

Lab File: BF106898.D

Acq: 28 Jun 2018 3:48

Instrument :

BNA_F

ClientSampleId :

W-3


Tot Ion: 99 Resp: 115216

Ion Ratio Lower Upper

99 100

42 15.4 14.5 21.7




71 31.5 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF106898.D

Acq: 28 Jun 2018 3:48

Tgt Ion: 136 Resp: 161494


Ion Ratio Lower Upper

136 100

137 11.2 8.9 13.3

54 7.5 6.6 9.8

68 6.0 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 91.176 ng
 RT: 7.52 min Scan# 882
 Delta R.T. -0.01 min
 Lab File: BF106898.D
 Acq: 28 Jun 2018 3:48

Instrument :
 BNA_F
 ClientSampleId :
 W-3

Tot Ion: 82 Resp: 264952
 Ion Ratio Lower Upper
 82 100
 128 47.8 36.1 54.1
 54 47.3 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.00 min Scan# 1302
 Delta R.T. -0.01 min
 Lab File: BF106898.D
 Acq: 28 Jun 2018 3:48

Tgt Ion: 164 Resp: 68358
 Ion Ratio Lower Upper
 164 100
 162 95.9 86.1 129.1
 160 43.8 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 130.185 ng
 RT: 10.79 min Scan# 1437
 Delta R.T. -0.01 min
 Lab File: BF106898.D
 Acq: 28 Jun 2018 3:48

Instrument :
 BNA_F
 ClientSampled :
 W-3

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.1	77.0	115.6
141	22.4	29.9	44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 115.160 ng
 RT: 9.31 min Scan# 1186
 Delta R.T. -0.01 min
 Lab File: BF106898.D
 Acq: 28 Jun 2018 3:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.8	29.7	44.5
170	24.1	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.347 ng

RT: 9.70 min Scan# 1252

Delta R.T. -0.02 min

Lab File: BF106898.D

Acq: 28 Jun 2018 3:48

Instrument :

BNA_F

ClientSampleId :

W-3


Tot Ion:163 Resp: 12033

Ion Ratio Lower Upper

163 100

194 3.6 2.7 4.1




164 10.6 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.49 min Scan# 1556

Delta R.T. -0.01 min

Lab File: BF106898.D

Acq: 28 Jun 2018 3:48


Tgt Ion:188 Resp: 118159

Ion Ratio Lower Upper

188 100

94 8.3 8.5 12.7#



80 8.9 9.2 13.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.14 min Scan# 2007

Delta R.T. -0.02 min

Lab File: BF106898.D

Acq: 28 Jun 2018 3:48

Instrument :

BNA_F

ClientSampleId :

W-3


Tot Ion:240 Resp: 130597

Ion Ratio Lower Upper

240 100

120 8.3 9.5 14.3#




236 25.4 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 90.993 ng

RT: 13.08 min Scan# 1826

Delta R.T. -0.01 min

Lab File: BF106898.D

Acq: 28 Jun 2018 3:48


Tgt Ion:244 Resp: 490584

Ion Ratio Lower Upper

244 100

212 6.3 5.4 8.0



122 7.7 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.68 min Scan# 2268
Delta R.T. -0.04 min
Lab File: BF106898.D
Acq: 28 Jun 2018 3:48

Instrument :
BNA_F
ClientSampleId :
W-3

Tot Ion:264 Resp: 92509
Ion Ratio Lower Upper
264 100
260 24.5 19.2 28.8
265 21.0 17.5 26.3

