

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062818\
 Data File : BF106955.D
 Acq On : 29 Jun 2018 7:08
 Operator : JU/SJ
 Sample : J3693-04
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 W-12

Quant Time: Jun 29 08:37:23 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 25 18:50:17 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	64758	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	212562	20.00	ng	-0.01
38) Acenaphthene-d10	9.99	164	85361	20.00	ng	-0.02
63) Phenanthrene-d10	11.48	188	159021	20.00	ng	-0.02
75) Chrysene-d12	14.14	240	216555	20.00	ng	-0.03
86) Perylene-d12	15.67	264	174600	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	234263	61.26	ng	-0.01
7) Phenol-d6	6.59	99	175712	36.79	ng	-0.02
23) Nitrobenzene-d5	7.52	82	346544	90.60	ng	-0.02
41) 2,4,6-Tribromophenol	10.79	330	143235	144.78	ng	-0.01
44) 2-Fluorobiphenyl	9.31	172	558633	116.18	ng	-0.02
78) Terphenyl-d14	13.07	244	702885	78.62	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.70	163	23931	3.738	ng	Qvalue # 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062818\
Data File : BF106955.D
Acq On : 29 Jun 2018 7:08
Operator : JU/SJ
Sample : J3693-04
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
W-12

Quant Time: Jun 29 08:37:23 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 25 18:50:17 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF106955.D
Acq: 29 Jun 2018 7:08

Instrument :
BNA_F
ClientSampleId :
W-12

Tot Ion:152 Resp: 64758
Ion Ratio Lower Upper
152 100
150 156.4 124.6 186.8
115 57.1 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 61.256 ng
RT: 5.59 min Scan# 553
Delta R.T. -0.01 min
Lab File: BF106955.D
Acq: 29 Jun 2018 7:08

Tgt Ion:112 Resp: 234263
Ion Ratio Lower Upper
112 100
64 58.4 47.9 71.9
63 28.8 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 36.792 ng

RT: 6.59 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF106955.D

Acq: 29 Jun 2018 7:08

Instrument :

BNA_F

ClientSampleId :

W-12


Tot Ion: 99 Resp: 175712

Ion Ratio Lower Upper

99 100

42 16.8 14.5 21.7



71 33.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF106955.D

Acq: 29 Jun 2018 7:08

Tgt Ion: 136 Resp: 212562


Ion Ratio Lower Upper

136 100

137 10.4 8.9 13.3

54 7.0 6.6 9.8

68 5.8 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 90.603 ng
 RT: 7.52 min Scan# 881
 Delta R.T. -0.02 min
 Lab File: BF106955.D
 Acq: 29 Jun 2018 7:08

Instrument :
 BNA_F
 ClientSampleId :
 W-12

Tot Ion: 82 Resp: 346544
 Ion Ratio Lower Upper
 82 100
 128 45.9 36.1 54.1
 54 48.9 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.99 min Scan# 1301
 Delta R.T. -0.02 min
 Lab File: BF106955.D
 Acq: 29 Jun 2018 7:08

Tgt Ion: 164 Resp: 85361
 Ion Ratio Lower Upper
 164 100
 162 95.1 86.1 129.1
 160 42.2 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 144.776 ng
 RT: 10.79 min Scan# 1437
 Delta R.T. -0.01 min
 Lab File: BF106955.D
 Acq: 29 Jun 2018 7:08




Instrument :
 BNA_F
 ClientSampleId :
 W-12

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.3	77.0	115.6
141	22.9	29.9	44.9#



#44
 2-Fluorobiphenyl
 Concen: 116.183 ng
 RT: 9.31 min Scan# 1185
 Delta R.T. -0.02 min
 Lab File: BF106955.D
 Acq: 29 Jun 2018 7:08

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.9	29.7	44.5
170	24.2	19.6	29.4





#49

Dimethylphthalate

Concen: 3.738 ng

RT: 9.70 min Scan# 1252

Delta R.T. -0.02 min

Lab File: BF106955.D

Acq: 29 Jun 2018 7:08

Instrument :

BNA_F

ClientSampleId :

W-12


Tot Ion:163 Resp: 23931

Ion Ratio Lower Upper

163 100

194 4.5 2.7 4.1#



164 11.7 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.48 min Scan# 1555

Delta R.T. -0.02 min

Lab File: BF106955.D

Acq: 29 Jun 2018 7:08


Tgt Ion:188 Resp: 159021

Ion Ratio Lower Upper

188 100

94 8.7 8.5 12.7



80 9.2 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.14 min Scan# 2006

Delta R.T. -0.03 min

Lab File: BF106955.D

Acq: 29 Jun 2018 7:08

Instrument :

BNA_F

ClientSampleId :

W-12


Tot Ion:240 Resp: 216555

Ion Ratio Lower Upper

240 100

120 9.6 9.5 14.3



236 26.4 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 78.622 ng

RT: 13.07 min Scan# 1825

Delta R.T. -0.01 min

Lab File: BF106955.D

Acq: 29 Jun 2018 7:08


Tgt Ion:244 Resp: 702885

Ion Ratio Lower Upper

244 100

212 6.7 5.4 8.0



122 8.6 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.67 min Scan# 2267
Delta R.T. -0.05 min
Lab File: BF106955.D
Acq: 29 Jun 2018 7:08

Instrument :
BNA_F
ClientSampleId :
W-12

Tot Ion:264 Resp: 174600

Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.2	28.8
265	21.1	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

