

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF063018\
 Data File : BF107021.D
 Acq On : 30 Jun 2018 18:09
 Operator : JU/SJ
 Sample : J3629-04 5X
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 A0C2-04

Quant Time: Jul 02 06:54:10 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 29 14:38:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	66297	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	243064	20.00	ng	-0.01
38) Acenaphthene-d10	10.00	164	101535	20.00	ng	-0.01
63) Phenanthrene-d10	11.49	188	201409	20.00	ng	-0.01
75) Chrysene-d12	14.14	240	194320	20.00	ng	-0.02
86) Perylene-d12	15.69	264	129538	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	39713	10.14	ng	0.04
7) Phenol-d6	6.63	99	45339	9.27	ng	0.02
23) Nitrobenzene-d5	7.51	82	25971	5.94	ng	-0.02
41) 2,4,6-Tribromophenol	10.79	330	11358	9.65	ng	-0.01
44) 2-Fluorobiphenyl	9.31	172	57543	-6.24	ng	-0.02
78) Terphenyl-d14	13.07	244	70906	8.84	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.52	70	3417	1.060	ng	# 73
79) Butylbenzylphthalate	13.54	149	9390	1.782	ng	# 95
83) Bis(2-ethylhexyl)phthalate	14.10	149	778164	115.530	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF063018\
Data File : BF107021.D
Acq On : 30 Jun 2018 18:09
Operator : JU/SJ
Sample : J3629-04 5X
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
A0C2-04

Quant Time: Jul 02 06:54:10 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 29 14:38:29 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF107021.D
Acq: 30 Jun 2018 18:09

Instrument :
BNA_F
ClientSampleId :
A0C2-04




Tot Ion:152 Resp: 66297
Ion Ratio Lower Upper
152 100
150 155.2 124.6 186.8
115 57.9 50.1 75.1




#5

2-Fluorophenol
Concen: 10.143 ng
RT: 5.64 min Scan# 561
Delta R.T. 0.04 min
Lab File: BF107021.D
Acq: 30 Jun 2018 18:09

Tgt Ion:112 Resp: 39713
Ion Ratio Lower Upper
112 100
64 57.3 47.9 71.9
63 27.2 23.7 35.5





#7

Phenol-d6

Concen: 9.273 ng

RT: 6.63 min Scan# 730

Delta R.T. 0.02 min

Lab File: BF107021.D

Acq: 30 Jun 2018 18:09

Instrument :

BNA_F

ClientSampleId :

A0C2-04


Tot Ion: 99 Resp: 45339

Ion Ratio Lower Upper

99 100

42 19.4 14.5 21.7




71 34.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 1.060 ng

RT: 7.52 min Scan# 881

Delta R.T. 0.14 min

Lab File: BF107021.D

Acq: 30 Jun 2018 18:09

Tgt Ion: 70 Resp: 3417


Ion Ratio Lower Upper

70 100

42 43.9 47.5 71.3#

101 0.0 7.4 11.2#

130 0.0 16.6 25.0#






Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.24 min Scan# 1003
Delta R.T. -0.01 min
Lab File: BF107021.D
Acq: 30 Jun 2018 18:09

Instrument :
BNA_F
ClientSampleId :
A0C2-04

Tot Ion:	136	Resp:	243064
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.9	13.3
54	7.3	6.6	9.8
68	5.8	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 5.938 ng
RT: 7.51 min Scan# 880
Delta R.T. -0.02 min
Lab File: BF107021.D
Acq: 30 Jun 2018 18:09

Tgt Ion:	82	Resp:	25971
Ion	Ratio	Lower	Upper
82	100		
128	42.7	36.1	54.1
54	52.6	41.4	62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.00 min Scan# 1302
Delta R.T. -0.01 min
Lab File: BF107021.D
Acq: 30 Jun 2018 18:09




Instrument :
BNA_F
ClientSampleId :
A0C2-04


Tot Ion:164 Resp: 101535
Ion Ratio Lower Upper
164 100
162 95.6 86.1 129.1
160 44.1 38.3 57.5



#41
2,4,6-Tribromophenol
Concen: 9.651 ng
RT: 10.79 min Scan# 1437
Delta R.T. -0.01 min
Lab File: BF107021.D
Acq: 30 Jun 2018 18:09

Tgt Ion:330 Resp: 11358
Ion Ratio Lower Upper
330 100
332 94.4 77.0 115.6
141 25.7 29.9 44.9#









#44
 2-Fluorobiphenyl
 Concen: -6.242 ng
 RT: 9.31 min Scan# 1185
 Delta R.T. -0.02 min
 Lab File: BF107021.D
 Acq: 30 Jun 2018 18:09




Instrument :
 BNA_F
 ClientSampleId :
 A0C2-04


Tot Ion:172 Resp: 57543
 Ion Ratio Lower Upper
 172 100
 171 33.8 29.7 44.5
 170 22.6 19.6 29.4



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.49 min Scan# 1556
 Delta R.T. -0.01 min
 Lab File: BF107021.D
 Acq: 30 Jun 2018 18:09

Tgt Ion:188 Resp: 201409
 Ion Ratio Lower Upper
 188 100
 94 8.1 8.5 12.7#
 80 8.6 9.2 13.8#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.14 min Scan# 2007

Delta R.T. -0.02 min

Lab File: BF107021.D

Acq: 30 Jun 2018 18:09

Instrument :

BNA_F

ClientSampleId :

A0C2-04


Tot Ion:240 Resp: 194320

Ion Ratio Lower Upper

240 100

120 9.8 9.5 14.3




236 25.2 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 8.839 ng

RT: 13.07 min Scan# 1824

Delta R.T. -0.02 min

Lab File: BF107021.D

Acq: 30 Jun 2018 18:09


Tgt Ion:244 Resp: 70906

Ion Ratio Lower Upper

244 100

212 5.9 5.4 8.0



122 10.1 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#79
 Butylbenzylphthalate
 Concen: 1.782 ng
 RT: 13.54 min Scan# 1904
 Delta R.T. -0.02 min
 Lab File: BF107021.D
 Acq: 30 Jun 2018 18:09

Instrument :
 BNA_F
 ClientSampleId :
 A0C2-04

Tot Ion:149 Resp: 9390
 Ion Ratio Lower Upper
 149 100
 91 72.9 56.8 85.2
 206 23.6 14.1 21.1#




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 91.00 (90.70 to 91.70): BF1
 Ion 206.00 (205.70 to 206.70): E






#83
 Bis(2-ethylhexyl)phthalate
 Concen: 115.530 ng
 RT: 14.10 min Scan# 2000
 Delta R.T. -0.01 min
 Lab File: BF107021.D
 Acq: 30 Jun 2018 18:09

Tgt Ion:149 Resp: 778164
 Ion Ratio Lower Upper
 149 100
 167 29.3 21.3 31.9
 279 5.5 3.0 4.4#



Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.69 min Scan# 2270
Delta R.T. -0.03 min
Lab File: BF107021.D
Acq: 30 Jun 2018 18:09

Instrument :
BNA_F
ClientSampleId :
A0C2-04

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.2	28.8
265	21.6	17.5	26.3

