

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070122\
 Data File : BF129094.D
 Acq On : 01 Jul 2022 16:24
 Operator : CG\JU
 Sample : N3561-04
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 S-4

Quant Time: Jul 02 01:25:32 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF062922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 29 17:05:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.957	152	319236	20.000	ng	0.00
21) Naphthalene-d8	8.239	136	1223157	20.000	ng	# 0.00
39) Acenaphthene-d10	9.998	164	649005	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	1199366	20.000	ng	#-0.01
76) Chrysene-d12	14.139	240	820093	20.000	ng	-0.01
86) Perylene-d12	15.657	264	608465	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.581	112	2232750	118.244	ng	0.00
7) Phenol-d6	6.575	99	2808125	119.741	ng	-0.01
23) Nitrobenzene-d5	7.516	82	1770450	86.335	ng	-0.01
42) 2,4,6-Tribromophenol	10.786	330	837309	118.650	ng	-0.01
45) 2-Fluorobiphenyl	9.316	172	3191009	78.658	ng	0.00
79) Terphenyl-d14	13.080	244	3549917	89.891	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070122\
Data File : BF129094.D
Acq On : 01 Jul 2022 16:24
Operator : CG\JU
Sample : N3561-04
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
S-4

Quant Time: Jul 02 01:25:32 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF062922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 29 17:05:31 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.957 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF129094.D
Acq: 01 Jul 2022 16:24




Instrument :
BNA_F
ClientSampleId :
S-4


Tgt Ion:152 Resp: 319236
Ion Ratio Lower Upper
152 100
150 153.8 123.7 185.5
115 56.0 49.9 74.9



#5
2-Fluorophenol
Concen: 118.244 ng
RT: 5.581 min Scan# 560
Delta R.T. -0.006 min
Lab File: BF129094.D
Acq: 01 Jul 2022 16:24

Tgt Ion:112 Resp: 2232750
Ion Ratio Lower Upper
112 100
64 59.4 53.3 79.9
63 29.8 28.0 42.0





#7
Phenol-d6
Concen: 119.741 ng
RT: 6.575 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF129094.D
Acq: 01 Jul 2022 16:24





Instrument :

BNA_F

ClientSampleId :




S-4


Tgt Ion: 99 Resp: 2808125
Ion Ratio Lower Upper
99 100
42 17.5 17.3 25.9
71 33.3 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.239 min Scan# 1012
Delta R.T. -0.006 min
Lab File: BF129094.D
Acq: 01 Jul 2022 16:24

Tgt Ion: 136 Resp: 1223157
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 7.3 7.5 11.3#
68 6.1 4.7 7.1









#23
Nitrobenzene-d5
Concen: 86.335 ng
RT: 7.516 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF129094.D
Acq: 01 Jul 2022 16:24




Instrument :
BNA_F
ClientSampleId :
S-4


Tgt Ion: 82 Resp: 1770450
Ion Ratio Lower Upper
82 100
128 47.1 34.0 51.0
54 49.7 46.9 70.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.998 min Scan# 1311
Delta R.T. -0.006 min
Lab File: BF129094.D
Acq: 01 Jul 2022 16:24

Tgt Ion: 164 Resp: 649005
Ion Ratio Lower Upper
164 100
162 101.0 79.5 119.3
160 46.8 34.2 51.4









#42
 2,4,6-Tribromophenol
 Concen: 118.650 ng
 RT: 10.786 min Scan# 1445
 Delta R.T. -0.012 min
 Lab File: BF129094.D
 Acq: 01 Jul 2022 16:24




Instrument :
 BNA_F
 ClientSampleId :
 S-4


Tgt Ion:330 Resp: 837309
 Ion Ratio Lower Upper
 330 100
 332 96.3 76.8 115.2
 141 30.2 28.0 42.0



#45
 2-Fluorobiphenyl
 Concen: 78.658 ng
 RT: 9.316 min Scan# 1195
 Delta R.T. -0.006 min
 Lab File: BF129094.D
 Acq: 01 Jul 2022 16:24

Tgt Ion:172 Resp: 3191009
 Ion Ratio Lower Upper
 172 100
 171 37.6 28.8 43.2
 170 26.0 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF129094.D
Acq: 01 Jul 2022 16:24




Instrument :
BNA_F
ClientSampleId :
S-4


Tgt Ion:188 Resp: 1199366
Ion Ratio Lower Upper
188 100
94 10.9 7.0 10.6#
80 11.7 7.6 11.4#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.139 min Scan# 2015
Delta R.T. -0.012 min
Lab File: BF129094.D
Acq: 01 Jul 2022 16:24

Tgt Ion:240 Resp: 820093
Ion Ratio Lower Upper
240 100
120 10.5 8.9 13.3
236 25.9 20.8 31.2









#79
Terphenyl-d14
Concen: 89.891 ng
RT: 13.080 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF129094.D
Acq: 01 Jul 2022 16:24

Instrument :
BNA_F
ClientSampleId :
S-4

Tgt Ion:244 Resp: 3549917
Ion Ratio Lower Upper
244 100
212 8.2 6.1 9.1
122 13.3 8.8 13.2#



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.657 min Scan# 2273
Delta R.T. -0.018 min
Lab File: BF129094.D
Acq: 01 Jul 2022 16:24

Tgt Ion:264 Resp: 608465
Ion Ratio Lower Upper
264 100
260 24.5 18.4 27.6
265 22.0 17.2 25.8

