

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070218\
 Data File : BF107068.D
 Acq On : 3 Jul 2018 3:24
 Operator : JU/SJ
 Sample : J3800-10
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-19

Quant Time: Jul 03 05:54:10 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 29 14:38:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	58846	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	202571	20.00	ng	-0.01
38) Acenaphthene-d10	10.00	164	88234	20.00	ng	0.00
63) Phenanthrene-d10	11.50	188	171819	20.00	ng	0.00
75) Chrysene-d12	14.15	240	144019	20.00	ng	-0.02
86) Perylene-d12	15.69	264	103338	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	212184	61.06	ng	0.00
7) Phenol-d6	6.60	99	158088	36.43	ng	-0.01
23) Nitrobenzene-d5	7.52	82	283564	77.79	ng	-0.01
41) 2,4,6-Tribromophenol	10.80	330	130262	127.38	ng	0.00
44) 2-Fluorobiphenyl	9.31	172	499442	98.08	ng	-0.01
78) Terphenyl-d14	13.08	244	614116	103.29	ng	0.00
Target Compounds						
10) Phenol	6.62	94	29760	6.009	ng	85
49) Dimethylphthalate	9.71	163	88338	13.349	ng	# 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070218\
Data File : BF107068.D
Acq On : 3 Jul 2018 3:24
Operator : JU/SJ
Sample : J3800-10
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-19

Quant Time: Jul 03 05:54:10 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 29 14:38:29 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF107068.D
Acq: 3 Jul 2018 3:24

Instrument :
BNA_F
ClientSampleId :
MW-19

Tot Ion:152 Resp: 58846
Ion Ratio Lower Upper
152 100
150 161.7 124.6 186.8
115 59.5 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 61.057 ng
RT: 5.60 min Scan# 555
Delta R.T. -0.00 min
Lab File: BF107068.D
Acq: 3 Jul 2018 3:24

Tgt Ion:112 Resp: 212184
Ion Ratio Lower Upper
112 100
64 58.3 47.9 71.9
63 28.3 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 36.427 ng

RT: 6.60 min Scan# 725

Delta R.T. -0.01 min

Lab File: BF107068.D

Acq: 3 Jul 2018 3:24

Instrument :

BNA_F

ClientSampled :

MW-19


Tot Ion: 99 Resp: 158088

Ion Ratio Lower Upper




99 100

42 17.2 14.5 21.7

71 35.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 6.009 ng

RT: 6.62 min Scan# 728

Delta R.T. -0.01 min

Lab File: BF107068.D

Acq: 3 Jul 2018 3:24


Tgt Ion: 94 Resp: 29760

Ion Ratio Lower Upper



94 100


65 33.1 7.9 47.9

66 47.0 16.2 56.2



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF107068.D

Acq: 3 Jul 2018 3:24

Instrument :

BNA_F

ClientSampleId :

MW-19

Tot Ion:136 Resp: 202571



Ion Ratio Lower Upper

136 100

137 10.6 8.9 13.3

54 8.2 6.6 9.8

68 6.8 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 77.793 ng

RT: 7.52 min Scan# 882

Delta R.T. -0.01 min

Lab File: BF107068.D

Acq: 3 Jul 2018 3:24



Tgt Ion: 82 Resp: 283564

Ion Ratio Lower Upper

82 100

128 46.9 36.1 54.1


54 47.3 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.00 min Scan# 1303
 Delta R.T. -0.01 min
 Lab File: BF107068.D
 Acq: 3 Jul 2018 3:24




Instrument :
 BNA_F
 ClientSampleId :
 MW-19

Tot Ion:164 Resp: 88234
 Ion Ratio Lower Upper
 164 100
 162 100.6 86.1 129.1
 160 44.7 38.3 57.5



#41
 2,4,6-Tribromophenol
 Concen: 127.376 ng
 RT: 10.80 min Scan# 1438
 Delta R.T. -0.01 min
 Lab File: BF107068.D
 Acq: 3 Jul 2018 3:24

Tgt Ion:330 Resp: 130262
 Ion Ratio Lower Upper
 330 100
 332 97.6 77.0 115.6
 141 23.5 29.9 44.9#









#44
2-Fluorobiphenyl
Concen: 98.080 ng
RT: 9.31 min Scan# 1186
Delta R.T. -0.01 min
Lab File: BF107068.D
Acq: 3 Jul 2018 3:24

Instrument :
BNA_F
ClientSampleId :
MW-19

Tot Ion:172 Resp: 499442
Ion Ratio Lower Upper
172 100
171 36.4 29.7 44.5
170 24.6 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#49
Dimethylphthalate
Concen: 13.349 ng
RT: 9.71 min Scan# 1253
Delta R.T. -0.02 min
Lab File: BF107068.D
Acq: 3 Jul 2018 3:24

Tgt Ion:163 Resp: 88338
Ion Ratio Lower Upper
163 100
194 4.2 2.7 4.1#
164 10.2 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.50 min Scan# 1557
Delta R.T. -0.01 min
Lab File: BF107068.D
Acq: 3 Jul 2018 3:24




Instrument :
BNA_F
ClientSampleId :
MW-19

Tot Ion:188 Resp: 171819
Ion Ratio Lower Upper
188 100
94 8.2 8.5 12.7#
80 9.0 9.2 13.8#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.15 min Scan# 2008
Delta R.T. -0.02 min
Lab File: BF107068.D
Acq: 3 Jul 2018 3:24

Tgt Ion:240 Resp: 144019
Ion Ratio Lower Upper
240 100
120 9.6 9.5 14.3
236 25.9 20.7 31.1









#78
 Terphenyl-d14
 Concen: 103.290 ng
 RT: 13.08 min Scan# 1826
 Delta R.T. -0.01 min
 Lab File: BF107068.D
 Acq: 3 Jul 2018 3:24

Instrument :
 BNA_F
 ClientSampled :
 MW-19

Tot Ion:244 Resp: 614116
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.4 8.0
 122 9.4 11.0 16.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.69 min Scan# 2270
 Delta R.T. -0.03 min
 Lab File: BF107068.D
 Acq: 3 Jul 2018 3:24

Tgt Ion:264 Resp: 103338
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.2 28.8
 265 21.5 17.5 26.3

