

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070318\
 Data File : BF107100.D
 Acq On : 4 Jul 2018 00:22
 Operator : JU/SJ
 Sample : J3812-03
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DPC-81753-FB-07

Quant Time: Jul 04 01:24:09 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 29 14:38:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	56488	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	198710	20.00	ng	-0.01
38) Acenaphthene-d10	10.00	164	85158	20.00	ng	-0.01
63) Phenanthrene-d10	11.49	188	171138	20.00	ng	0.00
75) Chrysene-d12	14.15	240	138226	20.00	ng	-0.02
86) Perylene-d12	15.68	264	99252	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	209807	62.89	ng	0.00
7) Phenol-d6	6.60	99	253246	60.79	ng	-0.01
23) Nitrobenzene-d5	7.52	82	143368	40.10	ng	-0.02
41) 2,4,6-Tribromophenol	10.79	330	60469	61.27	ng	0.00
44) 2-Fluorobiphenyl	9.31	172	289738	51.83	ng	-0.02
78) Terphenyl-d14	13.07	244	357337	62.62	ng	-0.01
Target Compounds						
83) Bis(2-ethylhexyl)phthalate	14.09	149	13314	2.779	ng	Qvalue 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070318\
Data File : BF107100.D
Acq On : 4 Jul 2018 00:22
Operator : JU/SJ
Sample : J3812-03
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DPC-81753-FB-07

Quant Time: Jul 04 01:24:09 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 29 14:38:29 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF107100.D
Acq: 4 Jul 2018 00:22

Instrument :
BNA_F
ClientSampleId :
DPC-81753-FB-07

Tot Ion:152 Resp: 56488
Ion Ratio Lower Upper
152 100
150 156.7 124.6 186.8
115 58.8 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 62.893 ng
RT: 5.60 min Scan# 555
Delta R.T. -0.00 min
Lab File: BF107100.D
Acq: 4 Jul 2018 00:22

Tgt Ion:112 Resp: 209807
Ion Ratio Lower Upper
112 100
64 56.6 47.9 71.9
63 27.1 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 60.790 ng

RT: 6.60 min Scan# 725

Delta R.T. -0.01 min

Lab File: BF107100.D

Acq: 4 Jul 2018 00:22

Instrument :

BNA_F

ClientSampleId :

DPC-81753-FB-07


Tot Ion: 99 Resp: 253246

Ion Ratio Lower Upper

99 100

42 16.1 14.5 21.7




71 33.5 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF107100.D

Acq: 4 Jul 2018 00:22

Tgt Ion: 136 Resp: 198710


Ion Ratio Lower Upper

136 100

137 10.8 8.9 13.3

54 8.1 6.6 9.8

68 6.0 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 40.096 ng
 RT: 7.52 min Scan# 881
 Delta R.T. -0.02 min
 Lab File: BF107100.D
 Acq: 4 Jul 2018 00:22

Instrument :
 BNA_F
 ClientSampleId :
 DPC-81753-FB-07

Tot Ion: 82 Resp: 143368
 Ion Ratio Lower Upper
 82 100
 128 45.8 36.1 54.1
 54 49.8 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.00 min Scan# 1302
 Delta R.T. -0.01 min
 Lab File: BF107100.D
 Acq: 4 Jul 2018 00:22

Tgt Ion:164 Resp: 85158
 Ion Ratio Lower Upper
 164 100
 162 97.0 86.1 129.1
 160 41.7 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 61.265 ng
 RT: 10.79 min Scan# 1438
 Delta R.T. -0.01 min
 Lab File: BF107100.D
 Acq: 4 Jul 2018 00:22




Instrument :
 BNA_F
 ClientSampleId :
 DPC-81753-FB-07


Tot Ion:330 Resp: 60469
 Ion Ratio Lower Upper
 330 100
 332 97.7 77.0 115.6
 141 24.5 29.9 44.9#



#44
 2-Fluorobiphenyl
 Concen: 51.833 ng
 RT: 9.31 min Scan# 1185
 Delta R.T. -0.02 min
 Lab File: BF107100.D
 Acq: 4 Jul 2018 00:22

Tgt Ion:172 Resp: 289738
 Ion Ratio Lower Upper
 172 100
 171 35.0 29.7 44.5
 170 23.6 19.6 29.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.49 min Scan# 1557
Delta R.T. -0.01 min
Lab File: BF107100.D
Acq: 4 Jul 2018 00:22




Instrument :
BNA_F
ClientSampleId :
DPC-81753-FB-07


Tot Ion:188 Resp: 171138
Ion Ratio Lower Upper
188 100
94 8.0 8.5 12.7#
80 9.0 9.2 13.8#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.15 min Scan# 2008
Delta R.T. -0.02 min
Lab File: BF107100.D
Acq: 4 Jul 2018 00:22

Tgt Ion:240 Resp: 138226
Ion Ratio Lower Upper
240 100
120 8.2 9.5 14.3#
236 25.4 20.7 31.1





#78

Terphenyl-d14

Concen: 62.620 ng

RT: 13.07 min Scan# 1825

Delta R.T. -0.01 min

Lab File: BF107100.D

Acq: 4 Jul 2018 00:22

Instrument :

BNA_F

ClientSampleId :

DPC-81753-FB-07





Tot Ion:244 Resp: 357337

Ion Ratio Lower Upper

244 100

212 6.6 5.4 8.0

122 9.4 11.0 16.4#



#83

Bis(2-ethylhexyl)phthalate

Concen: 2.779 ng

RT: 14.09 min Scan# 1998

Delta R.T. -0.02 min

Lab File: BF107100.D

Acq: 4 Jul 2018 00:22




Tgt Ion:149 Resp: 13314


Ion Ratio Lower Upper

149 100

167 29.8 21.3 31.9

279 4.4 3.0 4.4






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.68 min Scan# 2269
Delta R.T. -0.04 min
Lab File: BF107100.D
Acq: 4 Jul 2018 00:22

Instrument :
BNA_F
ClientSampleId :
DPC-81753-FB-07

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.2	28.8
265	20.8	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

