

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070318\
 Data File : BF107103.D
 Acq On : 4 Jul 2018 1:43
 Operator : JU/SJ
 Sample : J3812-06
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DPC-81753-FB-03

Quant Time: Jul 04 02:12:21 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 29 14:38:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	53458	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	188351	20.00	ng	-0.01
38) Acenaphthene-d10	10.00	164	81029	20.00	ng	-0.01
63) Phenanthrene-d10	11.50	188	168191	20.00	ng	0.00
75) Chrysene-d12	14.15	240	142115	20.00	ng	-0.02
86) Perylene-d12	15.69	264	101009	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	114732	36.34	ng	0.00
7) Phenol-d6	6.60	99	143991	36.52	ng	-0.01
23) Nitrobenzene-d5	7.52	82	82746	24.41	ng	-0.02
41) 2,4,6-Tribromophenol	10.80	330	31735	33.79	ng	0.00
44) 2-Fluorobiphenyl	9.31	172	176610	26.79	ng	-0.02
78) Terphenyl-d14	13.07	244	236067	40.24	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070318\
Data File : BF107103.D
Acq On : 4 Jul 2018 1:43
Operator : JU/SJ
Sample : J3812-06
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DPC-81753-FB-03

Quant Time: Jul 04 02:12:21 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 29 14:38:29 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF107103.D
Acq: 4 Jul 2018 1:43

Instrument :
BNA_F
ClientSampleId :
DPC-81753-FB-03

Tot Ion:152 Resp: 53458
Ion Ratio Lower Upper
152 100
150 155.2 124.6 186.8
115 57.9 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 36.342 ng
RT: 5.60 min Scan# 554
Delta R.T. -0.01 min
Lab File: BF107103.D
Acq: 4 Jul 2018 1:43

Tgt Ion:112 Resp: 114732
Ion Ratio Lower Upper
112 100
64 60.8 47.9 71.9
63 30.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 36.523 ng

RT: 6.60 min Scan# 725

Delta R.T. -0.01 min

Lab File: BF107103.D

Acq: 4 Jul 2018 1:43

Instrument :

BNA_F

ClientSampleId :

DPC-81753-FB-03


Tot Ion: 99 Resp: 143991

Ion Ratio Lower Upper

99 100

42 16.3 14.5 21.7




71 32.8 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF107103.D

Acq: 4 Jul 2018 1:43

Tgt Ion: 136 Resp: 188351


Ion Ratio Lower Upper

136 100

137 10.8 8.9 13.3

54 7.7 6.6 9.8

68 6.4 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 24.414 ng
 RT: 7.52 min Scan# 881
 Delta R.T. -0.02 min
 Lab File: BF107103.D
 Acq: 4 Jul 2018 1:43

Instrument :
 BNA_F
 ClientSampleId :
 DPC-81753-FB-03

Tot Ion: 82 Resp: 82746
 Ion Ratio Lower Upper
 82 100
 128 46.8 36.1 54.1
 54 49.0 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.00 min Scan# 1302
 Delta R.T. -0.01 min
 Lab File: BF107103.D
 Acq: 4 Jul 2018 1:43

Tgt Ion: 164 Resp: 81029
 Ion Ratio Lower Upper
 164 100
 162 95.7 86.1 129.1
 160 43.7 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 33.791 ng
 RT: 10.80 min Scan# 1438
 Delta R.T. -0.01 min
 Lab File: BF107103.D
 Acq: 4 Jul 2018 1:43

Instrument :
 BNA_F
 ClientSampleId :
 DPC-81753-FB-03

Tot Ion:330 Resp: 31735
 Ion Ratio Lower Upper
 330 100
 332 96.4 77.0 115.6
 141 24.7 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 26.790 ng
 RT: 9.31 min Scan# 1185
 Delta R.T. -0.02 min
 Lab File: BF107103.D
 Acq: 4 Jul 2018 1:43

Tgt Ion:172 Resp: 176610
 Ion Ratio Lower Upper
 172 100
 171 34.8 29.7 44.5
 170 23.1 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.50 min Scan# 1557
Delta R.T. -0.01 min
Lab File: BF107103.D
Acq: 4 Jul 2018 1:43




Instrument :
BNA_F
ClientSampleId :
DPC-81753-FB-03


Tot Ion:188 Resp: 168191
Ion Ratio Lower Upper
188 100
94 8.3 8.5 12.7#
80 8.6 9.2 13.8#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.15 min Scan# 2008
Delta R.T. -0.02 min
Lab File: BF107103.D
Acq: 4 Jul 2018 1:43

Tgt Ion:240 Resp: 142115
Ion Ratio Lower Upper
240 100
120 8.6 9.5 14.3#
236 25.6 20.7 31.1





#78

Terphenyl-d14

Concen: 40.237 ng

RT: 13.07 min Scan# 1825

Delta R.T. -0.01 min

Lab File: BF107103.D

Acq: 4 Jul 2018 1:43

Instrument :

BNA_F

ClientSampleId :

DPC-81753-FB-03


Tot Ion:244 Resp: 236067

Ion Ratio Lower Upper

244 100

212 6.4 5.4 8.0




122 9.1 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.69 min Scan# 2270

Delta R.T. -0.03 min

Lab File: BF107103.D

Acq: 4 Jul 2018 1:43


Tgt Ion:264 Resp: 101009

Ion Ratio Lower Upper

264 100

260 23.3 19.2 28.8

265 21.9 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

