

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070623\
 Data File : BF134109.D
 Acq On : 06 Jul 2023 21:53
 Operator : CG\JU
 Sample : 03475-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ALDENE-COMP-1

Quant Time: Jul 07 01:33:16 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF062623.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 30 18:35:29 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	91311	20.000	ng	0.00
21) Naphthalene-d8	8.122	136	362072	20.000	ng	-0.01
39) Acenaphthene-d10	9.880	164	179914	20.000	ng	-0.01
64) Phenanthrene-d10	11.374	188	346667	20.000	ng	-0.01
76) Chrysene-d12	14.033	240	233930	20.000	ng	#-0.02
86) Perylene-d12	15.539	264	189958	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	528137	96.752	ng	0.00
7) Phenol-d6	6.481	99	620047	92.364	ng	-0.01
23) Nitrobenzene-d5	7.410	82	430218	64.051	ng	-0.01
42) 2,4,6-Tribromophenol	10.674	330	210726	93.417	ng	-0.01
45) 2-Fluorobiphenyl	9.204	172	804822	65.038	ng	0.00
79) Terphenyl-d14	12.974	244	891023	61.302	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070623\
Data File : BF134109.D
Acq On : 06 Jul 2023 21:53
Operator : CG\JU
Sample : 03475-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ALDENE-COMP-1

Quant Time: Jul 07 01:33:16 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF062623.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 30 18:35:29 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.845 min Scan# 810
Delta R.T. -0.006 min
Lab File: BF134109.D
Acq: 06 Jul 2023 21:53




Instrument :
BNA_F
ClientSampleId :
ALDENE-COMP-1


Tgt Ion:152 Resp: 91311
Ion Ratio Lower Upper
152 100
150 156.1 124.5 186.7
115 60.8 50.2 75.2



#5
2-Fluorophenol
Concen: 96.752 ng
RT: 5.481 min Scan# 577
Delta R.T. -0.006 min
Lab File: BF134109.D
Acq: 06 Jul 2023 21:53

Tgt Ion:112 Resp: 528137
Ion Ratio Lower Upper
112 100
64 64.7 52.1 78.1
63 36.9 28.6 42.8









#7
Phenol-d6
Concen: 92.364 ng
RT: 6.481 min Scan# 749
Delta R.T. -0.012 min
Lab File: BF134109.D
Acq: 06 Jul 2023 21:53




Instrument :
BNA_F
ClientSampleId :
ALDENE-COMP-1


Tgt Ion: 99 Resp: 620047
Ion Ratio Lower Upper
99 100
42 25.3 19.8 29.6
71 42.3 31.9 47.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.122 min Scan# 1026
Delta R.T. -0.012 min
Lab File: BF134109.D
Acq: 06 Jul 2023 21:53

Tgt Ion: 136 Resp: 362072
Ion Ratio Lower Upper
136 100
137 11.0 8.6 12.8
54 8.8 6.5 9.7
68 5.2 4.2 6.2









#23
Nitrobenzene-d5
Concen: 64.051 ng
RT: 7.410 min Scan# 906
Delta R.T. -0.012 min
Lab File: BF134109.D
Acq: 06 Jul 2023 21:53




Instrument :
BNA_F
ClientSampleId :
ALDENE-COMP-1


Tgt Ion: 82 Resp: 430218
Ion Ratio Lower Upper
82 100
128 42.9 32.5 48.7
54 57.5 48.2 72.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.880 min Scan# 1325
Delta R.T. -0.012 min
Lab File: BF134109.D
Acq: 06 Jul 2023 21:53


Tgt Ion:164 Resp: 179914
Ion Ratio Lower Upper
164 100
162 99.9 80.0 120.0
160 43.9 35.9 53.9








#42
2,4,6-Tribromophenol
Concen: 93.417 ng
RT: 10.674 min Scan# 1460
Delta R.T. -0.012 min
Lab File: BF134109.D
Acq: 06 Jul 2023 21:53


Instrument :
BNA_F
ClientSampleId :
ALDENE-COMP-1





Tgt Ion:330 Resp: 210726
Ion Ratio Lower Upper
330 100
332 95.6 77.0 115.6
141 33.3 26.3 39.5




#45
2-Fluorobiphenyl
Concen: 65.038 ng
RT: 9.204 min Scan# 1210
Delta R.T. -0.006 min
Lab File: BF134109.D
Acq: 06 Jul 2023 21:53



Tgt Ion:172 Resp: 804822
Ion Ratio Lower Upper
172 100
171 34.8 28.6 43.0
170 22.9 19.4 29.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.374 min Scan# 1579
Delta R.T. -0.012 min
Lab File: BF134109.D
Acq: 06 Jul 2023 21:53




Instrument :
BNA_F
ClientSampleId :
ALDENE-COMP-1


Tgt Ion:188 Resp: 346667
Ion Ratio Lower Upper
188 100
94 8.3 6.4 9.6
80 8.8 7.3 10.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.033 min Scan# 2031
Delta R.T. -0.018 min
Lab File: BF134109.D
Acq: 06 Jul 2023 21:53

Tgt Ion:240 Resp: 233930
Ion Ratio Lower Upper
240 100
120 11.1 7.4 11.0#
236 26.7 21.0 31.6









#79
 Terphenyl-d14
 Concen: 61.302 ng
 RT: 12.974 min Scan# 1851
 Delta R.T. -0.012 min
 Lab File: BF134109.D
 Acq: 06 Jul 2023 21:53

Instrument :
 BNA_F
 ClientSampleId :
 ALDENE-COMP-1

Tgt Ion:244 Resp: 891023
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.0 9.0
 122 9.6 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.539 min Scan# 2287
 Delta R.T. -0.012 min
 Lab File: BF134109.D
 Acq: 06 Jul 2023 21:53

Tgt Ion:264 Resp: 189958
 Ion Ratio Lower Upper
 264 100
 260 24.8 19.5 29.3
 265 20.5 16.6 25.0

